SUBJECT INDEX.

[References to the papers read before the Institute are indicated by the word *Paper* following the page number. The letter *P.* denotes a reference in Section I. of the Journal which contains the reports of the proceedings of meetings, the papers read, and the discussions thereon. The letter *A.* denotes a reference to the section dealing with abstracts.

Indexing of Alloy Steels and Other Alloys. In the indexing of alloy steels, carbon and iron are ignored and the alloying elements contained in the steel are arranged in alphabetical order; for example all references to nickel-chromium-molybdenum steel will be found under the heading chromium-molybdenum-nickel steel. In the indexing of other alloys, carbon and iron, when present, are included in the title; iron, when present, is always mentioned first and the other elements follow in alphabetical order, carbon being in all cases mentioned last. Examples: "Iron-silicon-carbon alloys" and "iron-chromium-nickel-carbon alloys."]

Abrasion Tests for coke, 104*A*.
Acid Electric Furnaces, scrap melting practice, 36*A*.
Acid Open-Hearth Process, 161*A*.
Adirondack, magnetite ore mines, 27*A*.
Age-Hardening, detection by electron microscope, 194*A*.
Ageing, sensitivity, of deep-drawing steel, 19*A*.
Air, use in drying cores, 32*A*.
Aircraft Castings, interpretation of radiographs, 23*A*.
Aircraft-Engine Crankshafts, residual stresses, 119*A*.
Aircraft Engine Cylinders :
centrifugal casting, 5*A*.
coating with porous chromium, 117*A*.
Aircraft-Engine Exhaust Manifolds, stainless-steel, corrosion, 123*A*.
Aircraft-Engine Forgings, control tests, 109*A*.
Aircraft-Engine Parts :
building up worn parts by electrodeposition, 63*A*.
coating with porous chromium, 117*A*.
inspection by magnetic powder method, 122*A*.
residual stresses, 119*A*.
Aircraft Engines, German and Japanese, examination, 22*A*.
Aircraft Forgings, metallurgical control, 8*A*.
Aircraft Gears, shaved, heat-treatment control, 56*A*.
Aircraft Inspection, Ministry of Aircraft Production, 197*A*.
Aircraft Landing Mat, cleaning plant, 18*A*.
Aircraft Parts :
inspection, thickness measurement, 21*A*.
propeller blades, rolling-mill equipment for, 38*A*.
propeller hubs, equipment for forging, 37*A*.
use of alloy steel, 22*A*.
Aircraft Steel :
impact and hardness tests, 43*A*.
welded joints, impact strength, 14*A*.
Air-Hardening Steel, hardenability tests, 20*A*.
Air Preheating, use in furnaces, 29*A*.
Alabama, cleaning coal, 129*A*.
Alan Wood Steel Co., mercury-arc rectifier equipment, 137*A*.
Alaska, coal, low-temperature carbonization, 30*A*.
Alkalies, action on refractory materials, 29*A*.
Alloying Elements, detection in steel by spot tests, 46*A*.
Alloys :
cobalt, scaling, 170*A*.
ferro-, colorimetric determination of nitrogen by direct nesslerisation, 333 *Paper*.
for permanent magnets, 21*A*.
iron, binary, creep properties, 194*A*.
iron, determination of liquidus-solidus temperatures, 197*A*.
iron-silicon, Hipersil, 194*A*.
iron-silicon, iron-rich, X-ray examination, 457 *Paper*.
nickel, determination of gases, 195*A*.
nickel-chromium, determination of gases, 195*A*.
Simanal, effect on deoxidation of steel in ladle, 84*A*.
Alten's Alloys, heat-resistant iron, tensile strength, 170*A*.
Aluminium :
corrosion inhibitors for, 198*A*.
detection in steel by spot tests, 46*A*.
determination in steel, 84*A*.
determination in steel, colorimetric method, 201*A*.
determination in steel, spectrochemical methods, 152*A*.
impact strength at low temperatures, 143*A*.
polishing and etching, 96*A*.
Aluminium-Clad Steel, spot-welding, 59*A*.
American Brake Shoe Co., foundry plant, 182*A*.
American Gas Association, gas immersion-tube burners, 78*A*.

American Society for Testing Materials, investigations into graphitization of welded steel, 61*A*.
American Society of Mechanical Engineers, investigations into graphitization of welded steel, 61*A*.
American Welding Society, effect of residual stresses in welded structures, 14*A*.
Ammonia, use in treatment of metals, 189*A*.
Ammonium Sulphate, recovery from coke-oven gas, 178*A*.
Ammunition Boxes, galvanizing of, 62*A*.
Amplidyne Generator, use in rolling mills, 86*A*.
Analysis, 46*A*., 99*A*., 151*A*., 199*A*.
application of micro-combustion technique, 200*A*.
basic open-hearth slag, 202*A*.
corrosion-resistant steel, colorimetric method, 100*A*.
electroplating baths, colorimetric method, 202*A*.
micro-, 47*A*.
modern apparatus and methods, 99*A*.
particle size, powdered iron, 158*A*.
photo-electric spectrometric, bibliography, 152*A*.
polarographic, 48*A*., 100*A*.
polarographic, for phosphate coatings, 202*A*.
quantitative, steel segregates, micro-spectrographic method, 473 *Paper*.
rimming-steel ingots, 509 *Paper*.
spectrum, 49*A*., 99*A*., 100*A*., 199*A*., 200*A*.
spectrum, bibliography, 152*A*.
spectrum, comparator, 200*A*.
spectrum, dilution factor, 200*A*.
spectrum, of iron and steel, 200*A*.
spectrum, of low-alloy steel, 49*A*.
spectrum, preparation of specimens, 100*A*.
steel, use of Identometer, 100*A*.
steel, White Motor Company apparatus, 100*A*.
Annealing :
control of furnace atmospheres, 139*A*.
controlled atmospheres, 10*A*.
cooled steel, 111*A*.
malleable cast iron, 133*A*.
malleable cast iron, thermal lag, 51*A*.
plant for alloy-steel bars, 187*A*.
steel, 164*A*.
steel, below critical point, 139*A*.
steel wire, tests to standardize processes, 57*A*.
steel, utilization of residual rolling heat, 138*A*.
strip, use of electronic control apparatus, 113*A*.
welded stainless steel in salt baths, 57*A*.
whiteheart malleable cast iron by gas process, 80*A*., 81*A*., 133*A*.
Wilson Steel and Wire Co. plant, 57*A*.
wire, salt baths for, 113*A*.
Annealing Machines, 88*A*.
Anthracite, effect of addition to coking coal, 78*A*.
Anthracite Deposits, Pennsylvania, 27*A*.
Arc, direct-current, detection of phosphorus, titanium and zirconium, 100*A*.
Arc Furnaces, *see* Electric Furnaces.
Arc Splitters, use in open-hearth furnace flues, 6*A*.
Argon, adsorption on steel surfaces, 21*A*.
Armour Plate :
heat-treatment plant Ford Motor Co., 57*A*.
welding, 59*A*.
Armour Steel, castings, heat-treatment, 10*A*.
Associates, election, 5*P*.
Atmospheres :
control in heat-treatment furnaces, 165*A*.
controlled, 10*A*., 38*A*., 39*A*., 56*A*., 78*A*., 139*A*., 165*A*.
controlled, for annealing, 10*A*.
controlled, for continuous furnace brazing, 41*A*.
controlled, introduction of inert gases into core and moulding sands, 51*A*.
controlled, equipment for supplying heat-treatment furnaces, 56*A*.
furnace, effect on fuel and charge, 188*A*.
furnace, reactions with hot steel, 10*A*.
lithium heat-treating, for carburization, 38*A*.
reducing, behaviour of chrome ore and chrome-magnesite refractory materials, 103*A*.
Auguste Jacquet Machine, for continuous casting of tubes, 34*A*.
Austempering, 113*A*.
Austenite :
hardness, determination by micro-hardness tester, 122*A*.
transformation in steel, 38*A*., 46*A*.
Austenitic Grain Growth, cast and forged steel, 168*A*.
Austenitic Manganese Steel, properties, 145*A*.
Australia :
balanced-blast cupola operation, 3*A*.
production of basic electric steel in Héroult furnace, 108*A*.
Australian Iron and Steel, Ltd., blast-furnace repair, 2*A*.
Automobile Castings :
foundry equipment of Midland Motor Cylinder Co., Ltd., 50*A*.
grey-iron, repair by welding, 14*A*., 141*A*.
preparation of moulding sand, 51*A*.
Automobile Construction, German, wartime specifications, 196*A*.
Automobile Crankshafts :
forging, 8*A*.
forging presses, 162*A*.
Automobile-Engine Parts, application of low-alloy steel, 147*A*.
Automobile Parts :
heat-treatment, 139*A*.
induction-heating equipment, 39*A*.
manufacture, 529*P*.
properties of steel sheet for, 108*A*.

Avery, W. & T., Ltd., torsion testing machines, 19*A*.
Axles :
causes of failure, 169*A*.
railway, cracks, 65*A*.

Baking, application of infra-red-ray heating, 167*A*.
Balance, microchemical, 101*A*.
Baldwin-Southwark Electrical Strain Gauge, 143*A*.
Ball-Bearing Steel :
annealing, utilization of residual rolling heat, 138*A*.
heat-treatment, 111*A*.
properties, 171*A*.
Ball Races, heat-treatment, plant and methods, 139*A*.
Bar Mills, 110*A*.
Bethlehem Steel Co., 186*A*.
Barley-Shell Structure, high-silicon iron, 173*A*.
Bars :
alloy-steel, heat-treatment plant, 187*A*.
concrete reinforcing, methods of increasing strength, 146*A*., 147*A*.
electric furnaces for hardening, 165*A*.
forged and cast steel, effect of different heat-treatments, 56*A*.
furnaces for continuous heat-treatment, 39*A*.
heat-treatment, utilization of residual rolling heat, 138*A*.
induction heating, 164*A*.
induction-heating plant, 188*A*.
magnetic comparator for sorting, 66*A*.
multiple drawing, 136*A*.
properties and selection, 67*A*.
steel, bright-drawing, power required, 9*A*., 136*A*.
steel, induction hardening, properties, 11*A*.
Basic Bessemer Steel :
deoxidation with carbon, 35*A*., 183*A*.
deoxidation with manganese, 35*A*., 183*A*.
rimming, production of clean ingots, 35*A*.
Basic Electric Furnaces :
construction, 161*A*.
construction of bottoms, 83*A*.
construction of silica brick roof, 161*A*.
control of carbon, 84*A*.
Basic Electric Steel :
effect of non-metallic inclusions, 162*A*.
production in Héroult furnace in Australia, 108*A*.
Basic Linings for open-hearth furnaces, 29*A*.
Basic Open-Hearth Plant, Lanarkshire Steel Co., Ltd., 160*A*.
Basic Open-Hearth Practice, 160*A*.
Basic Open-Hearth Process, slag-metal-oxygen relationships, 84*A*.
Basic Slag :
analysis, 202*A*.
citric-acid solubility test, 441 *Paper*.
constitution, 55*A*.
Basic Slag :
control, 54*A*.
mineralogy, 19 *Paper*.
relationship to calcium-oxide/phosphorus-pentoxide/silica system, 41*P*.
Bearings :
failure, due to electric currents, 186*A*.
from metal powders, 3*A*.
strength properties of sponge iron powder for, 31*A*.
Belle City Malleable Iron Co., malleable iron foundry plant and processes, 80*A*.
Bend-Fatigue Strength :
alloy steel forgings, 44*A*.
effect of liquids on glass and steel, 44*A*.
Bend Tests :
fatigue, case-hardened steel, 192*A*.
fatigue, effect of heat-treatment methods on case-hardening steel, 21*A*.
fatigue, for tool steel, 22*A*.
on small specimens, 120*A*.
welded structures, 142*A*.
welds, energy absorption, 14*A*.
Beneficiation :
chromite ore, 127*A*.
iron ore, 28*A*., 127*A*.
Benzole Plants, corrosion, 69*A*.
Bessemer Steel :
dephosphorized, production and properties, 54*A*.
ingot delivery time, effect on quality, 183*A*.
killed, production and properties, 53*A*.
machining properties, 115*A*.
production, effect of phosphorus, 184*A*.
Bethlehem Steel Co. :
bar mills, 186*A*.
distribution of blast-furnace and coke-oven gas, 178*A*.
methods of spectrum analysis, 200*A*.
refractory materials, performance records, 176*A*.
safety precautions for cleaning tanks and fuel holders, 179*A*.
Bibliography, 25*A*., 74*A*., 126*A*., 202*A*.
boiler embrittlement, 97*A*.
burning of steel, 88*A*.
corrosion inhibitors for iron during pickling, 166*A*.
diffusion of chromium in iron and steel, 117*A*.
effect of boron in steel and cast iron, 67*A*.
effect of microstructure on creep strength of steel, 170*A*.
electrolytic polishing of stainless steel and other metals, 61*A*.
graphitization of carbon and molybdenum steels, 19*A*.
overheating of steel, 88*A*.
photo-electric analysis, 152*A*.
quenching media, 88*A*.
spectrum analysis, 152*A*.
welding dissimilar metals, 12*A*.
Billets :
defects, surface, 136*A*.
high-speed heating by gas, 109*A*.
methods of maintaining surface quality, 84*A*.

Billets:
steel, preparation for forging, 37*A*.
steel, prevention of flakes, 55*A*.
Bimetallic Systems, use of chromate corrosion inhibitors, 198*A*.
Binders for cores, properties of oil and plastic, 52*A*.
Binding Agents, for flux coatings, 166*A*.
Black Finishes on steel, 63*A*.
Black-Oxide Coatings, 118*A*.
Blackplate, substitute for tinplate in food containers, 195 *Paper*.
Blast :
drying, 1*A*.
drying, effect on blast-furnace operation, 158*A*.
effect of moisture in, 158*A*., 179*A*.
oxygen-enriched, 179*A*.
Blast-Furnace Blowers, steam and gas driven, 157*A*.
Blast-Furnace Coke, production, effect of anthracite in coal charge, 78*A*.
Blast-Furnace Gas :
applications in iron and steel works, 155*A*.
cleaning, 178*A*.
cleaning, wet and dry processes compared, 30*A*.
determination of dust, 104*A*.
distribution, Bethlehem Steel Co., 178*A*.
distribution, Carnegie-Illinois Steel Corporation, 178*A*.
distribution, Jones and Laughlin Steel Corporation, 178*A*.
distribution, Republic Steel Corporation, 178*A*.
distribution, Youngstown Sheet and Tube Co., 178*A*.
economy in iron and steel works, 156*A*.
Blast-Furnace Plant, Australian Iron and Steel, Ltd., 2*A*.
Blast-Furnace Practice, 105*A*., 131*A*.
economical blowing rates, 179*A*.
effect of coke size, 158*A*.
effect of drying blast, 158*A*.
effect of moisture in blast, 158*A*.
Inland Steel Co., 158*A*.
use of models, 260*P*.
use of sinter, 303 *Paper*.
Blast-Furnace Slag, light-weight, production at Hanna Furnace Corporation, 131*A*.
Blast-Furnace Stoves :
operation, 157*A*.
performance, 1*A*.
repair, 157*A*.
Blast-Furnaces :
behaviour of coke, 1*A*.
burdens, 130*A*.
construction, use of welding, 59*A*.
control of skip hoists, 31*A*.
distribution of materials, 259 *Paper*.
heat losses and insulation, 29*A*.
history and development in Great Britain, 78*A*.
models, scale effect for falling particles, 284*P*.
operation, effect of high top pressure, 130*A*.
Blast Furnaces:
operation in United Kingdom in wartime, 130*A*.
production of ferro-chromium, 2*A*.
reconstruction in Russia, 157*A*.
refractory materials, 175*A*.
refractory materials, failure, 175*A*.
repair, 1*A*.
Blaw-Knox fettling machine, 83*A*.
Block-Caving Method, in iron ore mining, 27*A*.
Blooming Mills, *see* Cogging Mills.
Blowing Rates, economical, in blast-furnace practice, 179*A*.
Blueing Steel, 118*A*.
Bofors, A/B., etching method, 148*A*.
Boiler Furnaces, heat-transfer in water-cooled walls, 77*A*.
Boiler Plates :
normalising compared with stress relieving, 60*A*.
stress-corrosion cracking, 97*A*., 123*A*.
Boiler Steel, cracks, causes and detection, 64*A*.
Boilers :
embrittlement, 97*A*.
embrittlement, bibliography, 97*A*.
production, foundry equipment and practice, 82*A*.
use of blast-furnace gas, 30*A*.
Bolts :
from National Emergency steel, 146*A*.
heat-treating equipment for, 12*A*.
precision, manufacture, 136*A*.
properties of steel for, 162*A*.
steel wire, standardizing annealing and spheroidizing processes, 57*A*.
Bomb Cases :
continuous production methods, 181*A*.
manufacture, 519*P*.
Bombs, mortar, deep-drawing steel plate for, 8*A*.
Bonding Clays :
British, 117 *Paper*.
constitution, 106*A*.
types and properties, 159*A*.
Book Notices :
American Iron and Steel Institute, "Iron and Steel Industry. Position Descriptions and Classifications," 24*A*.
Benyon, C. E., "The Physical Structure of Alloys," 152*A*.
Brooke, E. H., "Chronology of the Tinplate Works in Great Britain," 124*A*.
Chesters, J. H., "Steelplant Refractories," 24*A*., 101*A*.
Gill, J. P., R. S. Rose, G. A. Roberts, H. G. Johnstin, and R. B. George, "Tool Steels," 25*A*.
Haywood, F. W., and A. R. Wood, "Metallurgical Analysis by Means of the Spekker Photo-Electric Absorptiometer," 71*A*.
Hoare, W. E., and E. S. Hedges, "Tinplate," 173*A*.
Institute of Economic Engineering, "Time Study and Rate-Fixing," 153*A*.

Book Notices:
Institute of Physics, "Handbook of Industrial Radiology," 71*A*.
Malleable Founders' Society, "American Malleable Iron. A Handbook," 124*A*. "The Svedberg, 1884–1944," 125*A*.
Paterson, D. G. P., and J. Bearn, "An Outline of Industrial Metallurgy," 154*A*.
Pearson, C. E., "The Extrusion of Metals," 72*A*.
Sanders, T. H., "Springs: A Miscellany," 73*A*.
Trubin, K. G., "Fundamental Problems Relating to the Quality of Steel Ingots," 125*A*.
Ungewitter, C., "Science and Salvage," 25*A*.
Boric Acid, use in determination of phosphorus in titanium steel, 47*A*.
Boron:
effect in cast iron, 67*A*.
effect in malleable cast iron, 81*A*.
effect in steel, 22*A*., 67*A*., 146*A*.
Brake Blocks from powder metals, 79*A*.
Brass, welding to steel, 59*A*.
Brazing:
continuous-furnace, controlled atmospheres, 41*A*.
gear teeth, 11*A*.
heat-treated parts, 165*A*.
metals, 165*A*.
metals, applications of ammonia, 189*A*.
silver, of steel, 189*A*.
steel in electric furnace, 114*A*.
Briggs and Stratton Corporation, induction heating plant, 11*A*.
Brinell Hardness:
conversion to other scales, 20*A*.
relation to tensile properties, 66*A*., 169*A*.
Brinell Hardness Tester, 121*A*., 194*A*.
Brittle Coatings:
"Stresscoat," use in measuring residual stresses, 92*A*.
use in analysis of stresses, 64*A*.
Brittleness:
electrolytic coatings, causes, 116*A*.
temper-, alloy steel, 122*A*.
Broaches, heat-treatment plant and processes, 57*A*.
Broken Hill Proprietary Co., Ltd., production of cast rolls, 106*A*.
Bronze, friction tests on steel, 66*A*.
Brushes, from metal powders, 3*A*.
Bulldozer Track Rollers, shrink fitting, 58*A*.
Burners:
gas, capacity and application to furnaces, 78*A*.
gas immersion-tube, design and application, 78*A*.
Burning, steel, bibliography, 88*A*.
Bursting Tests:
for steam-turbine rotors, 93*A*.
for wire-wound steel pipes, 93*A*.
Bushes, steel, use of copper plating in localized nitriding, 12*A*.
Byers Co., A. M., electric furnace plant, 36*A*.
By-Products, recovery, 130*A*.

Cadillac Motor Co., shot-peening plant, 15*A*.
Cadmium:
electrodeposition, 117*A*.
electrodeposition, building-up worn aero-engine parts, 63*A*.
polishing and etching, 96*A*.
Cadmium-Coated Steel, corrosion, effect of iridite finish, 167*A*.
Cadmium Coatings:
effect of tin as undercoating, 23*A*.
iridite treatment, 118*A*.
Calcium-Ferrous Silicates, reversible thermal expansion, 50*A*.
Calcium-Oxide Manganese-Oxide System, 15 *Paper*.
Caldwell Granulating Machine, for blast-furnace slag, 131*A*.
California, merchant bar mills, 110*A*.
Canada:
iron and steel industry, 53*A*.
iron ore deposits, 27*A*.
open-hearth furnaces, Steel Company of Canada, Ltd., 29*A*.
Canadian Department of Mines and Resources, corrosion testing laboratories, 70*A*.
Carbanalyzer, for determining carbon, 84*A*.
Carbides:
cemented, preparation for micro-examination, 45*A*.
chromium, formation, failure of stainless steel welds, 23*A*.
distribution in hypereutectoid steel, effect of pretreatment, 193*A*.
Carbide Mandrels, application and maintenance, 37*A*.
Carbon:
control in basic electric furnaces, 84*A*.
deoxidation of basic Bessemer steel, 35*A*., 183*A*.
determination by carbanalyzer, 84*A*.
determination by chemical methods, 84*A*.
determination by fracture method, 84*A*.
determination by magnetic methods, 84*A*.
determination in coal, 202*A*.
determination in coal, use of electric furnace, 101*A*.
determination in iron and steel, 151*A*.
determination in steel by micro-combustion, 200*A*.
effect on intergranular corrosion of stainless steel, 70*A*.
effect on transformation of austenite, 46*A*.
products, metallurgical applications, 134*A*.
saturation in grey cast iron, 191*A*.
Carbon Dioxide:
adsorption on steel surfaces, 21*A*.
use in drying cores, 32*A*.

Carbon Monoxide :
adsorption on steel surfaces, 21*A*.
determination in nickel-chromium steel, 195*A*.
poisoning, 177*A*.
Carbon Steel :
austenite transformation, 46*A*.
biaxial fatigue tests, 65*A*.
cladding with stainless steel, 166*A*.
fatigue strength, effect of size of specimen, 144*A*.
graphitization, 19*A*.
local heating, 189 *Paper*.
rails, properties and strength, 45*A*.
technical cohesive strength at low temperatures, 142*A*.
tensile-impact tests, 64*A*.
welded, graphitization, 61*A*.
yielding and fracture under combined stress, 64*A*., 91*A*.
Carbonization :
high-temperature, recovery of by-products, 130*A*.
low-temperature, of Alaskan coal, 30*A*.
properties of Kentucky coal, 78*A*.
Carbonization Gases, separation of methane and ethylene, 78*A*.
Carbonization Test, JB/UAL, 1*A*.
Carburization, in lithium heat-treating atmospheres, 38*A*.
Carburized Steel, carbon content of case, 111*A*.
Carburizing, gas, 187*A*.
Carnegie-Illinois Steel Corporation :
distribution of blast-furnace and coke-oven gas, 178*A*.
effect of moisture in blast, 179*A*.
electronic control apparatus, 9*A*.
heat- and corrosion-resistant steels, 195*A*.
marine corrosion tests, 150*A*.
open-hearth plant, 6*A*.
rolling mills, 9*A*.
Cartridge Cases :
steel, production, 9*A*.
steel, production in Germany, 56*A*.
Case-Hardened Steel :
bend-fatigue strength, 192*A*.
measurement of case depth, 111*A*.
Case-Hardening :
metals, applications of ammonia, 189*A*.
steel, effect of heat-treatment methods on strength, 21*A*.
steel, effect on tensile strength, 193*A*.
Case-Hardening Furnaces, salt-bath, for tractor gears, 188*A*.
Case-Hardening Steel :
effect of non-metallic inclusions, 162*A*.
molybdenum-free, properties after heat-treatment, 196*A*.
for tools, 22*A*.
Cast Iron :
applications in chemical industry, 146*A*., 198*A*.
corrosion in benzole plants, 69*A*.
effect of boron, 67*A*.
effect of graphite, 119*A*.
effect of tungsten, 171*A*.
effect of vanadium, 171*A*.
Cast Iron:
friction tests on steel, 66*A*.
graphitization, effect of ferro-silicon, 106*A*.
grey, carbon saturation, 191*A*.
grey, die-casting, 4*A*.
grey, eccentrically loaded, tensile tests, 142*A*.
grey, effect of inoculants, 31*A*.
grey, inoculation, 133*A*.
grey, machining and threading test-bars, 90*A*.
grey, melting and casting practice, 180*A*.
grey, postwar production in United States, 3*A*.
grey, properties, 18*A*.
grey, stress-corrosion, 123*A*.
grey, uses at high temperatures, 170*A*.
heat-resisting retorts, production, 33*A*.
heat-treated, properties 67*A*.
high-duty, properties, 18*A*.
high-strength, properties and war-time developments, 45*A*.
Kolene cleaning process, 62*A*.
malleable, *see* Malleable Cast Iron.
preparation for tinning, 166*P*.
properties, effect of chromium, 145*A*.
properties, effect of copper, 145*A*.
properties, effect of molybdenum, 145*A*.
properties, effect of vanadium, 145*A*.
residual stress distribution, 92*A*.
single-blow impact test, 403 *Paper*.
test-bars, methods of casting, 90*A*.
tinning, 157 *Paper*.
use for machine tools, 119*A*.
welding, applications, 61*A*.
welding to steel, 59*A*.
white, short cycle malleabilization, 4*A*.
Cast Steel :
accelerated cooling, 5*A*.
austenitic grain growth, 168*A*.
compared with forged, 90*A*.
design of test coupons, 67*A*.
effect of different heat-treatments, 57*A*.
hardenability, 122*A*.
hardenability, comparison with forged steel, 66*A*.
residual stress distribution, 92*A*.
Casting :
basic Bessemer rimming-steel, very clean ingots, 35*A*.
centrifugal, 5*A*., 82*A*.
centrifugal, aircraft-engine cylinder barrels, 5*A*.
centrifugal, for high-speed cutting tools, 82*A*.
continuous, 33*A*., 182*A*.
continuous, American patents, 33*A*.
continuous, tubes, 34*A*.
continuous, Williams process, 34*A*.
crankshafts, 181*A*.
die-, grey iron, 4*A*.
iron crankshafts for compressors, 82*A*.
iron test specimens, 90*A*.
lost-wax process, for cutting tools, 33*A*.
pouring systems, formulæ, 33*A*.
precision, 82*A*., 182*A*.
precision, lost-wax process, 107*A*., 160*A*.

Casting:
precision, developments in Watervleit Arsenal, 107*A*.
Soro process, 34*A*.
thermit process, 159*A*.
Casting Machines :
Auguste Jacquet, for tubes, 34*A*.
centrifugal, 82*A*.
for pig iron, 157*A*.
Williams, for tubes, 34*A*.
Castings :
aircraft, interpretation of radiographs, 23*A*.
armour steel, heat-treatment, 10*A*.
automobile, foundry equipment of Midland Motor Cylinder Co., Ltd., 50*A*.
automobile, preparation of moulding sand, 51*A*.
cleaning, hydro-blast process, 82*A*., 134*A*.
defects, detection by gamma rays, 160*A*.
defects, detection by photographic methods, 134*A*.
defects, use of radiology, 173*A*.
effect of use of synthetic moulding sand, 32*A*.
electric steel, effect of different heat-treatments, 58*A*.
grey iron, control, 134*A*.
grey-iron, production and equipment, 106*A*.
grey-iron, production at Elliott Co. foundry, 106*A*.
grey-iron, welding, 14*A*., 141*A*., 166*A*.
high-tensile steel, 159*A*.
inspection by magnetic powder method, 122*A*.
inspection by radiography, 22*A*.
inspection equipment, 91*A*.
iron, design and properties, 4*A*.
iron, effect of surface preparation, 16*A*.
iron, malleabilization, Lee Wilson furnace, 159*A*.
iron, production, 107*A*.
iron, production, use of Z metal, 146*A*.
machine-tool, properties of cast-iron for, 18*A*.
malleable iron, *see* Malleable Iron Castings.
manganese steel, effect of different heat-treatments, 58*A*.
methods of feeding, 33*A*.
moulding practice, 52*A*., 82*A*.
steel, for ships, radiographic examination, 46*A*.
steel, gating and feeding, 81*A*.
steel, production, 133*A*.
steel, production by thermit process, 159*A*.
steel, production control, 133*A*.
steel, testing, 67*A*., 144*A*.
steel, thin-walled, effect of pouring speed, 519 *Paper*.
steel, welding, 141*A*.
steel, X-ray equipment for quality control, 134*A*.
Caterpillar Tractor Co., induction-hardening plant, 88*A*.
Cathodic Protection :
oil refinery condenser box, 149*A*.
zinc-iron couples in soils, 150*A*.
Cavitation Tests, results, 198*A*.
Cement, silica, for repair of coke-oven walls, 30*A*.
Chains, anchor, welding by Unionmelt method, 40*A*.
Charge Material, behaviour in cupola, 79*A*.
Charging Machines, mobile, for furnaces, 36*A*.
Chemical Industry, applications of cast iron, 146*A*., 198*A*.
Chemical Method of determining carbon, 84*A*.
Chemical Treatment of gear surfaces, 147*A*.
Chicago Iron and Steel Industry, 34*A*.
Chilled Rolls, production, 106*A*.
Chrome-Magnesite Bricks, *see* Refractory Materials.
Chrome Ore, beneficiation, 127*A*.
Chrome Ore, *see also* Refractory Materials.
Chromite, reduction of iron, 132*A*.
Chromium :
detection in steel by spot tests, 46*A*.
determination in ores, 100*A*.
determination in slag, 100*A*.
determination in steel, colorimetric method, 201*A*.
determination in steel by spectro-analysis, 49*A*.
determination in steel, spectrochemical methods, 152*A*.
diffusion in iron and steel, bibliography, 117*A*.
effect on properties of cast iron, 145*A*.
electrodeposition, 62*A*., 117*A*.
electrodeposition, building-up worn aero-engine parts, 63*A*.
plating, control of distribution of deposits, 63*A*.
plating, cutting tools, 117*A*.
plating equipment, 117*A*.
recovery from scrap in open-hearth furnaces, 135*A*.
Chromium Carbides, formation, failure of stainless steel welds, 23*A*.
Chromium Coatings :
porous, for aircraft-engine parts, 117*A*.
porous, for cylinders and liners, 117*A*.
porous, for Diesel-engine parts, 117*A*.
porous, United Chromium Incorporated methods, 117*A*.
porous, Van der Horst process, 117*A*.
Chromium-Manganese Steel :
effect of titanium, 145*A*.
properties after heat-treatment, 196*A*.
Chromium-Manganese-Molybdenum-Silicon Steel, tensile and creep test results, 145*A*.
Chromium-Manganese-Vanadium Steel, hardening, properties, 196*A*.
Chromium-Molybdenum Steel :
bend-fatigue strength, 192*A*.
fatigue strength, effect of size of specimen, 144*A*.
flash-welding, properties, 13*A*
fluidity tests, 135*A*.

Chromium-Molybdenum Steel:
for aircraft, hardness tests, 43*A*.
for aircraft, impact tests, 43*A*.
for aircraft, impact strength of welded joints, 14*A*.
hardening, 196*A*.
properties, 196*A*.
stress-relieved, machining stability, 61*A*., 190*A*.
tensile and creep test results, 145*A*.
Chromium-Molybdenum Steel Tubes, machines for flash-welding, 12*A*., 40*A*., 89*A*.
Chromium-Molybdenum-Nickel Steel :
for aircraft, hardness and impact tests, 43*A*.
hardness tests, 20*A*.
properties, 196*A*.
relation between tensile and impact strengths, 43*A*.
spectro-analysis, 49*A*.
stress relieved, machining stability, 61*A*., 190*A*.
tensile and creep test results, 145*A*.
Chromium-Molybdenum-Tungsten Steel, low-temperature heat-treatment, 58*A*.
Chromium-Molybdenum-Tungsten-Vanadium Steel :
heat-treatment, 87*A*.
low-temperature treatment, 140*A*.
Chromium-Molybdenum-Vanadium Steel, tensile and creep test results, 145*A*.
Chromium-Nickel Steel :
effect of nitrogen, 66*A*.
hardenability tests, 144*A*.
hardness tests, 20*A*.
nitrogen-treated, constitutional diagram, 198*A*.
welding, 114*A*.
Chromium Plate, film in, 17*A*.
Chromium Salts, use as corrosion inhibitors, 198*A*.
Chromium Steel :
austenite transformation, 46*A*.
bend-fatigue strength, 192*A*.
effect of heat-treatment methods on strength, 21*A*.
impact tests, effect of silicon, 21*A*.
tool tests, 22*A*.
transformation in, 46*A*.
welding, 114*A*.
Chromium-Tungsten-Vanadium Steel, heat-treatment, 87*A*.
Chromium-Vanadium Steel, tensile and creep test results, 145*A*.
Chrysler Corporation, heat-treating equipment for tank production, 39*A*.
Ciné Radiography, investigation of pouring of metals, 80*A*., 106*A*.
Citric-Acid Solubility Test, for basic slag containing fluorspar, 441 *Paper*.
Clays, bonding, properties and types, 81*A*., 106*A*., 159*A*.
Cleaning :
blast-furnace gas, 30*A*., 155*A*., 178*A*.
cast iron, Kolene process, 62*A*.
cast-iron, oxidizing-reducing process, 62*A*.
Cleaning:
castings, hydro-blast process, 82*A*., 134*A*.
coal, 104*A*., 177*A*.
coal, cost, 130*A*.
coal, in Alabama, 129*A*.
coal, performance of plant, 130*A*.
coke-oven regenerators, 130*A*.
forgings, for magnaflux inspection, 116*A*.
fuel tanks, safety precautions, 179*A*.
gas holders, safety precautions, 179*A*.
metals, 15*A*., 61*A*., 62*A*., 115*A*., 166*A*.
metals, use of wetting agents, 62*A*.
metals, rate of saponification of greases, 115*A*.
metals, shot-blasting equipment, 15*A*.
metals, theory and processes, 61*A*.
producer gas, 178*A*.
steel, removal of grease, 116*A*.
Cleaning Plant, for aircraft landing mats, 18*A*.
Cleveland Tractor Co., salt-bath case-hardening furnaces, 188*A*.
Clutch Plates from powder metals, 79*A*.
Coal :
Alaskan, low-temperature carbonization, 30*A*.
cleaning, 104*A*., 177*A*.
cleaning, cost, 130*A*.
cleaning, in Alabama, 129*A*.
cleaning plant, performance, 130*A*.
coking, effect of anthracite additions, 78*A*.
coking properties, 1*A*.
coking tests, electric furnace for, 104*A*.
coking, Yorkshire, Nottingham, and Derby resources, 76*A*.
determination of carbon, 202*A*.
determination of carbon and hydrogen, use of electric furnace, 101*A*.
determination of hydrogen, 202*A*.
gasification in producers, 30*A*.
Georgia, properties and preparation, 103*A*.
hand-fired, efficient use in furnaces, 29*A*.
handling, Great Lakes, 27*A*., 76*A*.
Illinois, coking properties, 104*A*.
Kentucky, carbonizing properties, 78*A*.
preparation, 30*A*.
pulverized, efficient use in furnaces, 29*A*.
requirements of iron and steel industry, 30*A*.
South African, laboratory coking tests, 104*A*.
Spitsbergen, geology and petrology, 155*A*.
Tennessee, properties and preparation, 103*A*.
Wyoming, reserves, 76*A*.
Coal Deposits :
anthracite, Pennsylvania, 27*A*.
Kentucky, 27*A*.
South Wales, geological sequence, 103*A*.
Coal Gas :
removal of hydrogen sulphide, 178*A*.
use in annealing whiteheart malleable cast iron, 81*A*.
Coal-Tar Pitch, use for carburetting coke-oven gas, 155*A*.

Coated Steel, hot-rolling tests, 185*A*.
Coating :
metals, 17*A*., 62*A*., 116*A*., 166*A*.
preparation of metal surfaces, 63*A*.
Coatings :
black-oxide, 118*A*.
brittle, use in stress analysis, 64*A*.
cadmium, effect of tin as undercoating, 23*A*.
cadmium, iridite treatment, 118*A*.
chromium, porous, for aircraft-engine parts, 117*A*.
chromium, porous, for cylinders and liners, 117*A*.
chromium, porous, for Diesel-engine parts, 117*A*.
chromium, porous, United Chromium Incorporated methods, 117*A*.
chromium, porous, Van der Horst process, 117*A*.
copper, on bushes, use in localized nitriding, 12*A*.
cupro-nickel, on steel, 17*A*.
effect on welding electrodes, 40*A*.
electrode, total available hydrogen, 394*P*.
electrodeposited, on steel, effect of polishing methods, 124*A*.
electrolytic, causes of brittleness and defects, 116*A*.
lacquer, use for measuring strain, 143*A*.
lead, hot-dip, 17*A*.
metal, for prevention of corrosion of iron and steel, 149*A*.
on metals, 62*A*.
nickel, effect of tin as undercoating, 23*A*.
paint, 119*A*.
phosphate, polarographic analysis, 202*A*.
phosphate, use in wire-drawing, 37*A*.
resin, application and baking on metals, 63*A*.
resin, baking on steel by induction heating, 63*A*.
thickness, determination by magnetic tester, 167*A*.
tin, electrodeposited, as undercoating, 23*A*., 198*A*.
welding electrode, constituents, 14*A*., 60*A*.
zinc, effect of tin as undercoating, 23*A*.
zinc, iridite treatment, 118*A*.
Cobalt :
detection in steel by spot tests, 46*A*.
determination in high-speed steel, photometric method, 47*A*.
determination in steel, spectrochemical methods, 152*A*.
determination of iron, 99*A*.
Cobalt Alloys, scaling, 170*A*.
Cobalt-Tungsten Steel, centrifugal casting for cutting tools, 82*A*.
Cogging Mill Plant, United Steel Companies, Ltd., 319 *Paper*.
Cohesive Force of metals, effect of pressure of liquids, 45*A*.
Coke :
abrasion tests, 104*A*.
behaviour in blast-furnaces, 1*A*.
Coke:
cooling, 1*A*.
effect of anthracite in coal charge, 78*A*.
efficient use in furnaces, 29*A*.
foundry, properties, 3*A*.
low-temperature, addition in coke-ovens, 1*A*.
physical and mechanical properties, 156*A*.
size, effect on blast-furnace operation, 158*A*.
Coke-Oven Gas :
carburetting with coal-tar pitch, 155*A*.
distribution, Bethlehem Steel Co., 178*A*.
distribution, Carnegie-Illinois Steel Corporation, 178*A*.
distribution, Jones and Laughlin Steel Corporation, 178*A*.
distribution, Republic Steel Corporation, 178*A*.
distribution, Youngstown Sheet and Tube Co., 178*A*.
recovery of ammonium sulphate, 178*A*.
Coke-Oven Regenerators, cleaning, 130*A*.
Coke-Ovens :
air and gas flow in regenerator flues, 104*A*.
Koppers-Becker, 1*A*.
operation, 105*A*.
repair of silica walls by cement spray welding, 30*A*.
Wilputte type, design of flues and ports, 104*A*.
Coking, high-temperature, recovery of by-products, 130*A*.
Coking Industry :
Ruhr district, 78*A*.
staff welfare, 177*A*.
Coking Plant :
Douchy, Nord, 156*A*.
Fontana Works, California, 1*A*.
performance of Lumnite refractory cement, 176*A*.
Waleswood, Yorkshire, 156*A*.
Coking Practice, 1*A*.
Coking Properties, Illinois coal, 104*A*.
Coking Tests :
Alaskan coal, 30*A*.
electric furnace for, 104*A*.
laboratory, of South African coal, 104*A*.
Colbond, properties and constitution, 106*A*.
Cold-Heading, use of tungsten-carbide dies, 8*A*.
Cold-Heading Tools, steel, tests, 22*A*.
Cold-Rolled Steel, tensile and yield strength, 91*A*.
Cold-Rolling:
rolling pressure and work in, 186*A*.
strip, effect of rolling conditions, 163*A*.
Cold-Worked Metals, recrystallization and crystal recovery, 197*A*.
Colliery Equipment, failure, 43*A*.
Collins-Oseland Pyrometers, 164*A*.
Colonial Broach Co., heat-treatment plant and processes, 57*A*.
Colorado, sintering plant, 27*A*.
Colorimeter, Klett-Summerson, 151*A*.
Columbia Steel Co., rod and wire mills, 186*A*.

Combustion :
conditions in open-hearth furnaces, 83*A*.
control, 77*A*.
Comparator :
for spectrum analysis, 200*A*.
magnetic, for sorting steel bars, 66*A*.
Concentration :
German iron ore, 28*A*.
iron ore, low-grade, methods of increasing iron recovery, 128*A*.
iron ore, Republic Steel Corporation plant, 127*A*.
manganese ore, use of nitrogen dioxide, 76*A*.
ores, Kungliga Tekniska Hogskölan research laboratories, 28*A*.
taconite, New York State and Mesabi Range, 28*A*.
Concentration Plants, iron ore, in America, 28*A*.
Concrete :
refractory, *see* Refractory Materials.
reinforcing bars, methods of increasing strength, 146*A*., 147*A*.
Condenser Box, oil refinery, cathodic protection, 149*A*.
Conductivity, thermal, laminated metal, 177*A*.
Connecting Rods, dies for forging, 37*A*.
Control :
atmospheres, in heat-treatment furnaces, 165*A*.
automatic, for reversal of open-hearth furnaces, 183*A*.
basic open-hearth slag, 54*A*.
blowing, in Tropenas converter, use of direct-vision spectroscope, 9 *Paper*.
chemical, of hot-dip galvanizing process, 166*A*.
combustion, 77*A*.
disease among foundry workers, 53*A*.
distribution of deposits in electrodeposition, 63*A*.
electric, for arc furnaces, 36*A*.
electric, for blast-furnace skip hoists, 31*A*.
electric, for electric furnaces, 38*A*.
electric, for motors in steel plants, 108*A*.
electric, for rolling-mill screw-downs, 138*A*.
electric circuits, for ingot conveyor cars, 55*A*.
electronic, of flame-cutting torches, 90*A*.
electronic, for annealing strip, 113*A*.
fuel in steel furnaces, 77*A*.
gas flow in heat-treatment furnaces, 56*A*.
gases, in open-hearth furnaces, 83*A*.
heat-treatment of aircraft gears, 56*A*.
in foundries, 134*A*.
magnetic, for electric heat-treatment furnaces, 139*A*.
metallurgical, aircraft forgings, 8*A*.
moulding sand, 181*A*.
open-hearth furnaces, Inland Steel Co., 108*A*.
pressure gauge, for hydraulic presses, 8*A*.
process, technique and instruments, 199*A*.
Control:
production, malleable iron castings, 181*A*.
production, steel castings, 133*A*.
production, sulphur steel, 135*A*.
push-button, power press electric motors, 8*A*.
quality, for forgings, 55*A*.
quality, of high-tensile steel by statistical methods, 54*A*.
quality, statistical methods, 18*A*., 54*A*., 68*A*., 133*A*.
quality, steel castings, X-ray equipment, 134*A*.
remote, Yardeny-ATF system, 137*A*.
semi-gas-fired furnaces, 162*A*.
slag, 36*A*.
statistical, for tank shoes, 133*A*.
technical, in foundries, 52*A*.
temperature, of heat-treatment furnaces, 164*A*.
tests of aircraft-engine forgings, 109*A*.
Conversion Tables for Hardness Scales, 20*A*.
Converters, control of blowing, by direct-vision spectroscope, 9 *Paper*.
Conveyor Systems, for welding tank parts, 89*A*.
Conveyors :
chain-belt, in heat-treating plant, 12*A*.
electric car, for ingots, 54*A*.
in foundries, 34*A*., 82*A*.
in steelworks, 10*A*.
Cooling :
accelerated, cast steel, 5*A*.
coke, 1*A*.
quenching oil, effect on hardness, 140*A*.
steel, crystallisation, 68*A*.
steel rails, curvature, 45*A*.
steel, theory, 36*A*.
Cooling Rate, air-hardening steel, 20*A*.
Copper :
detection in steel by spot tests, 46*A*.
determination in iron and steel, colorimetric method, 151*A*.
determination in steel by spectro-analysis, 49*A*.
determination in steel, spectrochemical methods, 152*A*.
effect on lubricating oils, 23*A*.
effect in molybdenum steel, 67*A*.
effect on properties of cast iron, 145*A*.
impact strength at low temperatures, 143*A*.
polishing and etching, 96*A*.
Copper Coatings, on steel bushes, use in localized nitriding, 12*A*.
Copper-Nickel Coatings, on steel, 17*A*.
Cores :
drying tests, 32*A*.
drying, use of gaseous fuel, 4*A*.
methods of supporting, 107*A*.
oven for baking, 33*A*.
positioning and securing, 5*A*.
properties of oil and plastic binders, 52*A*.
Core-Binders :
properties of oil and plastic, 52*A*.
strength tests, 32*A*.
Core Ovens, 33*A*.

Core Paints, properties and uses, 57 *Paper.*
Core Sand :
atmosphere control, introduction of inert gases into, 51*A.*
reclamation, 160*A.*
Cornell University, New York, hot-testing of moulding sands, 52*A.*
Corrosion :
alloy steels by steam, 98*A.*
apparatus for measuring, 70*A.*
atmospheric, protection of steel, 198*A.*
benzole plants, 69*A.*
coated steel, effect of iridite finish, 167*A.*
effect of high temperature and high humidity, 98*A.*
food containers, 124*A.*
galvanic,-steel coupled to nickel, 198*A.*
intergranular, effect of carbon and nitrogen in stainless steel, 70*A.*
intergranular, of stainless-steel welds, 23*A.*
marine, test results, 198*A.*
prevention, 23*A.*
prevention on iron and steel, use of metal coatings, 149*A.*
prevention in water systems, 198*A.*, 199*A.*
research in America, 149*A.*
salt-water, in steel pipes, 69*A.*
stainless steel aircraft-engine exhaust manifolds, 123*A.*
by steam, 98*A.*
steel, effect of marine atmospheres and sea-water, 98*A.*
steel, effect of phenol, 98*A.*
stress-, cracks in steel spring clips, 70*A.*
stress-, grey cast iron, 123*A.*
stress-, malleable cast iron, 123*A.*
underground pipe lines, 150*A.*
Corrosion Inhibitors, 99*A.*, 198*A.*, 199*A.*
chromate, for bimetallic systems, 198*A.*
for aluminium, 198*A.*
for iron during pickling, 166*A.*
use of metal salts, 198*A.*
Corrosion Ratings, of metals, 24*A.*
Corrosion-Resistant Steel :
analysis, colorimetric method, 100*A.*
applications and welding properties, 195*A.*
determination of lead, colorimetric method, 200*A.*
determination of titanium, 100*A.*
effect of different heat-treatments, 57*A.*
properties, 172*A.*, 194*A.*
properties and application in oil-refining equipment, 147*A.*
Corrosion Tests :
accelerated, 70*A.*
atmospheric, 124*A.*
electrochemical, 124*A.*
iron and steel water pipes, 69*A.*
laboratory equipment, 23*A.*, 70*A.*, 124*A.*
marine, 150*A.*, 198*A.*
petrol and oils, 23*A.*
salt-spray, 124*A.*, 150*A.*
for soil, 124*A.*
total immersion, 124*A.*
Corrosive Soils, effect of aeration on hydrogen-ion concentration, 123*A.*
Costing, foundry, 53 *A.*, 107 *A.*
Cracking :
stress-corrosion, boiler plates, 97*A.*, 123*A.*
stress-corrosion, steel spring clips, 70*A.*
Crack-Sensitivity, welds, 189*A.*
Cracks :
causes and detection in fireboxes and boiler steel, 64*A.*
detection, magnetic powder method, 169*A.*, 192*A.*
detection, Metrolux apparatus, 170*A.*
in pipe fittings, causes, 51*A.*
in metals, effect of liquids, 45*A.*
in welded steel plate, 121*A.*
in welds, 189*A.*
railway axles, 65*A.*
see also Defects.
Cranes :
electric drives, 36*A.*
for charging electric furnaces, 185*A.*
Crankshafts :
automobile, forging presses, 162*A.*
automobile, forgings, 8*A.*
casting methods, 181*A.*
compressor, casting and machining, 82*A.*
induction-heating plant, 11*A.*
Creep :
properties of iron binary alloys, 194*A.*
relationship to damping, 20*A.*
Creep Resistance, steels, effect of variables, 145*A.*
Creep Strength :
determination, heat-resistant steel, 195*A.*
steel, effect of microstructure, 170*A.*
Creep Tests :
alloy steels, results, 145*A.*
conditions, effect on graphitization of molybdenum steel, 93*A.*
steel at high temperatures, 123*A.*
Crushing Plant :
iron ore, 28*A.*, 128*A.*
iron ore, New York State and Mesabi range, 28*A.*
Crystal Recovery, cold-worked metals, 197*A.*
Crystallization, steel, 68*A.*
Crystals, twin relationships, identification standards, 97*A.*
Cupola Practice, 180*A.*
Cupolas :
balanced-blast, operation, 3*A.*, 180*A.*
behaviour of charge materials, 79*A.*
conveyor-charging equipment, 34*A.*
design, operation, and control, 80*A.*
hot-blast, operation, 180*A.*
refractory materials, 129*A.*
relation between blast pressure and quantity and cupola dimensions, 4*A.*
single-line tuyere, operation, 180*A.*
Curran Spray Pickling Machine, 16*A.*
Cutting :
flame, electronic control of torches, 90*A.*
in steel plant maintenance, 12*A.*
metals, mechanics of process, 115*A.*
oxy-acetylene, effect of surface decarburisation, 41*A.*

Cutting:
oxy-acetylene, for removal of risers, 114*A*.
oxy-acetylene, in ordnance manufacture, 90*A*.
oxy-acetylene, multiple machines, 15*A*.
oxy-acetylene, in steel foundries, 15*A*.
oxy-acetylene, stainless steel, use of flux, 142*A*.
Cutting Capacity, high-speed steel, 115*A*.
Cutting Tools :
chromium plating, 117*A*.
high-speed, centrifugal casting, 82*A*.
high-speed, plant for casting by lost-wax process, 33*A*.
performance, 41*A*.
Cylinders :
coating with porous chromium, 117*A*.
forging, force required, 85*A*.
Cylinder Barrels, aircraft-engine, centrifugal casting, 5*A*.
Cylinder Liners, coating with porous chromium, 117*A*.
Cylindrical Vessels, lining with glass, 118*A*.

Damping Capacity :
alloys, dependence on stress, 20*A*.
changes, effect of recovery periods in fatigue tests, 44*A*.
changes in steel due to fatigue stresses, 43*A*.
general survey, 20*A*.
measurement, 95*A*.
relationship to creep, 20*A*.
Decarburization, surface, in flame-cutting steel bars, 41*A*.
Deep-Drawing :
steel plate for mortar bombs, 8*A*.
windshields for shells, 9*A*.
Deep-Drawing Operations, lubrication, 37*A*.
Deep-Drawing Steel, cold-plasticity and sensitivity to ageing, 19*A*.
Defects :
castings, detection by gamma rays, 160*A*.
castings, detection by photographic methods, 134*A*.
castings, detection by radiology, 173*A*.
detection, magnetic powder method, 169*A*.
detection, photo-electric measurement, 64*A*.
electrolytic coatings, causes, 116*A*.
seamless gun barrels, detection and elimination, 138*A*.
steel sheet, 108*A*.
surface, on ingots and billets, 136*A*.
welded joints, detection by trepanning, 166*A*.
see also Cracks.
Deformation :
plastic, mechanism, 42*A*., 93*A*.
shrinkage, in shafts, 93*A*.
steel, effect of rate of movement of rolling hardness tester, 169*A*.
tensile, metals, 191*A*.
Degreasing, steel, equipment, 116*A*.
Degreasing Plant, Fraser-Heller system, trichlorethylene recovery, 166*A*.
Demulsifiers, use in rolling-mill lubrication, 86*A*.
Deoxidation :
basic Bessemer steel with carbon, 35*A*., 183*A*.
basic Bessemer steel with manganese, 35*A*., 183*A*.
steel in ladle, effect of Simanal, 84*A*.
steel, with manganese, 35*A*.
steel, with silicon, 35*A*.
Deoxidizers, action, 6*A*.
Descaling, use of lithium heat-treating atmosphere, 38*A*.
Diamond Pyramid Hardness Tests, on hardened steel, sources of error, 245 *Paper*.
Die-Casting, grey iron, 4*A*.
Die Steel, cast and forged, effect of different heat-treatments, 56*A*.
Dies :
construction and repair by welding, 13*A*.
design, for aircraft propeller hubs, 37*A*.
design, for connecting rods, 37*A*.
design, for hooks, 109*A*.
design, for presses, 109*A*.
design, for steel tubes, 136*A*.
forging, design, 8*A*., 37*A*., 85*A*., 109*A*., 162*A*.
forging, for shells, 85*A*.
Kirksite A, for steel pressings, 37*A*.
tube-drawing, maintenance, 37*A*.
tungsten-carbide, for nail mills, 8*A*.
welding and hard-facing with Stellite, 89*A*.
zinc-alloy, design, 136*A*.
Diesel-Engine Parts, coating with porous chromium, 117*A*.
Diffusion Equation, application in calculation of growth of pearlite, 97*A*.
Dilatometer, for high-temperature moulding sand tests, 52*A*.
Dilatometric Method for determining hardening temperature for steel, 38*A*.
Dilution Factor, in spectrum analysis, 200*A*.
Disease, control, among foundry workers, 53*A*.
Dolomite Bricks, *see* Refractory Materials.
Douchy, Nord, coking plant, 156*A*.
Dow Chemical Company, marine corrosion tests, 150*A*.
Drawing :
bright, steel bars, power required, 9*A*., 136*A*.
deep, *see* Deep-Drawing.
multiple, for bars, 136*A*.
seamless, tubes, 9*A*.
steel cartridge cases, 9*A*.
tubes, calculations, 85*A*.
wire, practice at Speedwell Wire Co., Ltd., 56*A*.
wire, reactive, 137*A*.
wire, theory, 85*A*.
wire, use of phosphate coating, 37*A*.
Drawing Dies, tube, maintenance, 37*A*.
Drop Forging :
developments, 8*A*.

Drop Forging:
dies, 8*A*.
splitting process, 8*A*.
Drying :
blast, 1*A*.
blast, effect on blast-furnace operation, 158*A*.
by induction heating, equipment, 39*A*.
by infra-red-ray heating, 167*A*.
by radiant heat, 18*A*.
cores, horizontal oven, 33*A*.
cores, tests, 32*A*.
cores, use of gaseous fuel, 4*A*.
foundry ladles, 52*A*.
ladles, use of gaseous fuel, 4*A*.
moulds, use of gaseous fuel, 4*A*.
Ductility, welded test specimens, effect of storage time, 15*A*.
Duralumin :
technical cohesive strength at low temperatures, 142*A*.
tensile-impact tests, results, 64*A*.
tensile and yield strength, 91*A*.
Dust :
determination in blast-furnace gas, 104*A*.
extraction from open-hearth furnace flues, 83*A*.

L'École Centrale des Arts et Manufactures, X-ray laboratories, 148*A*.
Elastic Limit, steel, 192*A*.
Elastic Modulus :
cast iron, effect of graphite, 119*A*.
changes, effect of recovery periods in fatigue tests, 44*A*.
changes in steel due to fatigue stresses, 43*A*.
iron, effect of hydrogen, 196*A*.
Electric Arc, direct-current, detection of phosphorus, titanium, and zirconium, 100*A*.
Electric Control :
circuits, for ingot conveyor cars, 55*A*.
for arc furnaces, 36*A*.
for blast-furnace skip-hoists, 31*A*.
for electric furnaces, 38*A*.
for motors in steel plants, 108*A*.
for rolling-mill screwdowns, 138*A*.
Electric Current :
cause of failure in bearings, 186*A*.
effect on iron during magnetization, 95*A*.
high-frequency generation for induction heating, 58*A*.
Electric Driving :
advantages in rolling-mills, 38*A*.
control circuits for ingot conveyor cars, 54*A*.
for cranes, 36*A*.
for furnace-charging machines, 36*A*.
for power presses, 8*A*.
Electric Furnaces :
acid, scrap melting practice, 36*A*.
application to brazing steel, 114*A*.
arc, characteristics, 31*A*.
arc, construction, 161*A*.
arc, electrical controls, 36*A*.
basic, construction, 161*A*.
Electric Furnaces:
basic, construction of silica brick roof, 161*A*.
basic, properties and development of dolomite linings, 341 *Paper*.
capacity, 84*A*.
care and maintenance of refractories, 83*A*.
charging equipment, 185*A*.
direct-arc, roofs, 83*A*.
electric control, 38*A*.
equipment and maintenance, 83*A*.
for coking tests, 104*A*.
for hardening bars, 165*A*.
for patenting wire, 109*A*.
fumes, properties and toxicity, 53*A*.
heat-treatment, design, 187*A*.
induction, characteristics, 31*A*.
magnetic controls, 139*A*.
melting practice, 133*A*.
mobile charging machines, 36*A*.
resistance, characteristics, 31*A*.
steel, history and development, 184*A*.
use in determination of carbon and hydrogen in coal, 101*A*.
ventilation systems, 53*A*.
Electric Gauges, 120*A*.
Electric Heating in foundries, 31*A*.
Electric Power :
consumption in rolling mills, 137*A*.
generation, gas *versus* steam drives, 155*A*.
steelworks, protection devices, 137*A*.
Electric Steel :
basic, production in Héroult furnace in Australia, 108*A*.
effect of different heat-treatments, 58*A*.
production, effective use of power, 83*A*.
Electric Steels, Ltd., statistical control methods in production of tank shoes, 133*A*.
Electrical Contacts, from metal powders, 3*A*.
Electrical Equipment :
for electronic control, 87*A*.
for induction heating, 112*A*., 113*A*.
for steel production, 38*A*.
in rolling mills, use of amplidyne generator, 86*A*.
maintenance, 187*A*.
Electrical Machinery :
mercury-arc rectifier equipment, 137*A*.
power stations, maintenance, 176*A*.
Electrical Resistivity, steel, 150*A*.
Electrode Coatings, total available hydrogen, 394*P*.
Electrodeposited Coatings, on steel, effect of polishing methods, 124*A*.
Electrodeposition :
building-up of worn parts, 63*A*., 117*A*.
cadmium, 117*A*.
chromium, 62*A*., 117*A*.
control of distribution of deposits, 62*A*.
film in chromium plate, 17*A*.
fused-electrolyte method in production of metal powders, 79*A*.
lead, 117*A*.
metals, effect of magnetic stirring, 202*A*.

Electrodeposition:
nickel, effect of plating conditions on stress, 117*A*.
silver, 118*A*.
tin, 17*A*., 118*A*.
use of wetting agents, 62*A*.
zinc, 117*A*.
Electrodes :
electric furnace, handling and use, 83*A*.
heavy-coated arc-welding, applications, 114*A*.
welding, constituents of coatings, 14*A*., 60*A*.
welding, effect of coating materials, 40*A*.
welding, for hard-surfacing, 59*A*.
welding, specifications, 141*A*.
welding, testing, 189*A*.
welding, wear of tips, 13*A*.
Electrolytic Coatings, causes of brittleness and defects, 116*A*.
Electrolytic Polishing, 15*A*., 16*A*., 61*A*., 172*A*.
metallographic specimens, 96*A*.
methods used by General Motors Corporation, 96*A*.
methods used in Uddeholms A/B laboratory, 96*A*.
stainless steel, 116*A*.
Electron Microscopes, 172*A*.
use in study of age-hardening, 194*A*.
Electronic Control :
equipment, 87*A*.
of flame-cutting torches, 90*A*.
of strip annealing, 113*A*.
Electronics :
application for determination of gases in steel, 195*A*.
applications in industry, 137*A*.
frequency changer, 9*A*.
Electroplating Baths, analysis, colorimetric methods, 202*A*.
Electro-Thermal Process, for extraction of minerals, 105*A*.
Electro-Tinning :
effect as undercoating, 23*A*., 198*A*.
for rust proofing, 17*A*.
steel, 118*A*.
Elliott Co., foundry equipment for grey-iron castings, 106*A*.
Elongation :
calculation, in tensile tests, 142*A*.
cast iron, effect of graphite, 119*A*.
Embrittlement :
boilers, 97*A*.
boilers, bibliography, 97*A*.
heat, alloy steel, 122*A*.
steel, by hydrogen, 170*A*.
strain-age, steel, 143*A*.
Enamel Frits, production, use of slag, 167*A*.
Enamelling :
quality control of steels for, 18*A*.
vitreous, titanium steel for, 18*A*.
Enamelling Industry, porcelain, post-war developments, 63*A*.
Enamels, acid-resistant vitreous, properties and defects, 17*A*.
End-Quench Tests, *see* Jominy Hardenability Tests.
Erosion Tests, results, 198*A*.
Etching :
cemented carbide specimens, 45*A*.
macro-, 96*A*.
metallographic specimens, 96*A*.
metals, 96*A*.
steel, preparation of specimens and procedure, 148*A*.
Ethylene, separation from coke-oven gases, 78*A*.
Evans Rolling Mill, 110*A*.
Evaporation of metals in vacuum, 55*A*.
Explosions, precautions in salt baths, 38*A*.

Failures :
axles, causes, 169*A*.
bearings, due to electric currents, 186*A*.
colliery equipment, 43*A*.
rails, 65*A*.
refractory materials in blast-furnaces, 175*A*.
steel spring clips, stress-corrosion cracking, 70*A*.
welded molybdenum steel pipes at high temperatures, 93*A*., 94*A*.
welded structures, reduction by stress-relief, 60*A*.
welds, stainless steel, 23*A*.
Farm Equipment, applications of National Emergency Steel, 146*A*.
Fatigue :
effect of shot-peening, 121*A*., 193*A*.
time-resistance, 192*A*.
Fatigue Strength :
bend, alloy steel forgings, 44*A*.
bend, effect of liquids on glass and steel, 44*A*.
biaxial tests on carbon steels, 65*A*.
butt-welds, 14*A*.
effect of shot-blasting, 20*A*.
effect of shot-peening, 62*A*., 94*A*., 121*A*., 193*A*.
effect of size of specimen, 94*A*., 144*A*.
effect on damping capacity and elasticity of steel, 43*A*.
steel, 65*A*.
tube welds, effect of weld-bead shape, 14*A*.
Fatigue Tests :
at resonant speed, 20*A*.
bend, case-hardened steels, 192*A*.
effect of recovery periods, 44*A*.
steel, 65*A*.
steel, at high temperatures, 123*A*., 192*A*.
Ferrite, binary solid solutions, creep properties, 194*A*.
Ferritic Steel, low-temperature impact tests, 191*A*.
Ferro-Alloys :
colorimetric determination of nitrogen by direct nesslerization, 333 *Paper*.
ore concentration plants, America, 28*A*.
Ferro-Chromium, production in blast-furnace, 2*A*.
Ferro-Silicon, effect in cast iron, 106*A*.
Ferrous Chromite, reduction by hydrogen, 132*A*.
Ferrous Metallurgy, 183*A*.

Ferrous-Oxide/Sodium-Phosphate Slags, immiscibility, 179*A*.
Fettling Machine, Blaw-Knox, 83*A*.
Films :
in chromium plate, 17*A*.
oxide, on metal surfaces, 70*A*.
surface, growth on metals, 199*A*.
Fire Risks in salt baths, 38*A*.
Fireboxes, cracks, causes and detection, 64*A*.
Firebricks, *see* Refractory Materials.
Fireclay Bricks, *see* Refractory Materials.
Flakes, prevention in steel billets, 55*A*.
Flame Radiation in furnaces, 176*A*.
Flow, metal, in forging shells, 85*A*.
Flow Diagrams, for iron and steel works, 160*A*.
Flow Meters, maintenance, 176*A*.
Flue Dust, vacuum removal from open-hearth furnaces, 83*A*., 183*A*.
Flue Gases, recovery of waste heat, 129*A*.
Flues :
coke-oven, air and gas flow, 104*A*.
open-hearth furnace, use of "arc splitters," 6*A*.
open-hearth furnace, vacuum removal of dust, 183*A*.
Fluidity Tests, results, chromium-molybdenum steel, 135*A*.
Fluorescent Method, for testing steel castings, 144*A*.
Fluorspar, in basic slag, citric-acid solubility tests, 441*P*.
Flux, use in oxy-acetylene cutting of stainless steel, 142*A*.
Flux Coatings, binding agents for, 166*A*.
Follansbee Steel Corporation, prevention of flakes in steel billets, 55*A*.
Fontana Works, coking practice, 1*A*.
Food Containers :
blackplate used as substitute for tinplate, 195 *Paper*.
corrosion, 124*A*.
rust-proofing, 17*A*.
Ford Motor Co.:
centrifugal casting of aircraft-engine cylinder barrels, 5*A*.
heat-treatment plant for armour plate, 57*A*.
precision casting, 82*A*.
Forged Steel :
austenitic grain growth, 168*A*.
compared with cast steel, 90*A*.
hardenability, comparison with cast steel, 66*A*.
Forging :
automobile crankshafts, 8*A*.
cylinders, force required, 85*A*.
drop, developments, 8*A*.
drop, dies, 8*A*.
drop, splitting process, 8*A*.
equipment for aircraft propeller hubs, 37*A*.
hooks, design of dies, 109*A*.
preparation of billets, 37*A*.
preparation of ingots, 37*A*.
shells, 85*A*.
shells, dies and mandrels for, 85*A*.
shells, flow of metal, 85*A*.
Forging:
shells, practice at Oldsmobile Works, 85*A*.
stainless steel, 190*A*.
Transue and Williams Steel Forging Corporation plant, 109*A*.
upset, use of flash butt-welding machine, 8*A*.
use of induction heating, 55*A*.
use of spot-welding machine, 8*A*.
Forging Dies :
design, 8*A*., 37*A*., 85*A*., 109*A*., 162*A*.
for aircraft propeller hubs, 37*A*.
for hooks, 109*A*.
for shells, 85*A*.
Forging Practice, 8*A*., 37*A*.
Forging Presses :
for automobile crankshafts, 162*A*.
pressure control gauge, 8*A*.
Forgings :
aircraft, metallurgical control, 8*A*.
aircraft-engine, control tests, 109*A*.
alloy steel, bend-fatigue strength, 44*A*.
cleaning, for magnaflux inspection, 116*A*.
magnetic-powder testing, 21*A*.
methods of heating, 108*A*.
quality control, 55*A*.
steel, effect of different heat-treatments, 56*A*.
Foundries :
applications of electric heating, 31*A*.
control, 134*A*.
control of disease among workers, 53*A*.
conveyor equipment, 82*A*.
equipment and practice for boiler production, 82*A*.
for continuous production of bomb cases, 181*A*.
fuel economy, 3*A*.
grey-iron, cost accounting, 107*A*.
heat balances, 3*A*.
iron, use of thermocouples, 34*A*.
ladles, drying and preheating, 52*A*.
lay out, 182*A*.
mechanization, 34*A*., 182*A*.
mobile charging machines for furnaces, 36*A*.
oil-sand practice, 52*A*.
oxy-acetylene cutting processes, 15*A*.
refractory materials, 176*A*.
technical control, 52*A*.
use of conveyors, 10*A*., 34*A*.
use of radiography, 22*A*.
ventilation systems for electric furnaces, 53*A*.
Foundry Coke, properties, 3*A*.
Foundry Cores, *see* Cores.
Foundry Costing, 53*A*.
Foundry Facings, 106*A*.
Foundry Plant:
American Brake Shoe Co., 182*A*.
Belle City Malleable Iron Co., 80*A*.
Elliott Co., 106*A*.
General Motors Corporation, 4*A*.
Humber, Ltd., 34*A*.
Midland Motor Cylinder Co., Ltd., 51*A*.
Pearl Harbour, U.S. Navy, 132*A*.
Qualcast, Ltd., 4*A*.

Foundry Practice, 3*A*., 31*A*., 50*A*., 79*A*., 106*A*., 107*A*., 132*A*., 159*A*., 180*A*.
developments in Great Britain, 106*A*.
effect of change from natural to synthetic moulding sand, 32*A*.
methods of feeding castings, 33*A*.
Foundry Sand, *see* Moulding Sand.
Fractography, 148*A*.
Fracture, tests on carbon steel under combined stress, 64*A*., 91*A*.
Fracture Method, for determining carbon, 84*A*.
Fractures, rails, 65*A*.
Fraser-Heller Degreasing System, trichlorethylene recovery, 166*A*.
Free-Cutting Steel, open-hearth, properties, 191*A*.
Frequency Changes, 9*A*.
Friction Parts, from powder metals, 79*A*.
Friction Testing Equipment, 66*A*.
Friction Tests, dissimilar metals, 66*A*.
Fuel, 1*A*., 29*A*., 77*A*., 104*A*., 129*A*., 155*A*., 176*A*.
combustion control, 77*A*.
control in steel furnaces, 77*A*.
gaseous, amounts required in furnaces, 78*A*.
pulverized, *see* Coal, pulverized.
Fuel Economy :
in foundries, 3*A*.
in furnaces, 29*A*.
Fuel Tanks, cleaning, safety precautions, 179*A*.
Fumes, electric furnace, properties and toxicity, 53*A*.
Furnaces :
blast, *see* Blast-Furnaces.
boiler, *see* Boiler Furnaces.
capacity and application of gas burners, 78*A*.
case-hardening, *see* Case-Hardening Furnaces.
combustion control, 77*A*.
continuous, for tempering shells, 140*A*.
controlled atmospheres for continuous brazing, 41*A*.
crucible, tilting, 106*A*.
effect of gas atmosphere on fuel and charge, 188*A*.
electric, *see* Electric Furnaces.
flame radiation, 176*A*.
forge, *see* Forge Furnaces.
fuel economy, 29*A*.
gaseous fuel, amounts required, 78*A*.
gas-fired, for heating salt baths, 113*A*.
gas-fired, for patenting wire, 109*A*.
heat absorption, 177*A*.
heat balances, 129*A*.
heat-treatment, *see* Heat-Treatment Furnaces, Annealing Furnaces, &c.
improvements in design, 29*A*.
Lee Wilson, for malleabilization of iron castings, 159*A*.
measurement of heat adsorption, 177*A*.
mobile charging machines, 36*A*.
open-hearth, *see* Open-Hearth Furnaces.
reheating, *see* Reheating Furnaces *and* Soaking Pits.
removal of sulphur, 29*A*.
Furnaces:
semi-gas-fired, control, 162*A*.
smoke destruction, 29*A*.
thermal efficiency, 177*A*.
use of permeable refractories, 50*A*., 176*A*.
use of preheated air, 29*A*.
Furnace Atmospheres, controlled, 139*A*.
Furnace Charges, heating rates, 177*A*.
Furnace Roofs, use of mullite, 29*A*.
Furnace Walls, measurement of heat flow, 177*A*.

Galvanic Corrosion, steel coupled to nickel, 198*A*.
Galvanized Steel, welding, 141*A*.
Galvanizing :
American Naval plant and practice, 62*A*.
ammunition boxes, plant and processes, 62*A*.
equipment and process, 118*A*.
hot-dip process, chemical control, 166*A*.
Galvanizing Plant, John Summers and Sons, Ltd., 167*A*.
Gamma Rays :
use in examination of castings, 22*A*.
use in radiography, 160*A*.
Gas :
blast-furnace, *see* Blast-Furnace Gas.
coal, *see* Coal Gas.
coke-oven, *see* Coke-Oven Gas.
producer, *see* Producer Gas.
town, for mould, core and ladle drying, 4*A*.
town, use in annealing whiteheart malleable cast iron, 80*A*.
Gas Burners :
capacity and application to furnaces, 78*A*.
immersion-tube, design and application, 78*A*.
Gas-Carburizing, control of furnace atmospheres, 139*A*.
Gas Engines :
for blast-furnace blowers, 157*A*.
for electric power generation, 155*A*.
Gas Holders, cleaning, safety precautions, 179*A*.
Gas Producers, *see* Producers.
Gaseous Fuels :
amounts required in furnaces, 78*A*.
combustion products, 155*A*.
control in steel furnaces, 78*A*.
efficient use in furnaces, 29*A*.
Gases :
adsorption on steel surfaces, 21*A*.
carbonization, separation of methane and ethylene, 78*A*.
control in open-hearth furnaces, 83*A*.
control of flow in heat-treatment furnaces, 56*A*.
evolution, effect on welding steel, 60*A*.
flow in regenerator chambers, control of reversal, 54*A*.
flue, recovery of waste heat, 129*A*.
inert, use in atmosphere control of core and moulding sands, 51*A*.

Gases:
reversal, in open-hearth furnaces, automatic control, 183*A*.
Gating, steel castings, 81*A*.
Gauges :
electric, selection and application, 120*A*.
pressure control, for hydraulic presses, 8*A*.
stability tests, 39*A*.
stabilizing by low-temperature treatment, 39*A*.
strain, 143*A*.
strain, Baldwin-Southwark electric, 143*A*.
strain, electric, 18*A*., 64*A*.
strain, magnetic, 92*A*.
strain, resistance-wire, 64*A*.
strain, Tuckerman, 143*A*.
strain, wire, use in measuring residual stresses, 92*A*.
Gears :
aircraft-engine, residual stresses, 119*A*.
equipment for surface hardening, 11*A*.
induction heating plant, 11*A*.
shaved aircraft, heat-treatment control, 56*A*.
surface treatment, chemical methods, 147*A*.
tractor, salt-bath case-hardening furnaces for, 188*A*.
General Electric Company :
forging practice, 8*A*.
X-ray unit, 22*A*.
General Motors Corporation :
electrolytic polishing methods, 96*A*.
heat-treatment plant for tank parts, 188*A*.
low-temperature heat-treatment tests, 58*A*.
malleable iron foundry, 4*A*.
reheating furnaces, 162*A*.
General Steel Castings Corporation, heat-treatment plant, 10*A*.
Georgia Coal, properties and preparation 103*A*.
Germany :
automobile construction, wartime specifications, 196*A*.
development in hot-rolling of strip and wire, 186*A*.
foundry conveyor equipment, 34*A*.
iron ore, structure and concentration, 28*A*.
moulding sand research, 159*A*.
production of steel cartridge cases, 56*A*.
Ruhr coking industry, 78*A*.
tool steel, analysis, 172*A*.
Glass :
effect of liquids on strength, 44*A*.
lining of cylindrical vessels, 118*A*.
Grain Growth, austenitic, cast and forged steel, 168*A*.
Grain Shape, effect on synthetic moulding sand, 32*A*.
Grain Size :
control in foundry, 84*A*.
effect on high-speed steel, 88*A*.
metals, 199*A*.
Graphite, effect in cast iron, 119*A*.
Graphite Moulds, uses, 160*A*.
Graphitization :
carbon steel, 19*A*.
cast iron, effect of ferro-silicon, 106*A*.
effect on welded molybdenum steel steam pipes, 93*A*., 94*A*.
molybdenum steel, 19*A*.
molybdenum steel, effect of creep-test conditions, 93*A*.
molybdenum steel, prevention at high temperatures, 94*A*.
quenched steel, 61*A*.
welded steel, 61*A*.
Great Britain, developments in iron-founding industry, 106*A*.
Great Lakes, ore and coal handling, 27*A*., 76*A*.
Grinding Machines, for preparation of test specimens, 19*A*.
Grossmann's Method for measuring hardenability of steel, 38*A*.
Gun-Barrels :
blueing, 118*A*.
seamless, manufacture, 138*A*.
Gypsum Cement, use in pattern and model making, 52*A*.

Halloysite, bonding clay, properties, 159*A*.
Hanna Furnace Corporation, production of light-weight blast-furnace slag, 131*A*.
Hard-Surfacing by welding, 59*A*.
Hardened Steel, diamond pyramid hardness tests, sources of error, 245 *Paper*.
Hard-Facing :
dies, use of Stellite, 89*A*.
use of Stellite, 12*A*.
Hardenability :
cast steel, 122*A*.
comparison of cast and forged steel, 65*A*.
normalized steel, relation to tensile strength, 169*A*.
steel, effect of boron, 22*A*.
steel, measurement by Grossmann's method, 38*A*.
tool steel, magnetic measurement, 20*A*.
Hardenability Tests :
air-hardening steel, 20*A*.
Jominy, 122*A*.
Hardening :
age-, detection by electron microscope, 194*A*.
bars, electric furnaces for, 165*A*.
flame, tank parts, 88*A*.
induction, 58*A*., 87*A*., 88*A*., 139*A*., 140*A*., 165*A*., 187*A*., 188*A*.
induction, of bulldozer track rollers, 58*A*.
induction, plant of Caterpillar Tractor Co., 88*A*.
induction, properties of steel bars, 11*A*.
internal surfaces, induction-heating equipment, 39*A*.
processes, 187*A*.
steel, molybdenum-free, properties, 196*A*.
strain-, metals, 168*A*.
surfaces, with induction heater, 11*A*.

Hardening:
temperature for steel, determination by dilatometric method, 38*A*.
Hardening Machines, 88*A*.
Hardness :
austenite, determination by microhardness tester, 122*A*.
Brinell, relation to tensile properties, 66*A*., 169*A*.
conversion tables, 144*A*.
diamond pyramid, tests on hardened steel, sources of error, 245 *Paper*.
effect of cooling quenching oil, 140*A*.
effect of low-temperature heat-treatment, 58*A*.
hypereutectoid steel, effect of pretreatment, 193*A*.
indentation, relation to stress-strain curves, 65*A*.
martensite, determination by microhardness tester, 122*A*.
measurement of case depth, Timken Roller Bearing Co. method, 111*A*.
relation to wear-resistance, 95*A*.
surface, standardizing specifications, 112*A*.
Vickers, relation to tensile strength, 169*A*.
Hardness Scales, conversion tables, 20*A*.
Hardness Testing Machines :
Brinell, 121*A*., 194*A*.
micro-, 144*A*.
rolling-ball, 169*A*.
Hardness Tests :
for aircraft steel, 43*A*.
micro-, 193*A*.
Rockwell, for cylindrical specimens, 20*A*.
Harrisburg Steel Corporation, gas control in open-hearth furnaces, 83*A*.
Health, of foundry workers, 53*A*.
Heat :
absorption in urnaces, measurement, 177*A*.
effect on residual stresses, 165*A*.
residual, from rolling, use in heat-treatment of steel, 138*A*.
waste, recovery from flue gases, 129*A*.
Heat Balance :
foundry plant, 3*A*.
furnaces, 129*A*.
Heat Embrittlement, alloy steel, 122*A*.
Heat Flow :
in regenerators, 176*A*.
measurement, in furnace walls, 177*A*.
Heat Losses, in blast- and open-hearth furnaces, 29*A*.
Heat-Resistant Iron, Alten's alloys, 170*A*.
Heat-Resistant Steel :
applications and welding properties, 195*A*.
determination of creep strength, 195*A*.
properties, 172*A*., 194*A*.
Heat-Resisting Retorts, cast-iron, production, 33*A*.
Heat-Transfer :
study by measurement of fluid flow, 177*A*.
in water-cooled walls of boiler furnaces, 77*A*.
Heat-Treatment, 10*A*., 38*A*., 56*A*., 87*A*., 111*A*., 138*A*., 164*A*., 187*A*.
appliances for steel washers, 113*A*.
armour steel castings, 10*A*.
automobile parts, 139*A*.
case-hardening steel, effect on strength, 21*A*.
cast iron, properties and benefits, 67*A*.
controlled, for aircraft gears, 56*A*.
effect of different methods on stainless steel, 57*A*.
effect on cast and forged steel bars, 56*A*.
effect on steel wire, 191*A*.
equipment for tank production, Chrysler Corporation, 39*A*.
for ball and roller bearings, 111*A*.
high-speed steel, 87*A*.
improved quenching methods, Purnell system, 113*A*., 139*A*., 188*A*.
low-temperature, effect on steel, 58*A*.
modifications, effect on cast steel, 57*A*.
modifications, effect on electric steel, 58*A*.
molybdenum-steel saw blades, 87*A*.
of ball races, 139*A*.
of bars, 164*A*.
of metals, applications of ammonia, 189*A*.
of welded stainless steel in salt baths, 57*A*.
plant and processes for broaches, 57*A*.
post-war trends, 87*A*.
shells, 87*A*.
steel, 87*A*.
steel, control of furnace atmospheres, 139*A*.
steel, metallurgical principles, 38*A*.
steel, relation to design and machining, 111*A*.
steel, utilization of residual rolling heat, 138*A*.
theory and practice, 187*A*.
thermal lag in annealing malleable cast iron, 51*A*.
tool steel, 112*A*.
tools, salt-baths for, 188*A*.
uncooled steel, 111*A*.
Heat-Treatment Furnaces :
atmosphere control, 165*A*.
case-hardening, salt baths for tractor gears, 188*A*.
continuous, for bars and tubes, 39*A*.
controlled atmospheres, 10*A*.
electric, design, 187*A*.
electric, magnetic controls, 139*A*.
equipment for supplying special atmospheres, 56*A*.
for armour plate, Ford Motor Co. plant, 57*A*.
insulation, 129*A*.
oil-fired rotary-hearth, 39*A*.
Queen City Steel Treating Co., 10*A*.
refractory materials, 129*A*.
rotary-hearth, 162*A*.
temperature control, 164*A*.
Heat-Treatment Plant :
chain-belt conveyors in, 12*A*.
for alloy-steel bars, 187*A*.
for ball races, 139*A*.

Heat-Treatment Plant:
for steel tubes, 11*A*.
for tank parts, General Motors Corporation, 187*A*.
General Steel Castings Corporation, 10*A*.
Lindberg Steel Treating Co., 187*A*.
National Screw Manufacturing Co., 12*A*.
Scottish Stamping and Engineering Co., Ltd., 187*A*.
Summerill Tubing Co., 11*A*.
Transue and Williams Steel Forging Corporation, 109*A*.
Heating :
high-speed, use of gas, 109*A*.
induction, 11*A*., 39*A*., 58*A*., 87*A*., 88*A*., 112*A*., 113*A*., 139*A*., 164*A*., 188*A*.
induction, application of spark-gap converters, 112*A*.
induction, baking resin coatings on steel, 63*A*.
induction, bars, 164*A*., 188*A*.
induction, equipment and applications, 11*A*., 39*A*., 112*A*., 113*A*., 188*A*.
induction, equipment for automobile parts, 39*A*.
for gear teeth, 11*A*.
induction, equipment for internal hardening, 39*A*.
induction, history and development, 58*A*.
induction, iron and steel strip, 58*A*.
induction, Megacycle system, 39*A*.
induction, molybdenum-steel pipes, normalizing welds, 11*A*.
induction, plant for machine parts, 188*A*.
induction, small parts, 188*A*.
induction, Tocco laboratories, 11*A*.
induction, Tocco process, equipment and applications, 11*A*., 139*A*.
induction, use in forging, 55*A*.
infra-red-ray, principles and applications, 167*A*.
local, in carbon steel, 189 *Paper*.
steel for forging, 108*A*.
steel, time-temperature relationships, 162*A*.
Heating Rate, measurement, in furnace charge, 177*A*.
Hematite Deposits, Manitoba, 103*A*.
Hercules Powder Co., acceptance tests for stainless steel, 123*A*.
High-Speed Steel :
cast and forged, effect of different heat-treatments, 56*A*.
cutting tools, plant for casting, 33*A*.
determination of cobalt, photometric method, 47*A*.
effect of grain-size, 88*A*.
heat-treatment, 87*A*.
increase of cutting capacity, 115*A*.
low-temperature treatment, 58*A*., 88*A*., 140*A*.
precision casting process, 82*A*.
High-Tensile Steel :
for railway trucks, 171*A*.
welding, effect of hydrogen, 385*P*.
Hipersil, iron-silicon alloy, 194*A*.
Hooks, design of dies for forging, 109*A*.
Horden Colliery, iron pyrites recovery plant, 177*A*.
Hot-Rolled Steel, weldability, 59*A*.
Houghton, E. F., & Co., tests on rust preventatives, 70*A*.
Humber Ltd., foundry plant, 34*A*.
Humidity, high, effect on corrosion, 98*A*.
Hydraulic Machinery for tilting crucible furnaces, 106*A*.
Hydraulic Presses, 37*A*., 136*A*.
Hydro-Blast Process, cleaning castings, 82*A*., 134*A*.
Hydrofluoric Acid, use in determination of phosphorus in titanium steel, 47*A*.
Hydrogen :
adsorption and diffusion in iron, 195*A*.
adsorption on steel surfaces, 21*A*.
content in mild-steel weld deposits, 127 *Paper*.
determination in coal, 202*A*.
determination in coal, use of electric furnace, 101*A*.
determination in nickel-chromium steel, 195*A*.
effect on elastic modulus of iron, 196*A*.
effect on welding of high-tensile steel, 385*P*.
embrittlement of steel, 170*A*.
Hydrogen-Ion Concentration, effect of aeration in identifying corrosive soils, 123*A*.
Hydrogen Sulphide, removal from coal gas, 178*A*.

Identometer, application in analysis of steel, 100*A*.
Illinois Coal, coking properties, 104*A*.
Illite, bonding clay, properties, 159*A*
Immersion-Tube Burners, gas, design and application, 78*A*.
Impact Strength :
butt-welded joints, 14*A*.
induction-heated steel bars, 11*A*.
metals at low temperatures, 143*A*.
torsional, tool steel, 143*A*.
welds, 141*A*.
Impact-Tensile Tests, 64*A*.
Impact Testing Machine, Riehle, 64*A*.
Impact Tests :
chromium steel, effect of silicon, 21*A*.
effect of heat-treatment methods on case-hardening steel, 21*A*.
effect of non-metallic inclusions in specimens, 120*A*.
for aircraft steel, 43*A*.
low-temperature on ferritic steel, 191*A*.
notch, on welds, 120*A*.
notched-bar, 91*A*., 191*A*.
notched-bar, heat-treated steel, 191*A*.
notched-bar, to determine properties of steel, 43*A*.
notched-beam, relationship to tensile test, 91*A*.
single-blow for cast iron, 403 *Paper*.
torsional, tool steel, 22*A*., 143*A*.
Indicators, U-tube for flow and pressure measurement in pipe-lines, 29*A*.

Induction Hardening, 58*A*., 87*A*., 88*A*., 139*A*., 140*A*., 165*A*., 187*A*., 188*A*.
bulldozer track rollers, 58*A*.
gear teeth, 11*A*.
plant of Caterpillar Tractor Co., 88*A*.
properties of steel bars, 11*A*.
Induction Heating, 11*A*., 39*A*., 58*A*., 87*A*., 88*A*., 112*A*., 113*A*., 139*A*., 164*A*., 188*A*.
application of spark-gap converters, 112*A*.
baking resin coatings on steel, 63*A*.
bars, 164*A*., 188*A*.
equipment and applications, 11*A*., 39*A*., 112*A*., 113*A*., 188*A*.
equipment for automobile parts, 39*A*.
equipment for gear teeth, 11*A*.
equipment for internal hardening, 39*A*.
history and development, 58*A*.
iron and steel strip, 58*A*.
Megacycle system, 39*A*.
molybdenum-steel pipes, normalizing welds, 11*A*.
plant for machine parts, 188*A*.
small parts, 188*A*.
Tocco laboratories, 11*A*.
Tocco process, equipment and applications, 11*A*., 139*A*.
use in forging, 55*A*.
Induction Heating Plant :
Briggs and Stratton Corporation, 11*A*.
for crankshafts and gears, 11*A*.
Induction Tempering, in rolling-mill, 11*A*.
Infra-Red Ray Heating :
for drying materials, 18*A*.
principles and applications, 167*A*.
Ingots :
Bessemer steel, delivery time, effect on quality, 183*A*.
clean, production, 35*A*.
defects, surface, 136*A*.
electrically driven conveyor cars for, control circuits, 54*A*.
production, 36*A*.
rimming-steel, analytical survey, 509 *Paper*.
steel, effect of different heat-treatments, 56*A*.
steel, preparation for forging, 37*A*.
Inland Steel Co. :
blast-furnace operation, 158*A*.
open-hearth furnace control, 108*A*.
titanium steel for vitreous enamelling, 18*A*.
Inoculants, effect in grey iron, 31*A*.
Inoculation, grey cast iron, 133*A*.
Inspection, methods, 68*A*.
Instruments, precision, for production and maintenance, 190*A*.
Insulation :
blast-furnaces, 29*A*.
heat-treatment furnaces, 129*A*.
open-hearth furnaces, 29*A*.
Intensifying Screens, lead foil for X-ray examinations, 68*A*.
Internal Combustion Engines, building-up worn parts by metal spraying, 63*A*.
International Nickel Company Inc., marine corrosion tests, 150*A*.
Iridite Finish, effect on corrosion of coated steel, 167*A*.
Iridite Treatment, for plated parts, 118*A*.
Iron :
compacts, properties, 180*A*.
determination in ores, 100*A*.
determination in presence of cobalt, 99*A*.
determination in slag, 100*A*.
diffusion of chromium, bibliography, 117*A*.
elastic modulus, effect of hydrogen, 196*A*.
heat-resisting, Alten's alloys, 170*A*.
magnetic structure, 144*A*.
magnetization, effect of electric current, 95*A*.
monocrystalline, absorption and diffusion of hydrogen, 195*A*.
prevention of corrosion, use of metal coatings, 149*A*.
polishing and etching, 96*A*.
polycrystalline, absorption and diffusion of hydrogen, 195*A*.
porous sintered, strength properties for bearings, 31*A*.
production, 1*A*., 31*A*., 78*A*., 105*A*., 130*A*., 157*A*., 179*A*.
production, development in Sweden, 157*A*.
production, history, 5*A*.
pure, absorption and diffusion of hydrogen, 195*A*.
reduction in chromite, 132*A*.
silicon-, barley-shell structure, 173*A*.
volatilization, 2*A*.
Iron Alloys :
binary, creep properties, 194*A*.
determination of liquidus-solidus temperatures, 197*A*.
Iron Industries :
American, developments, 5*A*.
American, wartime expansion, 134*A*.
application of remote control, 137*A*.
British, postwar production, 6*A*.
Canadian, expansion, 53*A*.
Chicago, 34*A*.
coal requirements, 30*A*.
developments in Great Britain, 106*A*.
research, applications of photography, 148*A*.
Russia, rebuilding plans, 135*A*.
Western United States, expansion, 53*A*.
Iron/Iron-Sulphide/Iron-Boride System, 68*A*.
Iron Ore :
beneficiation, 127*A*.
beneficiation, Mesabi range, 28*A*.
beneficiation, New York State, 28*A*.
beneficiation, in America, 28*A*.
blending, Robins-Messiter system, 27*A*.
blending, Wyoming, 27*A*.
concentration, Republic Steel Corporation plant, 127*A*.
concentration of taconite, New York State and Mesabi range, 28*A*.
concentration plants, in America, 28*A*.
crushing, screening and sintering plant, 128*A*.

Iron Ore:
crushing plant, New York State and Mesabi Range, 28*A*.
determination of melting point, 180*A*.
determination of phosphorus, 100*A*.
determination of phosphorus, spectrometric method, 201*A*.
determination of silica, 100*A*., 201*A*.
dock handling, Lake Superior, 27*A*.
Germany, structure and concentration, 28*A*.
low-grade, concentration, methods of increasing iron recovery, 128*A*.
Minnesota, sintering, 175*A*.
sintering, 127*A*.
sintering, Republic Steel Corporation plant, 127*A*.
Swedish, phosphorus content, 155*A*.
Swedish, sintering, 175*A*.
Wyoming, mining, 27*A*.
Iron Ore Deposits :
Missouri, 27*A*.
Toronto, 27*A*.
Iron-Oxide, determination in slag, 202*A*.
Iron-Oxide/Magnesium-Oxide System, 15 *Paper*.
Iron-Oxide/Manganese-Oxide System, 15 *Paper*.
Iron Powders, *see* Powdered Iron.
Iron Pyrites, recovery plant, 177*A*.
Iron Shot, for metal peening, 62*A*.
Iron-Silicon Alloys :
Hipersil, 194*A*.
iron-rich, X-ray examination, 457 *Paper*.
Iron Sponge, *see* Sponge Iron.
Isothermal Quenching, 113*A*.
Italy, recovery of waste products, 131*A*.

Jacobs Aircraft Engine Co., magnetic powder method of inspecting parts, 122*A*.
JB/UAL Carbonization Test, 1*A*.
Jigs for welding light-gauge sheet, 40*A*.
Jominy Hardenability Tests, 65*A*., 122*A*.
Jones and Laughlin Steel Corporation :
distribution of blast-furnace and coke-oven gas, 178*A*.
small-scale steel plant, 136*A*., 160*A*.

K. & L. Steelfounders, Ltd., research laboratories, 148*A*.
Kaiser Co. :
iron, steel, and rolling-mill plant, Fontana, 53*A*.
rolling mills, 9*A*.
Kaolinite, properties, 159*A*.
Kentucky, coal deposits, 27*A*.
Kentucky Coal, carbonizing properties, 78*A*.
Kessler Rolling Mill, 110*A*.
Kirksite A Dies, manufacture of steel pressings, 37*A*.
Klett-Summerson Colorimeter, 151*A*.
Kolene Process, cleaning cast iron, 62*A*.
Koppers-Becker, coke-ovens, 1*A*.
Krause Rolling Mill, 110*A*.
Kungliga Tekniska Hogskölan, Stockholm, ore-concentration laboratories, 28*A*.

Laboratories :
Bureau of Mines, Ottawa, 23*A*., 70*A*.
induction heating, Tocco process, 11*A*.
K. & L. Steelfounders, Ltd., 148*A*.
Kungliga Tekniska Hogskölan, Stockholm, 28*A*.
Magnetism, Moscow University and Central Engineering Institute, 66*A*.
Ohio Crankshaft Co., 11*A*.
Uddeholms A/B., Sweden, 96*A*.
United States Naval Research, 148*A*.
X-ray, L'École Centrale des Arts et Manufactures, 148*A*.
Lacquer Coatings, use for measuring strain and stress, 92*A*., 143*A*.
Ladles :
drying, use of gaseous fuel, 4*A*.
foundry, drying and preheating, 52*A*.
Lake Superior, iron ore docks, 27*A*.
Laminated Metal, thermal conductivity, 177*A*.
Laminations in welded plates, 36*A*.
Lanarkshire Steel Co., Ltd., basic open-hearth plant, 160*A*.
Lathe Parts, wear tests, 95*A*.
Lattice Constants, determination from X-ray diagrams, 45*A*.
Lead :
detection in steel by spot tests, 46*A*.
determination in corrosion-resistant steel, colorimetric method, 200*A*.
electrodeposition, 117*A*.
impact strength at low temperatures, 143*A*.
polishing and etching, 96*A*.
Lead-Bearing Steel :
detection of lead by lead prints, 96*A*.
machinability, 41*A*.
Lead-Coated Steel, properties, 118*A*.
Lead Coatings, hot-dip, on steel, 17*A*.
Lead Foil, method of mounting for X-ray intensifying screens, 68*A*.
Lead Prints, for detection of lead, 96*A*.
Lee Wilson Furnace, for malleabilization of iron castings, 159*A*.
Lifting Equipment, for steelworks, 185*A*.
Lime in acid slags, 84*A*.
Lime-Limestone Treatment for pickling liquors, 116*A*.
Lindberg Steel Treating Co., heat-treatment plant, 187*A*.
Linings :
basic, for open-hearth furnaces, 29*A*.
dolomite, for basic electric arc furnaces, 341 *Paper*.
Liquids :
effect on cohesive force of metals, 45*A*.
effect on cracks in metals, 45*A*.
effect on strength of glass and steel, 44*A*.
Liquidus-Solidus Temperatures, determination in iron alloys, 197*A*.
Lithium, heat-treating atmospheres for carburization, 38*A*.
Lost-Wax Method :
for precision casting, 107*A*., 160*A*.
of casting cutting tools, 33*A*.
Lubricants, storage and handling, 186*A*.
Lubricating Oil :
effect of addition of demulsifiers, 86*A*.

Lubricating Oil:
effect of copper, 23*A*.
function of addition agents, 38*A*.
Lubrication:
in deep-drawing operations, 37*A*.
maintenance department, 186*A*.
metal surfaces, effect of fatty acids, 110*A*.
rolling mills, use of demulsifiers, 86*A*.
tests, function of addition agents, 38*A*.
Lumnite Cement, refractory, performance in coking plant, 176*A*.

Machinability :
ferrous and non-ferrous materials, 41*A*.
lead-bearing steel, 41*A*.
steel, effect of boron, 22*A*.
steel, relation to yield-stress ratio, 115*A*.
Machine Parts :
from powder metals, 3*A*., 158*A*.
induction-heating plant, 188*A*.
oil-quenching, 88*A*.
stress measurement, use of brittle lacquer coatings, 92*A*.
Machine Tools :
cast iron for, 119*A*.
castings, properties of cast iron for, 18*A*.
from high-speed steel scrap, 42*A*.
use of solid and tipped forms, 41*A*.
Machining :
cast-iron compressor crankshafts, 82*A*.
grey cast-iron test-bars, 90*A*.
metals, 115*A*., 190*A*.
properties of Bessemer steel, 115*A*.
spectrographic specimens, 100*A*.
stability, stress-relieved welded structures, 61*A*., 190*A*.
stainless steel, 114*A*., 190*A*.
steel, 190*A*.
Machining Chips, plastic deformation, 190*A*.
Macro-Etching, 96*A*.
Macrography, 96*A*., 197*A*.
Magnaflux Inspection, cleaning forgings for, 116*A*.
Magnaflux Method, for testing steel castings, 144*A*.
Magnesia, *see* Refractory Materials.
Magnesium, polishing and etching, 96*A*.
Magnesium Alloys, technical cohesive strength at low temperatures, 142*A*.
Magnesium-Oxide/Manganese-Oxide System, 15 *Paper*.
Magnetic Balance, measurement of magnetic saturation, 194*A*.
Magnetic Comparator, for sorting steel bars, 66*A*.
Magnetic Constituents, determination, 145*A*.
Magnetic Controls, for electric heat-treatment furnaces, 139*A*.
Magnetic Method :
for crack detection, 192*A*.
for determining carbon, 84*A*.
for measuring hardenability of tool steel, 20*A*.
Magnetic Powder Method :
for crack detection, 169*A*.
Magnetic Powder Method:
for inspection of aircraft-engine parts, 122*A*.
for inspection of castings, 122*A*.
for tests of forgings, 21*A*.
Magnetic Saturation, measurement by magnetic balance, 194*A*.
Magnetic Structure, iron, 144*A*.
Magnetic Tester, to determine thickness of coatings, 167*A*.
Magnetic Tests of metals, 66*A*.
Magnetite Ores, Adirondack mines, America, 27*A*.
Magnetization, iron, effect of electric current, 95*A*.
Magnets :
permanent, alloys for, 21*A*.
permanent, properties of materials for, 66*A*.
permanent, world's largest, 122*A*.
sintered, 3*A*.
Malleable Cast Iron :
annealing, 133*A*.
controlled spheroidization, 81*A*.
effect of boron, 81*A*.
effect of pressure, 56*A*.
pearlitic, rate of spheroidization after isothermal quenching, 51*A*.
practice in America, 32*A*.
stress-corrosion, 123*A*.
thermal lag in annealing, 51*A*.
whiteheart, annealing by gas process, 80*A*., 81*A*., 133*A*.
Malleable Iron Castings :
blackheart, 81*A*.
cause of pearlitic rim, 180*A*.
for ordnance vehicles, 4*A*.
production control, 181*A*.
repair, 166*A*.
interpretation of micrographs, 68*A*.
Malleabilization, short-cycle, white cast iron, 4*A*.
Mandrels, carbide, application and maintenance, 37*A*.
Manganese :
deoxidation of basic Bessemer steel, 35*A*., 183*A*.
deoxidation of steel, 35*A*.
detection in steel by spot tests, 46*A*.
determination in stainless steel, photometric method, 151*A*.
determination in steel by spectro-analysis, 49*A*.
determination in steel, spectrochemical methods, 152*A*.
Manganese Ore :
concentration, use of nitrogen dioxide, 76*A*.
determination of melting point, 180*A*.
Manganese Salts, use as corrosion inhibitors, 198*A*.
Manganese-Silicon Steel, weldability, 89*A*.
Manganese Steel :
austenitic, properties, 145*A*.
effect of chromium on transformation curves, 46*A*.
effect of heat-treatment methods on strength, 21*A*.

Manganese Steel:
liquid, temperature measurement by quick-immersion thermocouple, 111*A*.
rails, arc-welding, 114*A*.
rails, properties and strength, 45*A*.
transformation phenomena, 46*A*.
Manganese Steel Castings, effect of different heat-treatments, 58*A*.
Manitoba, hematite deposits, 103*A*.
Mannesmann Tube Mill, Pittsburgh Steel Co., 38*A*., 86*A*.
Marine Atmospheres, effect on corrosion of steel, 98*A*.
Marine Corrosion Tests, results, 198*A*.
Martempering, 113*A*.
Martensite :
formation from pearlite, 189 *Paper*.
hardness, determination by microhardness tester, 122*A*.
Materials :
Fridman's theory of strength properties, 168*A*.
tests for mechanical properties, 42*A*., 64*A*.
Mechanical Stokers, fuel economy, 29*A*.
Meehanite, friction tests, 66*A*.
Melting, metals in vacuum, 55*A*.
Melting Point, determination, iron and manganese ores, 180*A*.
Melting Practice, 84*A*.
effect on malleable cast iron production in America, 32*A*.
in electric furnaces, 133*A*.
scrap, in acid electric furnace, 36*A*.
Members :
election, 4*P*.
Honorary, election of His Excellency A. Clasen, 3*P*.
Merchant Bar Mills, 110*A*.
Mercury-Arc Rectifiers, for rolling-mill plant, 137*A*.
Mesabi Range, iron ore beneficiation, 28*A*.
Metal Spraying on wood, 167*A*.
Metallizing, metal-spraying process, 167*A*.
Metallographic Specimens :
cemented carbide, polishing and etching technique, 45*A*.
mounting methods, 22*A*.
Metallography and Constitution, 22*A*., 45*A*., 68*A*., 95*A*., 148*A*., 172*A*., 197*A*.
Metallurgical Developments in steel production, 36*A*.
Metallurgy, 90*A*., 183*A*.
Metals :
cleaning, theory and processes, 61*A*.
corrosion, prevention, 23*A*.
corrosion ratings, 24*A*.
effect of petrol and oils, 23*A*.
melting and evaporating in vacuum, 55*A*.
Meters, acid flow, for pickling liquor, 16*A*.
Methane, separation from coke-oven gases, 78*A*.
Metrolux Apparatus, for crack detection, 170*A*.
Micro-Analysis, 47*A*.
Microchemical Balance, 101*A*.
Micro-Combustion Technique, application to analysis, 200*A*.
Micrographs, interpretation, in testing malleable iron castings, 68*A*.
Micrography, X-ray, 96*A*.
Microhardness Testing Machines, 122*A*., 144*A*.
Micro-Mechanical Tests, metals, 120*A*.
Microscopes :
electron, 95*A*., 172*A*.
electron, use for detection of age-hardening, 194*A*.
metallurgical, 95*A*.
Microscopic Examination, preparation of cemented carbide specimens, 45*A*.
Micro-Spectrographic Method, for quantitative analysis of steel segregates, 473 *Paper*.
Microstructure, effect on creep strength of steel, 170*A*.
Midland Motor Cylinder Co., Ltd., foundry plant, 51*A*.
Mild Steel :
spot welding, 13*A*.
weld deposits, constitution, 127 *Paper*.
weldability, effect of sulphur and phosphorus, 59*A*.
yield stress, effect of rate of strain and temperature, 91*A*.
Mineral Resources, 27*A*., 76*A*., 103*A*., 155*A*.
United States, 76*A*.
of the world, 76*A*.
Minerals, electro-thermal process for extraction, 105*A*.
Ministry of Aircraft Production, inspection department, 197*A*.
Minnesota Iron Ore, sintering, 175*A*.
Models, of gypsum cement, 52*A*.
Moisture :
effect on blast, 158*A*., 179*A*.
removal from blast, 1*A*.
Molten Metal, investigation of pouring by ciné radiography, 80*A*., 106*A*.
Molybdenum :
detection in steel by spot tests, 46*A*.
determination in alloy steels, 151*A*.
determination in iron and steel, 151*A*.
determination in stainless steel, photometric method, 151*A*.
determination in steel by spectro-analysis, 49*A*.
determination in steel, spectrochemical methods, 152*A*.
Molybdenum-Nickel Steel, hardenability tests, 144*A*.
Molybdenum Steel :
austenite transformation, 46*A*.
effect of copper, 67*A*.
effect of heat-treatment methods on strength, 21*A*.
graphitization, 19*A*.
graphitization, effect of creep-test conditions, 93*A*.
prevention of graphitization at high temperatures, 94*A*.
welded, graphitization, 61*A*.
welded pipes, causes of failure at high temperatures, 93*A*., 94*A*.

Molybdenum Steel Pipes :
notched-toughness tests, 91*A*.
welded, normalizing by induction heating, 11*A*.
Montmorillonite, properties, 159*A*.
Moscow University and Central Engineering Institute, Magnetism laboratories, 66*A*.
Mould Paints, properties and uses, 57 *Paper*.
Moulding Practice, principles for production of sound castings, 52*A*., 82*A*.
Moulding Sand :
atmosphere control, introduction of inert gases into, 51*A*.
British resources, 71 *Paper*.
control, 181*A*.
effect of change from natural to synthetic in foundry, 32*A*.
effect of grain shape, 32*A*.
hot-strength characteristics, 61 *Paper*.
oil, practice in foundries, 52*A*.
physical properties, 51*A*.
preparation for automobile castings, 51*A*.
properties at high temperatures, 134*A*.
properties of bonding clays, 81*A*.
reclamation, 160*A*.
research in Germany, 159*A*.
research in Sweden, 159*A*.
research in United Kingdom, 159*A*.
research in United States, 159*A*.
sintering tests, 52*A*.
tests at high temperatures, 181*A*.
Moulds :
drying, use of gaseous fuel, 4*A*.
graphite, uses, 160*A*.
Mullite, *see* Refractory Materials.
Munitions, German and Japanese, examination, 22*A*.

Nail Mills, use of tungsten-carbide dies, 8*A*.
National Emergency Steel :
applications to farm equipment, 146*A*.
for bolts, 146*A*.
for roller bearings, 146*A*.
for tractor parts, 171*A*.
hardenability tests, 144*A*.
production from battlefield scrap, 36*A*.
properties and war-time developments, 45*A*.
National Screw Manufacturing Co., heat-treatment plant, 12*A*.
National Tube Co., production of shells, 55*A*., 109*A*.
Neon, adsorption on steel surfaces, 21*A*.
Nesslerisation, direct, to determine nitrogen in ferro-alloys, 333 *Paper*.
Nevada, tungsten ore, geology, mining and concentration, 155*A*.
New Jarrow Steel Co., rolling-mill plant, 86*A*.
New York State, iron ore beneficiation, 28*A*.
Newall, A. P., & Co., Ltd., manufacture of precision bolts and studs, 136*A*.
Nickel :
detection in steel by spot tests, 46*A*.
determination in steel, colorimetric method, 201*A*.
determination in steel by spectro-analysis, 49*A*.
determination in steel, spectrochemical methods, 152*A*.
determination in steel by spot tests, 201*A*.
electrodeposition, building-up worn aero-engine parts, 63*A*.
electrodeposition, effect of plating conditions on stress, 117*A*.
impact strength at low temperatures, 143*A*.
plating, control of distribution of deposits, 63*A*.
Nickel Alloys, determination of gases, 195*A*.
Nickel-Chromium Steel, determination of gases, 195*A*.
Nickel Coatings, effect of tin as undercoating, 23*A*.
Nickel Steel :
austenite transformation, 46*A*.
hardenability tests, 144*A*.
Nitrided Steel, bend-fatigue strength, 192*A*.
Nitriding, 187*A*.
localized, use of copper plate, 12*A*.
small steel parts, 188*A*.
steel, 139*A*., 164*A*.
Nitriding Furnaces, for aircraft parts, 189*A*.
Nitrogen :
adsorption on steel surfaces, 21*A*.
colorimetric determination in ferro-alloys by direct nesslerisation, 333 *Paper*.
content in mild-steel weld deposits, 127 *Paper*.
determination in iron and steel, 151*A*.
determination in iron and steel, effect of heat-treatment, 201*A*.
determination in nickel-chromium steel, 195*A*.
determination in nitrided iron, 201*A*.
effect in chromium-nickel steel, 66*A*.
effect in stainless steel, 147*A*.
effect on intergranular corrosion of stainless steel, 70*A*.
use in drying cores, 32*A*.
Nitrogen Dioxide, use in concentration of manganese ore, 76*A*.
Non-Ferrous Metals :
continuous casting, 33*A*.
corrosion, effect of high temperature and high humidity, 98*A*.
corrosion by steam, 98*A*.
detection of lead by lead prints, 96*A*.
Noristaltic Acid Pump, 16*A*.
Normalized Steel, hardenability and tensile strength relationship, 169*A*.
Normalizing, steel plate, comparison with stress-relieving, 60*A*.

Obituary Notices, deceased members, 535*P*.
Ohio Crankshaft Co., induction-heating laboratories, 11*A*.

Oil Binders, for cores, properties, 52*A*.
Oil-Quenching, machine parts, 88*A*.
Oil Refining Equipment :
applications of stainless steel, 147*A*.
cathodic protection, 149*A*.
Oil-Sand, treatment in foundries, 52*A*.
Oldsmobile Works, shell-forging practice, 85*A*.
Open-Hearth Furnaces :
analysis of combustion conditions, 83*A*.
Carnegie–Illinois Steel Corporation, 6*A*.
control of gases, 83*A*.
control methods, 108*A*.
design, 160*A*.
flue construction, 6*A*.
flues, vacuum removal of dust, 83*A*., 183*A*.
heat losses and insulation, 29*A*.
linings, basic, 29*A*.
operation with all-scrap charge, 6*A*.
refractories for, 103*A*.
repair of walls, 83*A*.
roofs, use of mullite, 29*A*.
small scale, 136*A*., 160*A*.
Steel Company of Canada, Ltd., 29*A*.
use of carburetted coke-oven gas, 155*A*.
valve regulation, 136*A*.
valves, design, 54*A*.
Open-Hearth Plant, basic, Lanarkshire Steel Co., Ltd., 160*A*.
Open-Hearth Practice:
automatic control of reversal of gases, 183*A*.
basic, 160*A*.
recovery of chromium from scrap, 135*A*.
use of scrap in America, 184*A*.
Open-Hearth Process, acid, 161*A*.
Open-Hearth Slag :
basic, citric-acid solubility test, 441 *Paper*.
basic, constitution, 55*A*.
basic, control, 54*A*.
basic, mineralogy, 19 *Paper*.
basic, relationship to calcium-oxide/phosphorus-pentoxide/silica system, 41*P*.
constitution and determination of basicity, 183*A*.
Open-Hearth Steel, free-cutting, properties, 191*A*.
Optical Pyrometers, disappearing-filament type, 171 *Paper*.
Ordnance Construction :
applications of oxy-acetylene cutting, 90*A*.
applications of welding, 140*A*.
Ordnance Steel, German and Japanese, processes and uses, 22*A*.
Ordnance Vehicles, malleable castings for, 4*A*.
Ores :
concentration, laboratories, Stockholm, 28*A*.
crushing machinery, 28*A*.
determination of porosity, 291 *Paper*.
handling, Great Lakes, 27*A*., 76*A*.
mining and treatment, 27*A*., 76*A*., 127*A*., 175*A*.
Ovens, for baking cores, 33*A*.
Overheating, steel, bibliography, 88*A*.
Oxide Films, on metal surfaces, 70*A*.
Oxide Systems, in steel-furnace slags, X-ray survey, 15 *Paper*.
Oxy-acetylene Cutting :
effect of surface decarburization, 41*A*.
multiple machines, 15*A*.
processes in steel foundries, 15*A*.
Oxygen :
adsorption by metal surfaces, 70*A*.
content in mild-steel weld deposits, 127 *Paper*.
use in drying cores, 32*A*.
Oxygen-Enriched Blast, 179*A*.

Paint Coatings, 119*A*.
Paints :
anti-fouling, effect of inert pigment, 23*A*.
anti-fouling, methods of assessment, 229 *Paper*.
anti-fouling, tests on steel, 69*A*.
core, properties and uses, 57 *Paper*.
mould, properties and uses, 57 *Paper*.
temperature-indicating, 164*A*.
Palm-Oil recovery system in tinplate mill, 62*A*.
Parting Powders, properties and uses, 57 *Paper*.
Patternmaking :
economics, 4*A*.
use of gypsum cement, 52*A*.
Patterns, wooden, for ships' propellers, 4*A*.
Pearlite, calculation of growth, application of diffusion equation, 97*A*.
Peening :
equipment and applications, 62*A*.
metals, properties of shot for, 62*A*.
metals, shot-blasting equipment, 15*A*.
shot-, Cadillac Motor Co., plant, 15*A*.
Pennsylvania, anthracite deposits, 27*A*.
Permanent Magnets :
alloys for, 21*A*., 66*A*.
Phenol, effect on corrosion of steel, 98*A*.
Phosphate Coatings :
polarographic analysis, 202*A*.
use in wire-drawing, 37*A*.
Phosphorus :
content in Swedish iron ore, 155*A*.
control in basic slag, application of *p*H measurements, 184*A*.
detection, use of direct-current arc, 100*A*.
determination, colorimetric method, 151*A*.
determination in iron and steel, 47*A*.
determination in iron and steel, colorimetric method, 47*A*.
determination in iron ore, 100*A*.
determination in iron ore, spectrophotometric method, 201*A*.
determination in stainless steel, photometric method, 151*A*.
determination in steel, use of boric and hydrofluoric acids, 47*A*.
effect on production of Bessemer stee 184*A*.
effect on weldability of mild steel, 59*A*.
Photo-elastic Method :
for measuring stress concentrations, 92*A*.
for measuring torsional stresses, 93*A*.

Photo-electric Analysis, bibliography, 152*A*.
Photo-electric Colorimeter, Klett-Summerson, 151*A*.
Photo-electric Exposure Meter, for photomicroscopy, 197*A*.
Photo-electric Measurement, use in detection of defects, 64*A*.
Photography, applications in steel industry research, 148*A*.
Photo-Grid Method for study of plastic flow, 120*A*.
Photomicroscopy, exposure meter, 197*A*.
Pickling :
American Naval plant and practice, 62*A*.
iron, corrosion inhibitors, bibliography, 166*A*.
steel, 16*A*., 61*A*., 116*A*.
Pickling Liquor :
acid flow meters, 16*A*.
bulk storage, 16*A*.
determination of iron, 48*A*.
heating systems, 61*A*.
lifting and agitating mechanism, 16*A*.
pump, Noristaltic, 16*A*.
pumping systems, 61*A*.
treatment, 116*A*.
waste, treatment plant, 61*A*.
Pickling Machine, Curran spray, 16*A*.
Pickling Tanks, construction, 16*A*.
Pig Iron :
casting machine, 157*A*.
low-carbon, production, 158*A*.
Pipe Fittings, flanged, causes of cracks in bore, 51*A*.
Pipe Lines :
underground, corrosion, 150*A*.
use of U-tube indicators to measure rates of flow and pressure, 29*A*.
Pipes :
iron for water, corrosion tests, 69*A*.
molybdenum steel, notched-toughness tests, 91*A*.
molybdenum steel, welded, causes of failure at high temperatures, 93*A*., 94*A*.
molybdenum steel, welded, normalizing by induction heating, 11*A*.
steel, salt water corrosion, 69*A*.
steel, for water, corrosion tests, 69*A*.
wire-wound steel, bursting tests, 93*A*.
Pittsburgh Steel Co., Mannesmann tube mill, 38*A*., 86*A*.
Plastic Binders, for cores, properties, 52*A*.
Plastic Deformation :
machining chips, 190*A*.
mechanism, 93*A*.
in metals, 42*A*.
Plastic Flow, study by photo-grid methods, 120*A*.
Plastic Material, use in mounting metallographic specimens, 22*A*.
Plastic Replicas, use in determining roughness of metal surfaces, 41*A*.
Plasticity, cold, of deep-drawing steel, 19*A*.
Plastics, spraying with metals, 167*A*.
Plate :
armour, heat-treatment plant Ford Motor Co., 57*A*.
armour, weldability, 59*A*.
Plate Mills, time studies, 138*A*.
Plated Parts, iridite treatment, 118*A*.
Plates :
boiler, normalizing compared with stress-relieving, 60*A*.
boiler, stress-corrosion cracking, 97*A*., 123*A*.
high-strength, weldability and mechanical properties, 67*A*.
mild-steel, welding machines for, 165*A*.
welded, cracks, 121*A*.
welded, laminations, 36*A*.
welded, tensile properties, 89*A*.
Plating Solutions, for strip, evaluation, 17*A*.
Plating Tanks, construction, 16*A*.
Polarographic Analysis, 48*A*., 100*A*.
phosphate coatings, 202*A*.
Polishing :
cemented carbide specimens for microexamination, 45*A*.
electrolytic, 15*A*., 16*A*., 61*A*., 172*A*.
electrolytic, metallographic specimens, 96*A*.
and etching of metals, 96*A*.
metallographic specimens, 96*A*.
stainless steel, 114*A*., 190*A*.
Polishing Methods, effect on electrodeposited coatings on steel, 124*A*.
Porosity, of ores and sinters, determination by S.K. test, 291 *Paper*.
Porter-Blairsville Co., production of shells, 109*A*.
Potassium Dichromate, use in determining iron content of pickling acids, 48*A*.
Pouring Molten Metal, investigation by ciné radiography, 80*A*., 106*A*.
Pouring Speed, effect on manufacture of thin-walled steel castings, 519 *Paper*.
Pouring Systems, design, 33*A*.
Powder Compacts :
copper-tin, properties, 3*A*.
effect of pressure, 3*A*., 31*A*.
iron, effect of pressure and temperature, 132*A*.
Powder Metal Products, 3*A*., 31*A*., 79*A*.
friction parts, 79*A*.
Powder Metallurgy, 3*A*., 31*A*., 79*A*., 105*A*., 132*A*., 158*A*., 180*A*.
application to machine parts, 3*A*., 158*A*.
machinery and processes in America, 105*A*.
properties of iron compacts, 180*A*.
Powdered Iron :
analysis of particle size, 158*A*.
compacts, properties, 180*A*.
for electric motor pole pieces, 3*A*.
strength properties of bearings from, 31*A*.
Powders :
copper, sintering, 3*A*.
for friction articles, 3*A*.
iron, *see* Powdered Iron.
metal, effect of particle size, 105*A*.
metal, effect of pressure, 31*A*.
metal, for bearings, 3*A*.
metal, for brushes, 3*A*.
metal, for electrical contacts, 3*A*.

Powders:
metal, production by fused-electrolyte method, 79*A*.
metal, production, patents for electrolytic methods, 105*A*.
metal, properties and types, 132*A*.
metal, sintering, 105*A*.
silver-base, properties, 3*A*.
Power :
distribution for arc-welding, 60*A*.
electric, consumption in rolling mills, 137*A*.
required in bright-drawing steel bars, 9*A*., 136*A*.
Power Plants, steelworks, protection devices, 137*A*.
Power Stations, maintenance of machinery, 176*A*.
Precision Instruments, for production and maintenance, 190*A*.
Presses :
design, dies for, 109*A*.
forging, for automobile crankshafts, 162*A*.
forging, pressure control gauge, 8*A*.
hydraulic, 136*A*.
hydraulic, for forging aircraft propeller hubs, 37*A*.
power, electric drives for, 8*A*.
Pressings :
malleable cast iron, production conditions, 56*A*.
manufacture with Kirksite A dies, 37*A*.
production problems, 109*A*.
Pressure, effect on iron powder compacts, 132*A*.
Pressure Control, for hydraulic presses, 8*A*.
Pressure Tests, effect on malleable cast iron, 56*A*.
Pressure Vessels, stainless steel, 147*A*.
Process Control, technique and instruments, 199*A*.
Producer Gas :
cleaning, 178*A*.
manufacture, 104*A*.
mould, core and ladle drying, 4*A*.
Producer Practice, 104*A*., 156*A*., 178*A*.
Producers :
gasification of coal, 30*A*.
modern developments, 156*A*.
Production Control :
steel, effect of sulphur, 135*A*.
steel castings, 133*A*.
Propane, use in heat-treatment atmospheres, 38*A*.
Propellers :
aircraft, equipment for forging hubs, 37*A*.
blades, aircraft, rolling-mill equipment for, 38*A*.
ship's, wooden patterns for, 4*A*.
Pulverized Coal, *see* Coal, pulverized.
Pulverized Fuel, *see* Coal, pulverized.
Purnell Method of improved quenching, 113*A*., 139*A*., 188*A*.
Pyrometers :
Collins-Oseland, 164*A*.
optical, disappearing-filament type, design and performance, 171 *Paper*.
Pyrometers:
radiation, use in controlling reversal of gases in open-hearth furnaces, 183*A*.
thermo-electric, 111*A*.
Pyrometry, 111*A*., 164*A*.
see also Temperatures, measurement.

Qualcast, Ltd., die-casting grey iron, 4*A*.
Quality Control :
American rolling mills, 163*A*.
forgings, 55*A*.
statistical methods, 18*A*., 54*A*., 68*A*.
steel, for enamelling, 18*A*.
steel castings, 144*A*.
steel castings, X-ray equipment, 134*A*.
Quality Inspection, sampling method, 68*A*.
Queen City Steel Treating Co., heat-treatment furnaces, 10*A*.
Quenched Steel :
graphitization, 61*A*.
weldability, 59*A*.
Quenching :
equipment for hardening bulldozer track rollers, 58*A*.
equipment for tractor parts, 113*A*.
improved methods, 113*A*., 139*A*., 188*A*.
isothermal, 113*A*.
isothermal, rate of spheroidization of pearlitic malleable cast iron, 51*A*.
Quenching Media, bibliography, 88*A*.
Quenching Oil :
cooling, effect on hardness, 140*A*.
properties, 113*A*.

Radiographic Method, for testing steel castings, 144*A*.
Radiographs, aircraft castings, interpretation, 23*A*.
Radiography :
ciné, technique for investigating pouring of molten metal, 80*A*., 106*A*.
double-exposure, 22*A*.
steel castings for ships, 46*A*.
use in foundries, 22*A*.
use of gamma rays, 160*A*.
Radiology, use in detection of defects in castings, 173*A*.
Rails :
carbon-steel, properties, 45*A*.
fractures, 65*A*.
manganese-steel, arc-welding, 114*A*.
manganese-steel, properties, 45*A*., 121*A*.
Railway Axles, cracks, 65*A*.
Railway Trucks, use of high-tensile steel, 171*A*.
Recrystallization :
cold-worked metals, 197*A*.
metals, 168*A*.
silicon ferrite, 97*A*., 197*A*.
Reducing Atmospheres, behaviour of chrome ore and chrome-magnesite refractory materials, 103*A*.
Refractory Materials, 28*A*., 50*A*., 103*A*., 128*A*., 175*A*.
action of alkalies, 29*A*.
basic, for open-hearth furnaces, 29*A*.
for blast-furnaces, 175*A*.

Refractory Materials:
for blast-furnaces, failure, 175*A*.
for cupolas, 129*A*.
for electric furnaces, maintenance, 83*A*.
for foundries, 176*A*.
for heat-treatment furnaces, 129*A*.
performance records, 176*A*.
permeable, for furnaces, 50*A*., 176*A*.
properties and manufacture, 103*A*.
Refractory Materials (Chrome-Magnesite Bricks), behaviour in reducing atmospheres, 103*A*.
Refractory Materials (Chrome Ore), behaviour in reducing atmospheres, 103*A*.
Refractory Materials (Concrete), properties, preparation and applications, 50*A*.
Refractory Materials (Dolomite), manufacture of bricks, 50*A*.
Refractory Materials (Dolomite Bricks), properties and development, for basic electric furnaces, 341 *Paper*.
Refractory Materials (Firebrick), refractoriness-under-load tests, 175*A*.
Refractory Materials (Fireclay Bricks), panel tests for thermal spalling, 28*A*.
Refractory Materials (Lumnite Cement), performance in coking plant, 176*A*.
Refractory Materials (Magnesia), production from sea-water, 50*A*.
Refractory Materials (Mullite), for open-hearth furnace roofs, 29*A*.
Refractory Materials (Silica Bricks), durability and behaviour in open-hearth roofs, 103*A*.
Regenerators :
coke-oven, cleaning, 130*A*.
heat flow, 176*A*.
reversing, 54*A*.
Regenerator Flues, valves, setting, 178*A*.
Reheating Furnaces, 108*A*., 162*A*.
electric, magnetic controls, 139*A*.
General Motors Corporation, 162*A*.
roller-hearth, design of rollers, use of silicon carbide, 108*A*.
rotary-hearth, 162*A*.
time-temperature relationships, 162*A*.
world's largest rotary-hearth, 108*A*.
Replica Method, determining roughness of metal surfaces, 41*A*.
Republic Steel Corporation :
distribution of blast-furnace and coke-oven gas, 178*A*.
iron ore concentration and sintering plant, 127*A*.
sintering plant, 77*A*., 175*A*.
Resin Coatings :
application and baking on metals, 63*A*.
baking on steel by induction heating, 63*A*.
Retorts, heat-resisting cast iron, production, 33*A*.
Rimming Steel :
basic Bessemer, production of clean ingots, 35*A*.
properties and manufacture, 107*A*.
Rimming-Steel Ingots, analytical survey, 509 *Paper*.
Rings, alloy-steel, flash welding, 165*A*.
Risers :
removal by oxy-acetylene cutting, 114*A*.
shrink-bob, 181*A*.
Robins-Messiter System, stocking iron ore, 27*A*.
Rock Wool, manufacture and applications, 131*A*.
Rockwell Hardness:
conversion to other scales, 20*A*.
tests for cylindrical specimens, 20*A*.
Rod Mills, Columbia Steel Co., 186*A*.
Roll Pressures, measurement, 110*A*.
Roller-Bearing Steel :
heat-treatment, 111*A*.
properties, 171*A*.
Roller Bearings, from National Emergency steel, 146*A*.
Rolling :
cold, rolling pressure and work in, 186*A*.
direct, strip metals, 34*A*.
hot, tests on coated steel, 185*A*.
metals, 110*A*.
scrap, in small-scale mill, 163*A*.
Soro process, 34*A*.
wide strip, 163*A*.
Rolling-Mill Equipment, for aircraft propeller blades, 38*A*.
Rolling-Mill Plant :
Carnegie-Illinois Steel Corporation, 9*A*.
Kaiser Co., Inc., 9*A*., 53*A*.
New Jarrow Steel Co., 86*A*.
Rolling-Mill Practice, 9*A*., 37*A*., 86*A*., 110*A*., 137*A*., 163*A*., 185*A*.
Rolling-Mill Screw-downs, electric control, 138*A*.
Rolling Mills :
American, quality improvement, 163*A*.
design, 10*A*., 163*A*.
electric control of screw-downs, 138*A*.
electric power consumption, 137*A*.
Evans, 110*A*.
induction tempering in, 11*A*.
Kessler, 110*A*.
Krause, 110*A*.
lubrication, use of demulsifiers, 86*A*.
mercury-arc rectifier equipment, 137*A*.
small-scale, for scrap, 163*A*.
unitemper, 10*A*.
use of amplidyne generator, 86*A*.
vertical precision, 186*A*.
Rolls :
chilled, production, 106*A*.
production in Broken Hill Proprietary Co., Ltd., works, 106*A*.
Ruhr Coking Industry, 78*A*.
Russia :
American-built rolling mill, 163*A*.
blast-furnace reconstruction, 157*A*.
iron and steel industry, rebuilding plans, 135*A*.
Rust, properties of preventatives, 70*A*.
Rust Preventatives, 99*A*.
Rust-Proofing, tinplate, 17*A*.
Rust-Resistant Steel, properties, effect of nitrogen, 147*A*.
Rusting :
painted steel, photographic standards, 150*A*.
steel, determination of degree, 150*A*.

Rustless Iron & Steel Corporation :
electrolytic polishing process for stainless steel, 116*A*.
modified type of Schofield-Grace thermocouple, 164*A*.

Safety Devices, steelplant power circuits, 137*A*.
Safety Precautions, cleaning tanks and fuel holders, 179*A*.
Salt Baths :
explosion precautions, 38*A*.
fire risks, 38*A*.
for annealing wire, 113*A*.
for case-hardening tractor gears, 188*A*.
for heat-treatment of tools, 188*A*.
heating by gas-fired furnaces, 113*A*.
use in annealing welded stainless steel, 57*A*.
use in heat-treatment, 38*A*., 57*A*., 113*A*., 139*A*., 188*A*.
Sampling Method for Quality Inspection, 68*A*.
Saw Blades, molybdenum steel, heat-treatment, 87*A*.
Scale, prevention, in water systems, 198*A*.
Scaling, cobalt alloys, 170*A*.
Schloemann A.-G., tube mill, 163*A*.
Schofield-Grace Thermocouple, 34*A*., 110*A*.
modified type, 159*A*., 164*A*.
Scotland, wire-drawing practice at Speedwell Wire Co., Ltd., 56*A*.
Scottish Stamping and Engineering Co., Ltd., heat-treatment plant, 187*A*.
Scrap :
chromium steel, recovery in open-hearth furnaces, 135*A*.
from battlefield, steel production, 35*A*.
high-speed steel, for manufacturing machine tools, 42*A*.
melting practice in acid electric furnace, 36*A*.;
rolling, in small-scale mill, 163*A*.
use in open-hearth furnaces in America, 184*A*.
Screening Plant, iron ore, 128*A*.
Screwdowns, rolling-mill, electric control, 138*A*.
Sea-Water, effect on corrosion of steel, 98*A*.
Selenium, detection in steel by spot tests, 46*A*.
Shackles, wire-rope, test specifications, 123*A*.
Sheets :
aluminium-clad steel, spot welding, 59*A*.
for ammunition boxes, galvanizing plant and processes, 62*A*.
for automobile parts, properties, 108*A*.
steel, weldability, 165*A*.
testing, 191*A*.
welded, crack-sensitivity, 189*A*.
welding light gauge, use of jigs, 40*A*.
Shells :
deep-drawing wind shields for, 9*A*.
forging, 85*A*.
forging, dies and mandrels for, 85*A*.
forging, flow of metal, 85*A*.
Shells:
forging, practice at Oldsmobile Works 85*A*.
heat-treatment, 87*A*.
production at National Tube Co. Works, 55*A*., 109*A*.
production at Porter-Blairsville Co. plant, 109*A*.
tempering, continuous furnace, 140*A*.
Ships :
prevention of corrosion in steel pipes, 69*A*.
radiographic examination of steel castings for, 46*A*.
welded plate, tensile properties, 15*A*.
Shot, properties, for peening, 62*A*.
Shot-Blasting :
effect on fatigue resistance, 20*A*.
equipment, 15*A*.
Shot-Peening :
Cadillac Motor Co. plant, 15*A*.
equipment and applications, 61*A*.
effect on fatigue strength, 62*A*., 94*A*., 121*A*., 193*A*.
Shrink-Bob Risers, 181*A*.
Silica :
determination in iron ore, 100*A*., 201*A*.
reduction by liquid steel, 184*A*.
Silica Bricks, *see* Refractory Materials.
Silica Cement, for repair of coke-oven walls, 30*A*.
Silicon :
deoxidation of steel, 35*A*.
determination in iron and steel, 47*A*., 201*A*.
determination in stainless steel, 99*A*.
determination in steel by spectro-analysis, 49*A*.
effect in chromium steel, 21*A*.
Silicon Carbide, use in design of rollers for roller-hearth reheating furnaces, 108*A*.
Silicon-Ferrite, recrystallization, 97*A*., 197*A*.
Silicon Iron :
barley-shell structure, 173*A*.
tensile strength, 170*A*.
Silicon Steel, mechanical properties, 145*A*.
Silver, electrodeposition, 118*A*.
Silver-Brazing, steel, 189*A*.
Simanal, ladle deoxidation of steel, 84*A*.
Sinter :
S.K. porosity test, 291 *Paper*.
use in blast-furnaces, 303 *Paper*.
Sintered Magnets, 3*A*.
Sintering :
copper powder, 3*A*.
iron ore, 127*A*.
iron ore, Republic Steel Corporation plant, 127*A*.
metals, applications of ammonia, 189*A*.
Minnesota iron ore, 175*A*.
Swedish iron ore, 175*A*.
Sintering Plants :
at mines and blast-furnaces in America, 28*A*.
Colorado, America, 27*A*.
iron ore, 128*A*.
Republic Steel Corporation, design and operation, 77*A*., 175*A*.
Workington Iron and Steel Works, 175*A*.

Sintering Practice, 303 *Paper.*
Sintering Tests, moulding sand, 52*A.*
S.K. Porosity Test for ores and sinters, 291 *Paper.*
Slag :
acid, effect of lime, 84*A.*
basic, citric-acid solubility, 441 *Paper.*
basic, constitution, 55*A.*
basic, control, 54*A.*
basic, mineralogy, 19 *Paper.*
basic open-hearth, analysis, 202*A.*
basic, relationship to calcium-oxide/phosphorus-pentoxide/silica system, 41*P.*
blast-furnace, *see* Blast-Furnace Slag.
Caldwell granulating machine, 131*A.*
control methods, 36*A.*
ferrous-oxide/sodium-phosphate, immiscibility, 179*A.*
open-hearth, constitution and determination of basicity, 183*A.*
use in production of enamel frits, 167*A.*
Slag Basicity, determination by *p*H measurements, 183*A.*, 184*A.*
Slag-Metal Equilibria, 185*A.*
Slag-Metal-Oxygen Relationships in steel furnaces, 84*A.*
Slag Systems, oxide, X-ray survey, 15 *Paper.*
Slag Wool, manufacture and applications, 131*A.*
Smoke Destruction, 29*A.*
Sodium Nitrate, use as corrosion inhibitor for water systems, 199*A.*
Soils, corrosive, effect of aeration on hydrogen-ion concentration, 123*A.*
Soldering, metals, 165*A.*
Solidification :
cast steel, 5*A.*
metals, 182*A.*
Sonigage, for thickness measurement, 21*A.*
Soro Process :
casting, 34*A.*
rolling, 34*A.*
South African Coal, coking tests, 104*A.*
South Wales Coal Deposits, geological sequence, 103*A.*
Soviet Union, *see* Russia.
Spalling, thermal, panel tests of fire-clay bricks, 28*A.*
Spark-Gap Converters, application to induction heating, 112*A.*
Specifications :
German war-time, automobile construction, 196*A.*
steel, 172*A.*
steel, simplifying classification, 68*A.*
test for wire-rope shackles, 123*A.*
welding, for blast-furnace construction, 59*A.*
Spectrographic Specimens, machining, 100*A.*
Spectroscopes, direct-vision, use in control of blowing in converters, 9 *Paper.*
Spectrum Analysis, 49*A.*, 99*A.*, 100*A.*
bibliography, 152*A.*
comparator, 200*A.*
dilution factor, 200*A.*
iron and steel, 200*A.*
low-alloy steel, 49*A.*
Spectrum Analysis:
non-destructive sampling method, 200*A.*
preparation of specimens, 100*A.*
steel segregates, 473 *Paper.*
technique, 199*A.*, 200*A.*
Speedwell Wire Co., Ltd., wire-drawing practice, 56*A.*
Spheroidization, 139*A.*
controlled, malleable cast iron, 81*A.*
rate, pearlitic malleable cast iron, 51*A.*
steel wire, tests to standardize processes, 57*A.*
Spitsbergen :
coal, geology, 155*A.*
coal, petrology, 155*A.*
Sponge Iron :
briquetted, production, 105*A.*
powder, for bearings, 31*A.*
production, 2*A.*
Spot Tests :
to detect alloying elements in steel, 46*A.*
to determine nickel in steel, 201*A.*
Spraying :
metals, building-up worn parts, 63*A.*
metals, process and applications, 167*A.*
metals on wood, 167*A.*
Spring Clips, steel wire, stress-corrosion cracking, 70*A.*
Stainless Steel :
acceptance tests, Hercules Powder Co. method, 123*A.*
applications in oil-refining equipment, 147*A.*
design of zinc-alloy dies for pressing, 136*A.*
effect of different heat-treatments, 57*A.*
effect of nitrogen, 147*A.*
effect of titanium, 145*A.*
electrolytic polishing, 61*A.*, 116*A.*
forging, 190*A.*
impact strength at low temperatures, 143*A.*
intergranular corrosion, effect of carbon and nitrogen, 70*A.*
machining, 114*A.*, 190*A.*
method for cladding alloy steel, 166*A.*
oxy-acetylene cutting, use of flux, 142*A.*
polishing, 114*A.*, 190*A.*
pressure vessels, 147*A.*
processing, 114*A.*
technical cohesive strength at low temperatures, 142*A.*
welded, annealing in salt baths, 57*A.*
welding, 114*A.*, 189*A.*
welds, intergranular corrosion, 23*A.*
Statistical Methods :
evaluating efficacy of tests, 199*A.*
for control of production of tank shoes, 133*A.*
for quality control, 18*A.*, 54*A.*, 68*A.*
Steam :
corrosion, alloy steels, 98*A.*
corrosion, metals, 98*A.*
failure of molybdenum steel pipes, 93*A.*, 94*A.*
Steam Turbines :
for blast-furnace blowers, 157*A.*
for electric power generation, 155*A.*
grey-iron castings for, 106*A.*

Steel :
air hardenability, 20*A*.
alloy, for aircraft parts, 22*A*.
alloy, austenite transformation, 46*A*.
alloy, bend-fatigue strength, 44*A*.
alloy, corrosion by steam, 98*A*.
alloy, heat embrittlement, 122*A*.
alloy, properties and war-time developments, 45*A*.
alloy, relation between tensile and impact strengths, 43*A*.
alloy, selection for maintenance work, 197*A*.
alloy, spectrum analysis, 200*A*.
alloy, temper-brittleness, 122*A*.
alloy, tensile and creep tests, 145*A*.
alloy, transformation phenomena, 46*A*.
alloy (low), cladding with stainless steel, 166*A*.
alloy (low), for automobile-engine parts, 147*A*.
alloy (low), precision casting by lost-wax process, 107*A*.
alloy (low), properties and applications, 67*A*.
alloy (low), spectrum analysis, 49*A*.
alloy (low), weldability, 121*A*.
analysis, use of Identometer, 100*A*.
analysis, White Motor Company apparatus, 100*A*.
annealing, 164*A*.
annealing, below critical point, 139*A*.
billets, prevention of flakes, 55*A*.
black finishes, 63*A*.
black-oxide coatings, 118*A*.
blueing, 118*A*.
burning, bibliography, 88*A*.
cadmium-coated, corrosion, effect of iridite finish, 167*A*.
carburized, effect of carbon content of steel, 111*A*.
case-hardened, measurement of case depth, 111*A*.
clean, production, 84*A*.
cleaning, removal of grease, 116*A*.
cold-rolled, tensile and yield strength, 91*A*.
comparison of cast and forged, 90*A*.
cooled, annealing of, 111*A*.
corrosion, atmospheric, protection, 198*A*.
corrosion, effect of high temperature and high humidity, 98*A*.
corrosion by marine atmospheres and sea-water, 98*A*.
corrosion by phenol, 98*A*.
corrosion-resistant, applications and welding properties, 195*A*.
corrosion-resistant, properties, 172*A*., 194*A*.
coupled to nickel, galvanic corrosion, 198*A*.
creep resistance, effect of variables, 145*A*.
creep strength, effect of microstructure, 170*A*.
creep tests at high temperatures, 123*A*.
crystallization, 68*A*.
damping capacity, 43*A*.

Steel:
deep-drawing, cold plasticity and sensitivity to ageing, 19*A*.
degreasing equipment, 116*A*.
deoxidation in ladle, effect with Simanal, 84*A*.
deoxidation with manganese, 35*A*.
deoxidation with silicon, 35*A*.
determination of degree of rusting, 150*A*.
determination of gases, use of electronic bombardment, 195*A*.
determination of strength properties, 167*A*.
diffusion of chromium, bibliography, 117*A*.
effect of boron, 22*A*., 67*A*., 146*A*.
effect of deoxidisers, 6*A*.
effect of fatigue stresses, 43*A*.
effect of liquids on strength, 44*A*.
effect of recovery periods in fatigue testing, 44*A*.
effect of silicon on damping capacity, 20*A*.
effect of tempering temperature, 42*A*.
elasticity, 43*A*.
electrical resistivity, 150*A*.
electro-tinning, 118*A*.
embrittlement by hydrogen, 170*A*.
etching, preparation of specimens and procedure, 148*A*.
fatigue tests at high temperatures, 123*A*., 192*A*.
ferritic, low-temperature impact tests, 191*A*.
for bolts, properties, 162*A*.
for enamelling, quality control, 18*A*.
forging practice, 37*A*.
friction tests on dissimilar metals, 66*A*.
galvanized, welding, 141*A*.
hardenability tests, 144*A*.
heat-resistant, applications and welding properties, 195*A*.
heat-resistant, determination of creep strength, 195*A*.
heat-resistant, properties, 172*A*., 194*A*.
heat-treated, notched-bar impact tests, 191*A*.
heat-treatment, 87*A*.
heat-treatment, control of furnace atmospheres, 139*A*.
heat-treatment, metallurgical principles, 38*A*.
heat-treatment, relation to design and machining, 111*A*.
heating, time-temperature relationships, 162*A*.
high-tensile, for castings, 159*A*.
high-tensile, for railway trucks, 171*A*.
high-tensile, properties, 119*A*.
high-tensile, quality control by statistical methods, 54*A*.
high-tensile, weldability, 89*A*.
hot, reaction with furnace atmospheres, 10*A*.
hypereutectoid, distribution of carbides, 193*A*.
hypereutectoid, effect of pretreatment, 193*A*.

Steel:
lead-bearing, detection of lead by lead prints, 96*A*.
lead-bearing, machinability, 41*A*.
lead-coated properties 118*A*.
liquid, reduction of silica, 184*A*.
liquid, temperature measurement by quick-immersion thermocouple, 111*A*.
low-temperature treatment, 88*A*.
machinability, relation to yield-stress ratio, 115*A*.
machining, 190*A*.
methods of heating for forging, 108*A*.
molybdenum-free, hardening, properties, 196*A*.
National Emergency, production from battlefield scrap, 36*A*.
National Emergency, properties and war-time developments, 45*A*.
nitriding, 139*A*., 164*A*., 188*A*.
normalized, hardenability and tensile strength relationship, 169*A*.
overheating, bibliography, 88*A*.
painted, photographic rusting standards, 150*A*.
painted, use of tin as undercoat, 429 *Paper*.
pickling, 16*A*., 61*A*., 116*A*.
plant and production in Texas, 107*A*.
polishing and etching, 96*A*.
polishing methods, effect on electrodeposited coatings, 124*A*.
prevention of corrosion, use of metal coatings, 149*A*.
production, 5*A*., 34*A*., 53*A*., 83*A*., 107*A*., 134*A*., 160*A*., 183*A*.
production, electrical equipment, 38*A*.
production, from battlefield scrap, 35*A*.
production, metallurgical developments, 36*A*.
production, recent developments, 83*A*.
properties, for arc-welding, 89*A*.
rimming, production of clean basic-Bessemer ingots, 35*A*.
rimming, properties and manufacture, 107*A*.
silver-brazing, 189*A*.
specifications, 172*A*.
specifications, simplifying classification, 68*A*.
stress distribution, 192*A*.
stressed, effect of molten zinc, 121*A*.
sulphur-bearing, production control, 135*A*.
technical cohesive strength at low temperatures, 142*A*.
temperature measurement, 177*A*.
tool, torsional-impact strength, 143*A*.
uncooled, heat-treatment, 111*A*.
welding, tests, 12*A*.
welding to dissimilar metals, 59*A*.
zinc-coated, corrosion, effect of iridite finish, 167*A*.
Steel Castings, *see* Castings, steel.
Steel Company of Canada, Ltd., open-hearth furnaces, 29*A*.
Steel Industries, *see* Iron Industries.
Steel Pipes, salt-water corrosion, 69*A*.
Steel Plates :
application of Yardeny-ATF remote control system, 137*A*.
A. M. Byers Co., 36*A*.
control of electric motors, 108*A*.
electric drives for cranes, 36*A*.
flow diagrams, 160*A*.
Kaiser Co., Fontana, 53*A*.
Lanarkshire Steel Co., Ltd., 160*A*.
maintenance- use of low-temperature welding, 39*A*.
maintenance, uses of welding and cutting, 12*A*.
protection devices for power circuits, 137*A*.
small-scale, Jones and Laughlin Steel Corporation, 136*A*., 160*A*.
John Summers & Sons, Ltd., 86*A*.
water supply, 107*A*.
Steel Segregates, micro-spectrographic analysis, 473 *Paper*.
Stellite :
for preventing wear, 12*A*.
use in welding and hard-facing dies, 89*A*.
Stokers, mechanical, fuel economy, 29*A*.
Stone, crushing machinery, 28*A*.
Strain :
measurement, eccentrically loaded grey cast iron, 142*A*.
measurement, Riehle impact testing machine, 64*A*.
measurement, Stresscoat apparatus, 143*A*.
measurement, use of lacquer coatings, 143*A*.
periodic, measurement by electric gauges, 64*A*.
plastic, measurement, 92*A*.
rate, effect on yield stress of mild steel, 91*A*.
static, measurement by electrical resistance gauges, 18*A*.
Strain-Age Embrittlement, 143*A*.
Strain Gauges, 143*A*.
Baldwin-Southwark electric, 143*A*.
electric, 18*A*., 64*A*.
magnetic, 92*A*.
resistance-wire, 64*A*.
Tuckerman, 143*A*.
wire, use in measuring residual stresses, 92*A*.
Strain-Hardening, metals, 168*A*.
Strength Properties :
iron powder for bearings, 31*A*.
materials, Fridman's theory, 168*A*.
steel, determination, 167*A*.
Stress :
calculation from X-ray measurements, 191*A*.
distribution in steel, 192*A*.
effect of electrodeposition of nickel, 117*A*.
effect of welding, 89*A*.
effect on damping capacity, 20*A*.
measurement, Riehle impact testing machine, 64*A*.
measurement, use of lacquer coatings, 92*A*.

Stress:
measurement, value in metallurgy and design, 90*A*.
Stresscoat Apparatus, for measuring strain, 143*A*.
Stresscoat Lacquer, use in measuring stress, 92*A*.
Stress Concentration, measurement by photo-elastic method, 92*A*.
Stress-Corrosion :
grey cast iron, 123*A*.
malleable cast iron, 123*A*.
Stress-Corrosion Cracking :
boiler plates, 97*A*., 123*A*.
steel spring clips, 70*A*.
Stress-Relief :
steel plate, comparison with normalizing, 60*A*.
welded structures, 60*A*.
welded structures, machining stability, 60*A*.
welds, 114*A*.
Stress-Strain Curve, relation to indentation hardness, 65*A*.
Stress-Strain Measurements of test specimens, 91*A*.
Stress Tests, combined, on carbon steel, 64*A*., 91*A*.
Stress Yield, relation to hardness, 66*A*.
Stresses :
distribution in metals, determination by brittle coatings, 64*A*.
internal, measurement by X-ray diffraction, 148*A*.
residual, distribution in cast iron and cast steel, 92*A*.
residual, effect of heat, 165*A*.
residual, in finished parts, 119*A*.
residual, in steel, 65*A*.
residual, in welded structures, 14*A*.
residual, measurement, 91*A*.
residual, measurement by X-ray diffraction method, 92*A*.
residual, measurement, use of brittle coatings, 92*A*.
residual, measurement, use of wire strain gauges, 92*A*.
shrink-fit, in shafts, 93*A*.
tessellated, 207 *Paper*.
torsional, measurement by photo-elastic method, 93*A*.
welding, removal from stainless steel by annealing in salt baths, 57*A*.
Strip :
annealing, use of electronic control apparatus, 113*A*.
cold-rolling, effect of roll diameter, 163*A*.
cold-rolling, effect of roll pressure, rolling speed and strip width, 163*A*.
direct rolling, improvements, 34*A*.
evaluation of plating solutions for, 17*A*.
hot-rolling, development in Germany, 186*A*.
induction heating, 58*A*.
steel, for gas-welded tubing, 13*A*.
testing, 191*A*.
wide, rolling, 163*A*.
Strip Mills, for gas-welded tubing, 13*A*.
Structural Steel :
high-tensile for railway trucks, 171*A*.
low-alloy, properties and applications, 67*A*.
weldability tests, 59*A*.
Studs, precision, manufacture, 136*A*.
Substitute Materials, German and Japanese, for nickel and copper, 22*A*.
Sulphur :
determination in cast iron, 47*A*.
determination in ferro-alloys, 151*A*.
determination in iron and steel, 47*A*., 151*A*.
determination in ores and slags, 151*A*.
determination in steel, application of micro-combustion technique, 200*A*.
effect on weldability of mild steel, 59*A*.
removal from furnaces, 29*A*.
steel containing, production control, 135*A*.
Summerill Tubing Co., heat-treating plant, 11*A*.
Summers, John, and Sons, Ltd. :
galvanizing plant, 167*A*.
rolling-mill plant, 86*A*.
Supersonic Thickness Measurement, aircraft parts, 21*A*.
Surface Decarburization, in flame-cutting steel bars, 41*A*.
Surface Films :
growth on metals, 199*A*.
oxide, on metals, 70*A*.
Surface Finish, measurement, 115*A*., 190*A*.
Surface Hardness, standardizing specifications, 112*A*.
Surface Preparation, effect on iron castings, 16*A*.
Surface Quality of Billets, methods of maintaining and controlling, 84*A*.
Surface Treatment :
chemical, for gears, 147*A*.
cleaning, theory and processes, 61*A*.
cleaning and coating of metals, 62*A*.
preparation for coating, 63*A*.
Surfaces :
internal, induction heating equipment for hardening, 39*A*.
metal, adsorption of oxygen, 70*A*.
metal, determination of roughness by replica method, 41*A*.
metal, lubrication, effect of fatty acids, 110*A*.
steel, adsorption of gases, 21*A*.
Sweden :
iron production and development, 157*A*.
moulding sand research, 159*A*.
ore-concentration laboratories, Stockholm, 28*A*.
Swedish Iron Ore :
phosphorus content, 155*A*.
sintering, 175*A*.

Taconite, concentration, New York State and Mesabi Range, 28*A*.
Tank Parts :
flame-hardening, 88*A*.
heat-treatment, 187*A*.

Tank Production, heat-treating equipment, Chrysler Corporation, 39*A*.
Tank Shoes, production, statistical control methods, 133*A*.
Tanks :
German and Japanese, examination, 22*A*.
treads, conveyor systems for welding, 89*A*.
Temper-Brittleness, alloy steel, 122*A*.
Temperature-Indicating Paints, 164*A*.
Temperatures :
control, in heat-treatment furnaces, 164*A*.
drying, for cores, 32*A*.
effect on iron powder compacts, 132*A*.
effect on yield stress of mild steel, 91*A*.
hardening, for steel, determination by dilatometric method, 38*A*.
high-, creep and fatigue tests on steel, 123*A*.
high-, effect on corrosion, 98*A*.
high-, failure of molybdenum steel pipes, 93*A*., 94*A*.
high-, fatigue tests on steel, 192*A*.
high-, liquid steel, measurement by quick-immersion thermocouple, 111*A*.
high-, properties of moulding sands, 134*A*.
high-, tests for moulding sand, 181*A*.
high-, uses of grey cast iron, 170*A*.
liquidus-solidus, determination in iron alloys, 197*A*.
low-, impact strength of metals, 143*A*.
low-, impact tests on ferritic steel, 191*A*.
low-, properties of alloy steels, 196*A*.
low-, technical cohesive strength, 142*A*.
low-, treatment for stabilizing gauges, 39*A*.
low-, treatment of high-speed steel, 88*A*., 140*A*.
low-, treatment of steel, 58*A*., 88*A*.
measurement in regenerator chambers, 54*A*.
measurement, of steel, 177*A*.
tempering, effect on steel, 42*A*.
Tempered Steel, weldability, 59*A*.
Tempering :
induction, in rolling-mill, 11*A*.
shells, continuous furnace, 140*A*.
Tempering Temperature, effect on steel, 42*A*.
Tennessee Coal, properties and preparation, 103*A*.
Tensile Deformation, metals, 191*A*.
Tensile Properties :
relation to Brinell hardness, 66*A*.
welded plates, 89*A*.
Tensile Strength :
carbon steel rails, 45*A*.
cast iron, effect of graphite, 119*A*.
cold-rolled steel and duralumin, 91*A*.
effect of direction of welds, 119*A*.
effect of liquids on glass and steel, 44*A*.
heat-resistant iron, 170*A*.
induction-heated steel bars, 11*A*.
manganese steel rails, 45*A*.
normalized steel, relation to hardenability, 169*A*.
relation to Brinell and Vickers hardness, 169*A*.
steel, effect of case-hardening, 193*A*.
tube welds, effect of weld-bead shape, 14*A*.
welded ships' plates, 15*A*.
Tensile Tests :
alloy steels, results, 145*A*.
calculation of elongation, 142*A*.
case-hardening steel, effect of heat-treatment, 21*A*.
design of equipment for, 90*A*.
effect of non-metallic inclusions in specimens, 120*A*.
grey cast iron, eccentrically loaded, 142*A*.
impact, 64*A*.
mild steel, results, 91*A*.
notched-beam impact test relationships, 91*A*.
Tessellated Stresses, 207 *Paper*.
Test Bars :
cast iron, methods of casting, 90*A*.
grey cast iron, machining and threading, 90*A*.
Test Coupons, design, for cast steel, 67*A*.
Test Specimens :
effect of non-metallic inclusions in, 120*A*.
graphitization, effect of creep-test conditions, 93*A*.
grinding machines for, 19*A*.
iron, casting, 90*A*.
tensile, measurement of stress and strain, 91*A*.
welded, effect of storage time on ductility, 15*A*.
Testing Machines :
bend, for welds, 14*A*.
fatigue, 20*A*.
friction, 66*A*.
hardness, Brinell, 121*A*., 194*A*.
hardness, micro-, 144*A*.
hardness, rolling-ball, 169*A*.
Riehle impact, 64*A*.
torsion, self-indicating, 19*A*.
Tests :
abrasion, for coke, 104*A*.
anti-fouling paints, 69*A*.
bend, on small specimens, 120*A*.
bend, welded structures, 142*A*.
bend, welds, energy absorption, 14*A*.
bend-fatigue, case-hardened steel, 192*A*.
bend-fatigue, effect of heat-treatment methods on case-hardening steel, 21*A*.
bend-fatigue, tool steel, 22*A*.
biaxial fatigue, on carbon steel, 65*A*.
bursting, on steam-turbine rotors, 93*A*.
bursting, on wire-wound steel pipes, 93*A*.
carbonization, JB/UAL, 1*A*.
cavitation, results, 198*A*.
citric-acid solubility, for basic slag containing fluorspar, 441 *Paper*.
coking, Alaskan coal, 30*A*.
coking, coal, electric furnace for, 104*A*.

Tests:
coking, laboratory, 104*A*.
combined stress, on carbon steel, 64*A*., 91*A*.
control, aircraft-engine forgings, 109*A*.
corrosion, accelerated, 70*A*.
corrosion, atmospheric, 124*A*.
corrosion, electrochemical 124*A*.
corrosion, iron and steel water pipes, 69*A*.
corrosion, laboratory equipment, 23*A*., 70*A*., 124*A*.
corrosion, marine, 150*A*., 198*A*.
corrosion, petrol and oils, 23*A*.
corrosion, salt-spray, 124*A*., 150*A*.
corrosion, for soil, 124*A*.
corrosion, total immersion, 124*A*.
creep, alloy steels, results, 145*A*.
creep, effect on graphitization of specimens, 93*A*.
creep, steel at high temperatures, 123*A*.
diamond pyramid hardness, on hardened steel, sources of error, 245 *Paper*.
drying, for cores, 32*A*.
erosion, results, 198*A*.
evaluating efficacy, by statistical methods, 199*A*.
fatigue, at resonant speed, 19*A*.
fatigue, effect of recovery periods, 44*A*.
fatigue, steel, 65*A*.
fatigue, steel at high temperatures, 123*A*., 192*A*.
fatigue, welds, 141*A*.
fluidity, results, chromium-molybdenum steel, 135*A*.
friction, dissimilar metals, 66*A*.
hardenability, air-hardening steel, 20*A*.
hardenability, Jominy, 65*A*., 122*A*.
hardenability, magnetic measurement, 20*A*.
hardenability, steels, 144*A*.
hardness, for aircraft steel, 43*A*.
hardness, conversion tables, 20*A*.
hardness, Rockwell, for cylindrical specimens. 20*A*.
high-temperature, moulding sands, 52*A*., 181*A*.
hot-rolling, on coated steel, 185*A*.
impact, chromium steel, effect of silicon, 21*A*.
impact, effect of heat-treatment methods on case-hardening steel, 21*A*.
impact, effect of non-metallic inclusions in specimens, 120*A*.
impact, for aircraft steel, 43*A*.
impact, low-temperature, on ferritic steel, 191*A*.
impact, notched-bar, 91*A*.
impact, notched-bar, heated-treated steel, 191*A*.
impact, notched-bar, to determine properties of steel, 43*A*.
impact, notched-beam, tensile test relationships, 91*A*.
impact, single-blow, for cast iron, 403 *Paper*.
lubricating oil, function of addition agents, 38*A*.
magnetic, of metals, 66*A*.
Tests:
magnetic-powder, 122*A*.
magnetic-powder, of forgings, 21*A*.
malleable iron castings, interpretation of micrographs, 68*A*.
mechanical properties, 42*A*., 64*A*.
micro-hardness, 193*A*.
micro-mechanical, metals, 120*A*.
notch-impact, on welds, 120*A*.
notched-toughness, molybdenum steel pipes, 91*A*.
panel, thermal spalling of fireclay bricks, 28*A*.
pressure, effect on malleable cast iron, 56*A*.
refractoriness-under-load, on firebricks, 175*A*.
Rockwell hardness, for aircraft steel, 43*A*.
rust preventatives, 70*A*.
S.K. porosity, for ores and sinters, 291 *Paper*.
seamless steel tube, 9*A*.
sheet and strip, 191*A*.
sintering, moulding sand, 52*A*.
spark, for acid-resistant vitreous enamels, 17*A*.
spot, to detect alloying elements in steel, 46*A*.
stability, for gauges, 39*A*.
steel castings, 67*A*.
tensile, alloy steels, results, 145*A*.
tensile, calculation of elongation, 142*A*.
tensile, design of equipment for, 90*A*.
tensile, effect of heat-treatment methods on case-hardening steel, 21*A*.
tensile, effect of non-metallic inclusions in specimens, 120*A*.
tensile, fatigue, of tube welds, effects of weld-bead shape, 14*A*.
tensile, grey cast iron, eccentrically loaded, 142*A*.
tensile, impact, 64*A*.
tensile, notched-beam impact test relationships, 91*A*.
tensile, on welded ships' plates, 15*A*.
torsion, impact, for tool steel, 22*A*., 143*A*.
use of *t*-function, 199*A*.
wear, for lathe parts, 95*A*.
weldability, structural steel, 59*A*.
weldability, welded structures, 142*A*.
welding electrodes, 189*A*.
welds, 12*A*.
Texas, iron and steel plant and production, 107*A*.
***t*-Function,** use, 198*A*.
Thermal Conductivity :
lag in annealing malleable cast iron, 51*A*.
laminated metal, 177*A*.
Thermal Efficiency, furnaces, 177*A*.
Thermal Expansion, reversible, of calcium ferrous silicates, 50*A*.
Thermal Spalling, fireclay bricks, panel tests, 28*A*.
Thermit, welding, applications, 14*A*., 114*A*.
Thermit Process, for casting steel, 159*A*.

Thermocouples :
Schofield-Grace, modified type, 159*A*., 164*A*.
Schofield-Grace quick-immersion, 34*A*., 111*A*.
Thermo-Electric Pyrometers, 111*A*.
Threading, grey cast iron test-bars, 90*A*.
Tilting Crucible Furnaces, hydraulically operated, 106*A*.
Time-Resistance, in fatigue, 192*A*.
Time Studies, plate mills, 138*A*.
Time-Temperature-Transformation Charts, for heat-treatment cycles, 38*A*.
Timken Roller Bearing Co., method of measuring hardness depth, 111*A*.
Tin :
determination in steel, spectrochemical methods, 152*A*.
electro-effect as undercoating, 23*A*., 198*A*.
use as undercoat on painted steel, 429 *Paper*.
Tinning :
cast iron, 157 *Paper*.
electro-, 17*A*., 118*A*.
Tinplate :
replaced by blackplate in food containers, 195 *Paper*.
see also Food Containers.
Tinplate Industry, 118*A*.
Tinplate Mill, palm-oil recovery system, 62*A*.
Titaniferous Magnetite Deposits, New York State, 27*A*.
Titanium :
detection, use of direct-current arc, 100*A*.
detection in steel by spot tests, 46*A*.
determination in corrosion-resistant steel, 100*A*.
determination in stainless steel, photometric method, 151*A*.
determination in steel, colorimetric method, 151*A*.
determination in steel, spectrochemical methods, 152*A*.
effect in chromium-manganese steel, 145*A*.
effect in stainless steel, 145*A*.
Titanium Steel, treatment for vitreous enamelling, 18*A*.
Tocco Process, of induction heating, equipment and applications, 114*A*., 139*A*.
Tool Steel :
bend-fatigue strength, 22*A*.
cast and forged, effect of different heat-treatments, 56*A*.
centrifugal casting, 82*A*.
comparison chart, 21*A*., 146*A*.
determination of cobalt, photometric method, 47*A*.
German, analysis, 172*A*.
hardenability, magnetic measurement, 20*A*.
heat-treatment, 112*A*.
torsional impact strength, 22*A*., 143*A*.
welding, 13*A*.
welding, using stainless-steel electrodes, 189*A*.
Tools :
cast iron for, 119*A*.
construction and repair by welding, 13*A*.
cutting, casting by lost-wax process, 33*A*.
cutting, chromium plating, 117*A*.
cutting, performance, 41*A*.
for presses, 109*A*.
heat-treatment, salt-baths for, 188*A*.
high-speed, centrifugal casting, 82*A*.
high-speed, solid and tipped forms, 41*A*.
low-temperature treatment, 140*A*.
machine, from high-speed steel scrap, 42*A*.
Toronto, iron ore deposits, 27*A*.
Torquemeter, magnetic-coupled, 120*A*.
Torsion Testing Machines, 19*A*.
Torsional Impact Strength, tool steel, 143*A*.
Track Rollers for bulldozers, induction hardening and shrink fitting, 58*A*.
Tractor Parts :
from National Emergency steel, 171*A*.
quenching methods, 113*A*.
salt-bath case-hardening furnaces for, 188*A*.
Transformation Curves, effect of chromium in alloy steel, 46*A*.
Transformations :
in alloy steels, 46*A*.
austenite, in alloy steels, 46*A*.
Transue and Williams Steel Forging Corporation, forging and heat-treatment plant, 109*A*.
Trichlorethylene, recovery in degreasing plant, 166*A*.
Tropenas Converters, control of blowing direct-vision spectroscope, 9 *Paper*.
Tube Drawing, maintenance of dies, 37*A*.
Tube Mill :
design and erection, 163*A*.
Mannesmann mill, Pittsburgh Steel Co., 38*A*., 86*A*.
Tubes :
continuous casting, 34*A*.
drawing, calculations, 85*A*.
furnaces for continuous heat-treatment, 39*A*.
machines for flash-welding, 12*A*., 40*A*., 89*A*.
seamless, drawing, 9*A*.
seamless, for gun barrels, 138*A*.
seamless, plant for production, 163*A*.
seamless, production from killed Bessemer steel, 53*A*.
steel, baking resin coatings, 63*A*.
steel, die design, 136*A*.
steel, heat-treatment plant, 11*A*.
welded, effect of weld-bead shape on tensile-fatigue strength, 14*A*.
welded, from steel strip, 13*A*.
Tuckerman Strain Gauge, 143*A*.
Tungsten :
detection in steel by spot tests, 46*A*.
effect in cast iron, 171*A*.
Tungsten-Carbide Dies, for nail mills, 8*A*.
Tungsten Ore, Nevada, geology, mining and concentration, 155*A*.
Turbines :
steam, bursting tests for rotors, 93*A*.
steam, for blast-furnace blowers, 157*A*.

Turbines:
for electric power generation, 155*A*.
steam, for power stations, maintenance, 176*A*.
steam, grey-iron castings for, 106*A*.
Twin Relationships in Cubic Crystals, identification standards, 97*A*.

U-Tube Indicators, for flow and pressure measurement in pipe-lines, 29*A*.
Uddeholms A/B., laboratory, electrolytic polishing methods, 96*A*.
Unionmelt Method of welding anchor chains, 40*A*.
United Chromium Incorporated, production of porous chromium coatings, 117*A*.
United Kingdom :
blast-furnaces, history and development, 78*A*.
blast-furnaces, operation in war-time, 130*A*.
bonding clays, 117 *Paper*.
coking coal reserves in Midlands and Yorkshire, 76*A*.
marine corrosion, erosion and cavitation tests, results, 198*A*.
moulding sand research, 159*A*.
moulding sand resources, 71 *Paper*.
steel industry, postwar production, 6*A*.
United States :
Adirondack magnetite ore mines, 27*A*.
anthracite deposits, 27*A*.
coal deposits, 27*A*.
concentration of taconite, 28*A*.
conveyor equipment in foundries, 82*A*.
corrosion research, 149*A*.
grey-iron castings, postwar production, 3*A*.
iron industry, developments, 5*A*.
iron ore beneficiation, 28*A*.
iron ore concentration plants, 28*A*.
iron ore crushing plant, 28*A*.
iron ore deposits, 27*A*.
iron ore mining, 27*A*.
marine corrosion, erosion and cavitation tests, results, 198*A*.
mineral resources, 76*A*.
moulding sand research, 159*A*.
patents relating to continuous casting, 33*A*.
powder metallurgy, machinery and processes, 105*A*.
production of malleable cast iron, 32*A*.
rolling-mill practice, quality improvement, 163*A*.
sintering plant at mines and blast-furnaces, 28*A*.
slag and rock wool manufacture, 131*A*.
titaniferous magnetite deposits, 27*A*.
tool steels, table of properties and details, 21*A*.
use of scrap in open-hearth furnaces, 184*A*.
war-time expansion of iron and steel industry, 134*A*.
waste products, recovery, 131*A*.
water pollution, 135*A*.
Western, expansion of iron and steel industry, 53*A*.
United Steel Companies, Ltd., blooming-mill plant, 319 *Paper*.
Unitemper Mill, process, 10*A*.

Vacuum, melting and evaporating metals in, 55*A*.
Valves :
open-hearth furnace, design, 54*A*.
open-hearth furnace, regulation, 136*A*.
regenerator flue, setting, 178*A*.
reversing, for open-hearth furnaces, 136*A*.
Vanadium :
detection in steel by spot tests, 46*A*.
determination in iron ore, spectrochemical method, 201*A*.
determination in ores, 100*A*.
determination in slag, 100*A*.
determination in slag, spectrochemical method, 201*A*.
determination in steel, spectrochemical methods, 152*A*.
effect in cast iron, 171*A*.
effect on properties of cast iron, 145*A*.
Vanadium Steel, tests, for tools, 22*A*.
Van der Horst Process for producing porous chromium coatings, 117*A*.
Ventilation Systems for electric furnaces, 53*A*.
Vickers Hardness :
conversion to other scales, 20*A*.
relation to tensile strength, 169*A*.
Vitreous Enamelling, titanium steel for, 18*A*.
Vitreous Enamels, acid-resistant, properties and defects, 17*A*.
Volatilization of Iron, 2*A*.

Waleswood Coking Plant, 156*A*.
Ward-Leonard Control apparatus for blast-furnace skip hoists, 31*A*.
Washers, steel, heat-treatment apparatus, 113*A*.
Waste Products, recovery in Italy and America, 131*A*.
Water, industrial, pollution and treatment in America, 135*A*.
Water Supply for steel plants, 107*A*., 185*A*.
Water Systems, protection from corrosion, 198*A*., 199*A*.
Watertown Arsenal Laboratory, data of weldability tests, 59*A*.
Wear :
prevention, use of Stellite, 12*A*.
welding-electrode tips, 13*A*.
Wear-Resistance, relation to hardness, 95*A*.
Wear-Resisting Materials for lathe parts, 95*A*.
Wear Tests for lathe parts, 95*A*.
Weirton Steel Co., tinplate mill, palm-oil recovery system, 62*A*.
Weld Metal :
constitution, 141*A*.
mild-steel, constitution, 127 *Paper*.
relation between hydrogen and oxygen content, 385 *Paper*.

Weldability :
high-strength plates, 67*A*.
high-tensile manganese-silicon steel, 89*A*.
hot-rolled steel, 59*A*.
low-alloy steel, 121*A*.
mild steel, effect of sulphur and phosphorus, 59*A*.
quenched steel, 59*A*.
steel sheets, 165*A*.
tempered steel, 59*A*.
Weldability Tests, structural steel, 59*A*., 142*A*.
Welded Joints :
aircraft steel, impact strength, 14*A*.
stresses in stainless steel, removal by annealing in salt baths, 57*A*.
trepanning, for defects, 166*A*.
tube, effect of weld-bead shape on tensile-fatigue strength, 14*A*.
Welded Pipes, molybdenum steel, normalizing by induction heating, 11*A*.
Welded Plates :
cracks, 121*A*.
laminations, 36*A*.
tensile properties, 89*A*.
Welded Sheet, crack-sensitivity, 189*A*.
Welded Steel, graphitization, 61*A*.
Welded Structures :
bend tests, 142*A*.
failure, reduction by stress-relief, 60*A*.
residual stresses, 14*A*.
stress-relief, 114*A*.
stress-relieved, machining stability, 61*A*., 190*A*.
weldability tests, 142*A*.
Welded Test Specimens, effect of storage time on ductility, 15*A*.
Welded Gas Tubes, from steel strip, 13*A*.
Welding :
application in ordnance construction, 140*A*.
applications in steelplants, 189*A*.
arc, distribution of power, 60*A*.
arc, effect of gas evolution, 60*A*.
arc, manganese-steel rails, 114*A*.
arc, methods, 114*A*.
arc, properties of steels for, 89*A*.
armour plate, 59*A*.
building-up worn and corroded parts, 58*A*.
cast iron, applications, 61*A*.
chromium steel, 114*A*.
dies, use of Stellite, 89*A*.
dissimilar metals, 59*A*.
dissimilar metals, bibliography, 12*A*.
effect on stress, 89*A*.
flash, alloy steels, properties, 13*A*.
flash, alloy steel rings, 165*A*.
flash butt-, 12*A*.
forge, methods, 114*A*.
galvanized steel, 141*A*.
gas, methods, 114*A*.
grey-iron castings, 14*A*., 141*A*., 166*A*.
hard-surfacing, 59*A*.
high-tensile steel, effect of hydogen, 385*P*.
light-gauge sheet, jigs for, 40*A*.
low-temperature, 89*A*.
Welding:
low-temperature, for steel plant maintenance, 39*A*.
metals, 165*A*.
metals, applications of ammonia, 189*A*.
pressure-, oxy-acetylene, 13*A*.
pressure-, solid-phase, 12*A*.
spot, aluminium-clad steel, 59*A*.
spot, mild-steel plate, 13*A*.
stainless steel, 114*A*., 189*A*.
steel castings, 141*A*.
steel plant maintenance, 12*A*.
thermit, methods and applications, 14*A*., 114*A*.
tool steel, 13*A*.
tool steel, using stainless-steel electrodes, 189*A*.
Unionmelt method, for anchor chains, 40*A*.
use in blast-furnace construction, 59*A*.
Welding Electrodes :
arc, heavy coated, applications, 114*A*.
coatings, constituents, 14*A*., 60*A*.
effect of coating materials, 40*A*.
for hard-surfacing, 59*A*.
specifications, 141*A*.
testing, 189*A*.
wear of tips, 13*A*.
Welding Machines, 114*A*.
for mild-steel plates, 165*A*.
for steel tubes, 12*A*., 40*A*., 89*A*.
Unionmelt, 40*A*.
use in forging, 8*A*.
Welds :
bend tests, energy absorption, 14*A*.
butt-, fatigue strength, 14*A*.
crack-sensitivity, 189*A*.
cracks in, 189*A*.
effect of direction on tensile strength, 119*A*.
fatigue tests, 141*A*.
impact strength, 141*A*.
notch-impact tests, 120*A*.
stainless steel, intergranular corrosion, 23*A*.
stress-relief, 114*A*.
Westinghouse Cold Cathode X-Ray Tube, 173*A*.
Westinghouse Electric and Manufacturing Co., quality control of steels for enamelling, 18*A*.
Wetting Agents, properties and uses in electroplating, 62*A*.
White Motor Co., apparatus for analysis of steel, 100*A*.
Williams' Machine, for continuous casting of tubes, 34*A*.
Williams Prize, awarded to R. W. Evans, 3*P*.
Williams Process of continuous casting, 34*A*.
Wilputte Coke-Ovens, design of flues and ports, 104*A*.
Wilson Steel and Wire Co., annealing plant, 57*A*.
Wire :
drawing, practice at Speedwell Wire Co., Ltd., 56*A*.
drawing, reactive, 137*A*.

Wire:
drawing, theory, 85*A*.
drawing, use of phosphate coating, 37*A*.
effect of heat-treatment and deformation, 191*A*.
hot-rolling, development in Germany, 186*A*.
manufacture, early history, 109*A*.
methods of patenting, 109*A*.
rewinding plant, 86*A*.
salt baths for annealing, 113*A*.
steel, standardizing annealing and spheroidizing processes, 57*A*.
Wire Mills :
Columbia Steel Co., 186*A*.
economic use of labour, 163*A*.
Wire Rope, shackles for, test specifications, 123*A*.
Wood, spraying with metals, 167*A*.
Woodall-Duckham Co., laboratory coking tests, 104*A*.
Workington Iron and Steel Works, sintering plant, 175*A*.
World Mineral Resources, 76*A*.
Worn Parts :
building-up by electrodeposition, 63*A*., 117*A*.
building-up by metal spraying, 63*A*.
building-up by welding, 58*A*.
Wright Aeronautical Corporation :
heat-treatment of aircraft gears, 56*A*.
nitriding furnaces and plant, 189*A*.
Wyman-Gordon Co., aircraft forgings, 8*A*.
Wyoming :
coal reserves, properties, 76*A*.
iron ore mining, 27*A*.

X-Ray Apparatus, General Electric Co. unit, 22*A*.
X-Ray Diagrams, determination lattice constants, 45*A*.
X-Ray Diffraction Method :
for internal stress measurement, 148*A*.
for measuring residual stresses, 92*A*.
X-Ray Equipment :
mounting lead-foil intensifying screens, 68*A*.
for quality control of steel castings, 134*A*.
Westinghouse cold cathode tube, 173*A*.
X-Ray Examination :
calculation of stress, 191*A*.
X-Ray Examination:
castings, 22*A*.
iron-rich iron/silicon alloys, 457 *Paper*.
metal layers, 173*A*.
slag-oxide systems, 15 *Paper*.
X-Ray Laboratories, L'École Centrale des Arts et Manufactures, 148*A*.
X-Ray Microscopy, 96*A*.
X-Ray Radiographs, ciné, technique for investigating pouring of molten metal, 80*A*., 106*A*.

Yardeny-ATF Remote Control System, application to steelworks, 137*A*.
Yield Strength :
carbon and manganese steel rails, 45*A*.
cold-rolled steel and duralumin, 91*A*.
Yield Stress :
mild steel, effect of rate of strain and temperature, 91*A*.
relation to hardness, 66*A*.
Yield-Stress Ratio, relation to machinability of steel, 115*A*.
Yielding Phenomena :
carbon steel under combined stress, 64*A*., 91*A*.
in tensile tests, 120*A*.
Yorkshire, Waleswood coking plant, 156*A*.
Youngstown Sheet and Tube Co., distribution of blast-furnace and coke-oven gas, 178*A*.

Z Metal :
production practice, 81*A*.
properties, 146*A*.
Zinc :
electrodeposition, 117*A*.
molten, effect on stressed steel, 121*A*.
polishing and etching, 96*A*.
Zinc-Alloy Dies, design, 136*A*.
Zinc Coatings :
corrosion, effect of iridite finish, 167*A*.
effect of tin as undercoating, 23*A*.
iridite treatment, 118*A*.
Zinc-Iron Couples in soils, cathodic protection, 150*A*.
Zinc Salts, use as corrosion inhibitors, 198*A*.
Zirconium, detection, use of direct-current arc, 100*A*.

NAME INDEX.

Ackerman, W. W., flash-welding machines for steel tubes, 12*A*., 40*A*., 89*A*.
Adam, F. M. M., elected Member, 4*P*.
Adam, W. B., and **D. Dickinson :**
Paper : "The Substitution of Blackplate for Tinplate in Cans for Fruit and Vegetables," 195*P*.
corrosion of food cans, 124*A*.
Adams, R. E., wear-resisting materials for lathes, 95*A*.
Adlington, A. G., elected Associate, 5*P*.
Agnew, I. T., corrosion of alloy steels by steam, 98*A*.
Agrell, S. O. :
Paper : "Mineralogical Observations on Some Basic Open-Hearth Slags," 19*P*.
Akulov, N. S., magnetic examination of metals, 66*A*.
Albin, I., rust preventatives, 99*A*.
Albin, J. :
casting cutting tools by "lost-wax" process, 33*A*.
iridite treatment for plated parts, 118*A*.
marine corrosion tests on alloy metals, 150*A*.
Albrecht, W. M., iron castings, 146*A*.
Allen, A. H., carburizing and nitriding, 188*A*.
Allen, P. J., elected Associate, 5*P*.
Almen, J. O., effect of peening on fatigue of machine parts, 20*A*.
Amberg, K., etching of steel, 148*A*.
Amtsberg, H. C., sub-zero treatment of steels, 88*A*.
Anderson, J. A., electric-arc furnaces, 161*A*.
Anderson, J. S., machining of metals, 190*A*.
Anderson, R. H., permeable refractories for furnaces, 50*A*., 176*A*.
Anderson, R. V., welding light-gauge steel, 40*A*.
Andrews, K. W. :
Paper : "Note on Oxide Systems Pertaining to Steel-Making Furnace Slags. FeO–MnO, FeO–MgO, CaO–MnO, MgO–MnO," *see* Jay, A. H.
Andrews, W. :
binding agents for flux coatings, 166*A*.
constitution of weld metal, 141*A*.
renewing parts by welding, 58*A*.
Andronov, I., blast-furnace reconstruction in Russia, 157*A*.
Angus, A. A., degreasing plant, 166*A*.
Angus, H. T., effect of various heat-treatments on steel, 57*A*.
Arabacioglu, S., elected Associate, 5*P*.
Arend, A. G. :
crane and hoist auxiliaries, 185*A*.
open-hearth furnace flues, 6*A*.
open-hearth furnace valves, 54*A*.
re-working scrap steel, 163*A*.
Arend, H., crack-sensitivity of welds, 189*A*.
Arland, A., tests on cores, 32*A*.
Armbruster, Marion H., adsorption of gases on smooth steel surfaces, 21*A*.
Armour, J. D., Bessemer steel for machined parts, 115*A*.
Armstrong, H. C., coal requirements of British iron and steel industry, 30*A*.
Arnold, F. M., deep drawing steel cartridge cases, 9*A*.
Arthur, J. B., trepanning welded joints, 166*A*.
Ascher, R. C., maintenance of flow-meters, 176*A*.
Åselius, H., iron production in Sweden, 157*A*.
Aston, J. L., induction hardening of steel, 87*A*.
Austin, C. R., creep of binary solid solutions of ferrite, 194*A*.
Austin, J. B., adsorption of gases on smooth steel surfaces, 21*A*.

Back, A. E., use of nitrogen dioxide in beneficiation of manganese ores, 76*A*.
Bacon, N. H., slag control, 54*A*.
Bagnall, F. H., life of linings in basic electric-arc furnaces, 373*P*.
Bailey, C. A., lubrication department, 186*A*.
Bain, H. F., Western American steel production, 53*A*.
Baker, E. M., saponification in metal cleaning, 115*A*.
Baker, R. M., induction heating of strip, 58*A*.
Baldwin, A. T., galvanizing ammunition cases, 62*A*.
Bales, C. E., drying and preheating foundry ladles, 52*A*.
Ball, L. W., radiographs of aircraft parts, 23*A*.
Ball, N. de, measuring and recording roll pressures, 110*A*.
Ballard, W. E., reclamation of parts by metal-spraying, 63*A*.
Balster, H., low-alloy steels for automobile parts, 147*A*.
Bandel, G., effect of heat-treatment on creep strength of alloy steels, 170*A*.
Bangert, W. M. :
beneficiation of chromite ores, 127*A*.
reduction of iron in chromite, 132*A*.
Banta, H. M. :
crack-sensitivity of welds, 121*A*.
underbead cracking in welds, 189*A*.
Barber, C. R. :
Paper : "The Design and Performance of Some Commercial Optical Pyrometers of the Disappearing-Filament Type," 171*P*.

Barber, E., steel ingots, 36*A*.
Bardgett, W. E., strain-age embrittlement, 143*A*.
Barlow, M. W., elected Member, 4*P*.
Barlow, T., "shrink-bob" risers, 181*A*.
Barlow, T. E.:
casting iron test specimens, 90*A*.
properties of cast iron at high temperatures, 170*A*.
Barnett, O. T.:
American specifications for welding electrodes, 141*A*.
welding electrodes and costs, 189*A*.
Barrett, C. S.:
residual stress measurement, 91*A*.
X-ray micrographic technique, 95*A*.
Barrett, J. C., flash-welding alloy steels, 13*A*.
Bashforth, G. R.:
rimming steel, 107*A*.
steelmaking in basic-lined furnace, 108*A*.
Bastien, P.:
grain growth in steel, 168*A*.
hydrogen embrittlement of steel, 170*A*.
plastic deformation, 190*A*.
X-ray laboratory at L'École Centrale des Arts et Manufactures, Paris, 148*A*.
Batchelor, C. S., powder metallurgy, 79*A*.
Baubie, R., applications of induction heating, 11*A*.
Baumer, S. D., welding and cutting in steel plant maintenance, 12*A*.
Bayliss, E. G., elected Member, 4*P*.
Beard, D. S., spectrographical analysis, 49*A*.
Beard, G. G., rolling-mill design and practice, 37*A*.
Beardshaw, B., elected Member, 4*P*.
Beet, A. E., determination of nitrogen in ferro-alloys, 337*P*.
Begg, T., balanced-blast cupola, 3*A*.
Behrendt, C. A. J., distribution of materials in blast-furnaces, 286*P*.
Beitler, S. R., testing wire-wound steel pipe, 93*A*.
Belcher, R., determination of nitrogen in ferro-alloys, 337*P*.
Bellew, G. E., oxy-acetylene cutting in steel foundries, 15*A*.
Bendix, C. A., obituary notice, 538*P*.
Benedicks, C.:
effect of liquids on crack formation, 44*A*.
effect of liquids on strength of glass and steel, 44*A*.
strength properties of materials, 167*A*.
Bennek, H., effect of heat-treatment on creep strength of alloy steels, 170*A*.
Bennett, J., sulphur in cast iron, 47*A*.
Bennett, R. W., mould atmosphere control, 51*A*.
Bennett, W. A., inspection efficiency, 68*A*.
Benscheidt, H. W., material flow diagrams, 160*A*.
Bergdoll, J. G., casting and machining iron crankshafts, 82*A*.
Bergsman, E. B.:
electrolytic polishing of metallographic specimens, 96*A*.
microhardness testing, 193*A*.
Berthelot, C.:
Becker coke-oven plants, 156*A*.
gas producers, 156*A*.
Beynon, R. E., layouts of rolling mills, 10*A*.
Bibber, L. C.:
T-bend test for welds, 14*A*.
tensile properties of welded plate, 15*A*.
tensile tests on heavy welded steel plate, 89*A*.
weldability tests, 142*A*.
Bickerstaff, R. M., Kaiser Co. rolling mills, California, 9*A*.
Bier, C. J., sintering of metal powders, 3*A*.
Bigge, H. C.:
carbon control in basic practice, 84*A*.
furnace bottoms, 83*A*.
Binnie, D., analytical survey of a rimming-steel ingot, 516*P*.
Bird, S., elected Member, 4*P*.
Bird, T. G., obituary notice, 538*P*.
Birdsall, G. W.:
cleaning cast iron for tinning, 62*A*.
forging on a spot welder, 8*A*.
hardening hacksaw blades, 87*A*.
hydraulic-press stamping, 136*A*.
induction heating, 11*A*.
infra-red-ray heating, 167*A*.
polarography, 48*A*.
powder metallurgy, 79*A*.
Bisbee, R. F., quality control of enamelling steels, 18*A*.
Bischof, W., microhardness testing, 193*A*.
Bishop, H. F., test coupons for cast steel, 67*A*.
Black, A., war-time developments in metals and alloys, 45*A*.
Blodgett, O., American specifications for welding electrodes, 141*A*.
Bloom, F. S., temperature measurement of steel slab, 177*A*.
Blott, W. C., machining and threading test bars, 90*A*.
Blough, A., function of a reboil in basic practice, 84*A*.
Blum, W., effect of polishing steel on electroplated coatings, 124*A*.
Blyth, H. N., elected Member, 4*P*.
Boehm, F., multiple drawing of rods, 136*A*.
Boericke, F. S.:
beneficiation of chromite ores, 127*A*.
reduction of iron in chromite, 132*A*.
Bogatzki, G., photometric determination of cobalt in tool steels, 47*A*.
Bohannon, J. N., gas-welded tubing from steel strip, 13*A*.
Bonilla, C. F., pipe corrosion tests with Baltimore water, 69*A*.
Booth, N., recovery of methane and ethylene, 78*A*.
Borel, P., determination of iron-oxide in slag, 202*A*.
Bowden, F. F., metal surfaces lubricated by fatty acids, 110*A*.
Bowen, K. W. J., elected Associate, 5*P*.
Boyer, J. R. C., corrosion preventatives, 99*A*.
Boyer, W. J., determination of elements in stainless steels, 151*A*.

Bradley, A. J., elected Member, 4*P*.
Bradley, C. B., measurement of heat flow from furnace walls, 177*A*.
Brambir, S. H., graphitization of welded and end-quenched steels, 61*A*.
Brampton, E. C., H. Parnham, and **J. White :**
Paper : "Dolomite Linings for Basic Electric Arc Furnaces," 341*P*. *Discussion*, 372*P*. *Correspondence*, 375*P*. *Authors' Reply*, 379*P*.
Brams, S. H., repair of castings, 141*A*.
Brandt, W. H., pearlite growth and the diffusion equation, 97*A*.
Brasunas, A. de S. :
determination of liquidus-solidus temperatures of heat-resistant alloys, 197*A*.
elected Associate, 5*P*.
Bray, J. L., lead coatings for steel, 17*A*.
Brearley, H., steel specifications, 172*A*.
Breitbart, S., maximum carbon content in carburized cases, 111*A*.
Bremer, P., carburetting of gas for open-hearth furnaces, 155*A*.
coal-tar pitch for carburetting gas, 155*A*.
Brewer, G. :
electric strain gauge, 143*A*.
failure of spring clips by corrosion, 70*A*.
Brewer, G. A., plastic strain measurement, 92*A*.
Bricker, L. G., colorimetric analysis of corrosion-resistant steels, 200*A*.
Brinkmann, G., relation between composition and properties of cast iron, 191*A*.
Brinson, S. W., bore cracks in pipe fittings, 51*A*.
Brittain, P. I., elected Associate, 5*P*.
Brooks, W. B., elected Member, 4*P*.
Broughton, W. W., zinc alloy dies, 136*A*.
Brown, C. C., phosphorus control in basic open-hearth slag, 184*A*.
Brown, E. A., determination of iron in presence of cobalt, 99*A*.
Brown, H. W., spot-welding aluminium-coated steel, 59*A*.
Brown, J., carbonization of coal, 1*A*.
Brown, R. T., thermit casting, 159*A*.
Browne, L. E., forging propeller hubs, 37*A*.
Brownell, G. M., hematite on Black Island, Lake Winnipeg, 103*A*.
Bruckner, W. H., rate of spheroidization of malleable cast iron, 51*A*.
Brunner, A. J., photo-electric exposure meter for photomicroscopy, 197*A*.
Buchanan, W. Y., oil-sand practice in the foundry, 52*A*.
Buchholtz, H., effect of phosphorus in steel, 184*A*.
Buckley, F., polarographic analysis, 100*A*.
Bucknall, E. H., elected Member, 4*P*.
Bullock, F. J., heat-resisting cast-iron retorts, 33*A*.
Bureau, A. G., powder metallurgy, 105*A*.
Burgess, C. O., properties of cast iron at high temperatures, 170*A*.
Burns, G., errors in diamond hardness measurements, 256*P*.
Burns, R. M., laboratory corrosion tests, 124*A*.
Burr, W. H., American iron and steel industry in 1944, 5*A*.

Cady, E. L., cleaning and peening metals by shot-blasting, 15*A*.
Cady, J. R., metallurgy of German and Japanese munitions, 22*A*.
Caine, J. B., grain-size control in foundries, 84*A*.
Cameron, W. G., open-hearth plant of Lanarkshire Steel Co., Ltd., 160*A*.
Campbell, H. C., photometric determination of silicon in low-alloy and stainless steels, 99*A*.
Campbell, J. D. :
amplidyne generator, 86*A*.
wire-rewinding equipment, 86*A*.
Campey, L. T., electronics in industry, 137*A*.
Carapella, L. A., hardenability and tensile strength of steels, 169*A*.
Carlson, R. K., nosing of shells, 85*A*.
Carlsson, C. G., determination of metallic impurities in steel, 151*A*.
Carmichael, E. S., demulsifiers in circulating oil systems, 86*A*.
Carpenter, J. C., production of seamless gun tubes, 138*A*.
Cassels, C. S., measuring instruments, 190*A*.
Champness, F. B., iron pyrites recovery plant, 177*A*.
Charlish, G. E., acid-resistant enamels, 17*A*.
Chaudron, G. :
determination of nitrogen, 201*A*.
hydrogen in iron, 195*A*., 196*A*.
Chesnut, F. T. :
induction heating, 58*A*.
spark-gap converters, 112*A*.
Chesters, J. H., behaviour of chrome-magnesite bricks in reducing atmospheres, 103*A*.
Cheyne, R. D., technical control in the foundry, 52*A*.
Child, H. C., elected Associate, 5*P*.
Chindgren, C. J., use of nitrogen dioxide in beneficiation of manganese ores, 76*A*.
Cissel, J. H., protection of steel from atmospheric corrosion, 198*A*.
Clark, E. S., stress distribution, 192*A*.
Clark, H., control methods in sulphur steel production, 135*A*.
Clark, J. H. :
National Emergency steel for farm equipment, 146*A*.
testing tractor parts, 171*A*.
Clark, K. L., hardenability of steel castings, 65*A*.
Clasen, A., His Excellency, elected Honorary Member, 3*P*.
Clemmer, J. B., beneficiation of ores by flotation, 127*A*.
Clemmons, B. H., beneficiation of ores by flotation, 127*A*.
Clenshaw, W. J., strain measurement by brittle lacquer coatings, 143*A*.

Clews, F. H., effect of alkalies on refractory materials, 29*A*.
Clogg, M., jun., fractography, 148*A*.
Close, G. C. :
induction hardening and brazing, 11*A*.
upset forging with flash welder, 8*A*.
Cochenet, A. J. C., elected Member, 4*P*.
Cockey, J. E. L., elected Member, 4*P*.
Cockrell, W. D., electronic control apparatus, 87*A*.
Cohen, J. B., film in chromium coatings, 17*A*.
Cohen, M., measurement of corrosion, 70*A*.
Colgate, R. T., electrolytic tinning, 118*A*.
Collinge, J. D. C., elected Associate, 5*P*.
Collins, W. L. :
clamps and grips for tensile tests, 90*A*.
tensile tests of grey cast iron under eccentric loading, 142*A*.
Comstock, G. F. :
effect of titanium in chromium-manganese stainless steel, 145*A*.
tests of high-strength plate steels, 67*A*.
titanium steel for vitreous enamelling, 18*A*.
Conary, E. C., carbon determination by chemical methods, 84*A*.
Cone, E. F., heat-treating steel for tanks, 10*A*.
Conley, W. J. :
suitability of carbon steels for various types of welded joints, 89*A*.
welding stainless steels, 114*A*.
Contractor, G. P. :
Paper : "Analytical Survey of a Rimming-Steel Ingot," *see* Vatchagandhy, J. S.
carbon and medium-manganese steel rails, 45*A*.
Convey, J., and **J. H. Oldfield** :
Paper : "A Micro-Spectrographic Method for the Quantitative Analysis of Steel Segregates," 473*P*. *Discussion*, 498*P*. *Correspondence*, 502*P*. *Authors' Reply*, 505*P*.
Cook, E. E., temperature control of heat-treatment furnaces, 164*A*.
Cook, W. A., health preservation of foundry workers, 53*A*.
Cook, W. G., automatic screwdown control, 138*A*.
Copson, H. R., galvanic corrosion of steel and nickel, 198*A*.
Corbett, R. B., effect of boron in steel, 146*A*.
Corey, D. H., normalizing welds in steel pipe, 11*A*.
Cornelius, H. :
scaling resistance of hard-facing alloys, 170*A*.
strength of case-hardening steels, 21*A*.
Cosslett, V. E., limitations of electron microscopes, 172*A*.
Cotton, D. A., hard chromium plating, 117*A*.
Counselman, T. B., beneficiation of iron ore in America, 28*A*.
Covert, S. A., induction heating of small parts, 188*A*.
Cox, C. T., friction articles from metal powders, 3*A*.
Cox, E. W., Jominy hardenability test, 122*A*.
Cox, H. C., gas distribution at Johnstown plant of Bethlehem Steel Co., 178*A*.
Coyle, T. G., porous chromium plating, 117*A*.
Craft, C. H., determination of aluminium, 201*A*.
Crafts, W., testing steel castings, 67*A*.
Cramer, F. W., electronic frequency changer, 9*A*.
Cramer, R. E., prevention of rail failures, 65*A*.
Crane, E. V., powder metallurgy, 105*A*.
Cresswell, R. A. :
Paper : "The Tinning of Cast Iron," 157*P*.
Crome, L., graphitization, 106*A*.
Cross, A. H. B. :
behaviour of linings in basic electric-arc furnaces, 375*P*.
steel foundry refractories, 176*A*.
Cross, H. C., creep resistance of steel, 145*A*.
Crout, J. S., electropolishing, 16*A*.
Cunniffe, P. W. A., elected Associate, 5*P*.
Curphey, J. S., elected Member, 4*P*.
Cuthbert, F. L., bonding action of clays, 159*A*.
Cutts, V. O., electric furnaces, 187*A*.

Damien, R., elected Member, 4*P*.
Dammers, J. W., degreasers, 116*A*.
Dangl, K., tensile-fatigue tests on butt-welded joints, 14*A*.
Danse, L. A., repair of castings, 13*A*.
Darling, A. G., electronic frequency changer, 9*A*.
Darling, C. S., heat balances for furnaces, 129*A*.
Darrin, M., chromate corrosion inhibitors, 198*A*.
Davies, J. D., properties of Wyoming coals, 76*A*.
Davies, W. :
synthetic moulding sands, 32*A*.
elected Member, 4*P*.
Davies, W., and **W. J. Rees** :
Paper : "British Bonding Clays," 117*P*.
Paper : "British Resources of Steel Moulding Sands.—Parts 6 to 10," 71*P*.
Paper : "The Hot-Strength Characteristics of Moulding Sands," 61*P*.
Davis, E. A. :
stress tests on carbon steel, 64*A*., 91*A*.
theory of wire drawing, 85*A*.
Davis, E. W., iron-ore crushing plants, New York State, 28*A*.
Davis, G. A., air and gas flow in regenerator flues, 104*A*.
Davis, J. D. :
carbonization of Alaskan coals, 30*A*.
carbonizing properties of Columbus and Kentucky coals, 78*A*.
Davison, D. W., microstructural changes in metals, 68*A*.

Dawihl, W., powder metallurgy, 180*A*.
Dawson, G. L., jun., glass-lined steel vessels, 118*A*.
Day, L. H., continuous casting, 34*A*., 182*A*.
Dayton, R. W., wear-resisting materials for lathes, 95*A*.
Dean, R. S., sponge iron, 2*A*.
Debuch, K., effect of phosphorus in steel, 184*A*.
De Forest, A. V., residual stresses in welded steel plate, 92*A*.
Delisa, J., mounting lead foil for X-ray intensifying screens, 68*A*.
Delisle, L., powder metallurgy, 105*A*.
De Micheal, D. J., stress and strain in tensile tests, 91*A*.
Den Breejen, A. C., sand reclamation, 160*A*.
DePoy, S. M. :
effect of grain size and low-temperature treatment on high-speed steels, 88*A*.
low-temperature process in hardening of steel, 140*A*.
Deringer, J. P., heat-treatment plant for ball-bearing races, 139*A*.
Desch, C. H. :
hardening of rolls for blooming-mills, 331*P*.
micro-spectrographic analysis of steel segregates, 500*P*.
surface preparation of ingots, 331*P*.
Descroix, M. L., industrial waste recovery, 131*A*.
De Sy, A., electrolytic polishing, 172*A*.
Dickens, P., determination of sulphur in steel, 151*A*.
Dickie, H. A., porosity of ores, 300*P*.
Dickie, J., elected Associate, 5*P*.
Dickinson, D. :
Paper : "The Substitution of Blackplate for Tinplate in Cans for Fruit and Vegetables," *see* Adam, W. B.
corrosion of food cans, 124*A*.
Dietert, H. W., mould atmosphere control, 51*A*.
Dittmar, F., precision founding, 181*A*.
Dodson, F. F., nitriding experiments, 139*A*., 164*A*.
Doelman, R. L., mould atmosphere control, 51*A*.
Dokos, S. J., theory of wire drawing, 85*A*.
Donaldson, J. W :
machining ferrous and non-ferrous materials, 41*A*.
marine corrosion and erosion, 198*A*.
Dorcas, K. E., iridite finish for increasing corrosion resistance of zinc- and cadmium-plated steel, 167*A*.
Dore, A. J., precision casting, 160*A*.
Dorey, S. F., electrical resistance strain gauges, 18*A*.
Doronin, V. M., effect of alloying elements in low-alloy steel, 123*A*.
Draffin, J. O., tensile tests of grey cast iron under eccentric loading, 142*A*.
Dreyer, J. C., elected Member, 4*P*.
Driessen, M. G., cleaning of coal, 177*A*.
Driscoll, W. J., foundry fuel, 3*A*.
Dubé, A., heat-treatment of steel, 38*A*., 87*A*.
Duby, C. J., sintering plants, 77*A*., 175*A*.
Dudding, B. P., quality control, 18*A*.
Dufty, N. F. :
behaviour of linings in basic electric-arc furnaces, 378*P*.
electric furnaces for steel manufacture, 184*A*.
Dugan, J. M., accelerated cooling of cast steels, 5*A*.
Duma, J. A., bore cracks in pipe fittings, 51*A*.
Dunbar, A., future of British steel industry, 6*A*.
Dunkle, H. C., effect of ingot-delivery time on quality of steel, 183*A*.
Dunkley, G. T., salt-spray corrosion test, 150*A*.
Dunkley, R. A., thermo-electric pyrometers, 111*A*.
Dunn, C. G., twin relationships in cubic crystals, 97*A*.
Dunn, J. T., staff welfare in coking industry, 177*A*.
Dunningham, A. C., cost of coal cleaning, 130*A*.
Duzer, R. M. van, jun., corrosion rates of alloy steels in steam, 98*A*.
Dwyer, P. :
grey-iron castings, 106*A*.
iron foundry, Fremont, Ohio, 82*A*.
malleable castings for heavy trucks, 4*A*.
Dyrkacz, W. W., forging practice, 8*A*.

Eberle, F. :
graphitization caused by testing conditions, 93*A*.
graphitization of steels, 19*A*.
Echevarria, A. de, elected Member, 4*P*.
Eckel, J. F., impact strength of welds, 142*A*.
Edgar, A. J., control in grey-iron foundry, 134*A*.
Edwards, H., galvanizing plant of John Summers & Sons, Ltd., 166*A*.
Edwards, J. C., inspection efficiency, 68*A*.
Egerton, Sir Alfred, distribution of materials in blast-furnaces, 287*P*.
Eichenberg, C. L., relay protection of steelworks power circuits, 137*A*.
Eilender, W. :
crack-sensitivity of welds, 189*A*.
low-alloy steels for automobile parts, 147*A*.
Eisenkolb, F. :
cold-plasticity and sensitivity to ageing of deep-drawing steel, 19*A*.
testing weldability of steel sheet, 165*A*.
Elder, J. L., carbonizing properties of Columbus and Kentucky coals, 78*A*.
Eldredge, G. G., corrosion inhibitors for aluminium, 198*A*.
Elliott, B., elected Member, 4*P*.
Ellis, G., brittle coatings for strain analysis, 64*A*.
Ellis, Sir William H., obituary notice, 535*P*.
Embling, P. M. K., gasification of bituminous coal, 30*A*.

Emerick, H. B.:
developments in American iron and steel industry, 5*A*.
metallurgical developments in steel production, 36*A*.
Emerson, R. W., carbide instability in steel piping, 93*A*.
Emmerich, L., elected Member, 4*P*.
Enlund, B. D.:
effect of pretreatment on hardness of alloy steels, 193*A*.
increasing strength of reinforcing bars, 146*A*.
Entwisle, E. F., iron and steel industry at Niagara, 5*A*.
Erb, J. E., simplified system of steel classification, 68*A*.
Erickson, J. L., mechanism of plastic deformation, 93*A*.
Ericson, A. G., Carnegie-Illinois Steel Corporation rolling mills, 9*A*.
Ericsson, G., determination of low carbon contents in steel, 151*A*.
Erler, J., stress distribution on cast-iron and steel surfaces, 92*A*.
Erwin, W. S., aircraft parts inspected by supersonic measurement, 21*A*.
Ess, T. J., rolling-mill plant, Fontana, California, 53*A*.
Evans, B. S., spot tests to detect alloying elements in steel, 46*A*.
Evans, H., elected Member, 4*P*.
Evans, R. W., award of Williams Prize, 3*P*.
Evans, U. R.:
properties of expanding circles in relation to film growth on metals, 199*A*.
corrosion protection of iron and steel, 149*A*.
soluble corrosion inhibitors, 198*A*.
statistical computation of corrosion resistance of metals, 199*A*.
Everest, A. B., J. W. Grant, and **H. Morrogh:**
Paper: "The Development of a Single-Blow Impact Test for Cast Iron," 403*P*. *Correspondence,* 423*P*. *Authors' Reply,* 426*P*.
Everitt, C. K., obituary notice, 538*P*.

Fahy, E. R., use of copper plating in localized nitriding, 12*A*.
Fallon, J., malleabilizing iron castings, 159*A*.
Farnsworth, W. M., clean steel, 84*A*.
Farquhar, Margaret C. M., H. Lipson, and **Adrienne R. Weill:**
Paper: "An X-Ray Study of Iron-Rich Iron–Silicon Alloys," 457*P*. *Correspondence,* 471*P*. *Authors' Reply,* 471*P*.
Farrell, F. C., history of American iron and steel industry, 5*A*.
Faust, C. L., defects in electroplate, 116*A*.
Fay, M. A.:
life of open-hearth silica brick roofs, 103*A*.
refractories performance records, 176*A*.
Fehnel, J. W., electric-furnace fumes, 53*A*.
Fehr, R. O.:
measuring the damping of materials, 94*A*.
stress and strain in tensile tests 64*A*, 91*A*.
Feil, E., natural and synthetic moulding sands, 32*A*.
Fellows, C. H., corrosion rates of alloy steels in steam, 98*A*.
Felton, E., Australian production of cast rolls, 106*A*.
Fenstermacher, W. H., hardenability of steel, 20*A*.
Ferguson, J. M., insulation of open-hearth and blast-furnaces, 29*A*.
Ferguson, W. B., maintenance of arc-furnace electrical equipment, 83*A*.
Ferris, G. A., control methods in sulphur steel production, 135*A*.
Fetzer, M. C., air hardenability of steel, 20*A*.
Ffield, P., steel pipes in salt-water systems, 69*A*.
Finch, S. L., gating and feeding of steel castings, 81*A*.
Finck, J. L., thermal conductivity of laminated metal, 177*A*.
Fisher, J. C., static tensile tests on notched and plain bars, 91*A*.
Fitterer, G. R., production of steel by acid open-hearth process, 161*A*.
Fleischmann, W. L., hardenability tests, 20*A*.
Fleming, J. M., iron ore dock, Lake Superior, 27*A*.
Fletcher, A. F., chromium-plating cutting tools, 117*A*.
Foight, C. D., water supplies for steelworks, 185*A*.
Fonda, L. B., forging practice, 8*A*.
Foote, E. L., tool steel welding, 13*A*.
Foote, F. D.:
applications of high-tensile steels, 119*A*.
high-strength steels for transport equipment, 171*A*.
low-alloy high-strength steels, 67*A*.
Forbes, W. G., merits of various quenching oils, 113*A*.
Forsyth, H. J., control of surface quality, 84*A*.
Foulke, D. G., analysis of electroplating baths, 202*A*.
Foundry Practice Sub-Committee:
Paper: "The Manufacture of Some Thin-Walled Steel Castings, With Notes on the Influence of Pouring Speed," 519*P*.
Fowler, R. G., spectrographic analysis, 200*A*.
Fox, A. L., use of nitrogen dioxide in beneficiation of manganese ores, 76*A*.
Fox, G., blast-furnace skip hoists, 31*A*.
Fox, G. W.:
Paper: "Some Design and Operating Features of a New Blooming Mill," *see* Russell, G. A. V.
Francis, E. H., manufacture of seamless steel tubes, 9*A*.
Franssen, H., magnetic balance, 194*A*.
Franz, A. F., cleaning open-hearth checkers by vacuum, 183*A*.

Frapwell, S. A., elected Member, 4*P*.
Frear, C. L. :
magnetic powder inspection of castings, 122*A*.
radiographic standards for naval materials, 46*A*.
Frede, L., gates and runners for castings, 33*A*.
Freeman, H. G., elected Member, 4*P*.
Freeman, R. W. S. :
control methods in ordnance manufacture, 133*A*.
quick-immersion thermocouple equipment, 111*A*.
Frenkel, J., oxide films on metal surfaces, 70*A*.
Friedmann, P., elected Member, 4*P*.
Frocht, M. M., photo-elastic method for study of stresses, 92*A*., 93*A*.
Fröhling, J., heat-treatment of alloy steels, 138*A*.
Frost, B. B., hot-blast stoves, 1*A*.
Fry, S. L., ciné radiographs of metal pouring, 80*A*., 106*A*.
Frye, J. H. :
German and Japanese steels for munitions, 22*A*.
cold-finished steel bars, 67*A*.
Fulton, C. R., sintered magnets, 3*A*.
Fyfe, C. W., mullite bricks for open-hearth furnace roofs, 29*A*.

Gardam, G. E., machinable chromium coating on steel, 62*A*.
Garton, F. W. J., micro-spectrographic analysis of steel segregates, 501*P*.
Geer, M. R., coal-cleaning performance, 129*A*.
Geib, M., elected Member, 4*P*.
Geil, G. W., cohesive strength of steels, 142*A*.
Geiselman, R. A., arc-furnace regulators, 36*A*.
Geller, W., reduction of silica by liquid steel, 184*A*.
Gemant, A., damping capacity of alloys, 20*A*.
Gemmill, M. G., elected Associate, 5*P*.
Gerold, E. :
changes in materials under fatigue stresses, 43*A*.
effect of recovery periods in fatigue testing, 44*A*.
Gerszonowicz, M. S., elongation in tensile tests, 142*A*.
Gertsman, S. L., heat-treatment of steel, 38*A*., 87*A*.
Gezelius, R. A., gamma-ray radiography, 160*A*.
Ghosh, S. N., elected Member, 4*P*.
Gibbons, C. H., resistance-wire strain gauges, 64*A*.
Gibbs, C. H., elected Member, 4*P*.
Gibson, A. E., handling ore and coal, Lower Great Lakes, 27*A*., 76*A*.
Gilg, F. X., blast-furnace gas for boiler firing, 30*A*.
Gill, J. P., German tool and special steels, 172*A*.
Gillett, H. W., metallurgy of German and Japanese munitions, 22*A*.
Glen, C. W. S., heat-treatment of tool steels, 112*A*.
Glen, E., carbide mandrels and dies, 37*A*.
Goetzel, C. G., copper-tin powder compacts, 3*A*.
Goldsby, F. L., laminations in welded plates, 36*A*.
Gonser, B. W., lacquer and wax films for tinplate, 17*A*.
Gonser, H. S., determination of nickel in steel, 201*A*.
Goss, N. P., continuous casting, 33*A*.
Gott, L. W., precision casting of alloy steels, 107*A*.
Gow, J. T. :
determination of liquidus-solidus temperatures of heat-resistant alloys, 197*A*.
shot for metal peening, 62*A*.
Graft, W. H., arc-welding steel rails, 114*A*.
Grainger, J. A., light presswork production, 109*A*.
Grainger, L. H., elected Member, 4*P*.
Granger, L. F., repairing iron castings by welding, 166*A*.
Grant, J. W. :
Paper : "The Development of a Single-Blow Impact Test for Cast Iron," *see* Everest, A. B.
vanadium in cast iron, 171*A*.
Greaves, R. H., errors in diamond hardness measurements, 256*P*.
Greaves, R. W., residual stresses, 119*A*.
Green, A. T. :
effect of alkalies on refractory materials, 29*A*.
reversible thermal expansion of calcium ferrous silicates, 50*A*.
Green, F. H., elected Member, 4*P*.
Green, J. R., reversal of gas flow in regenerative furnaces, 54*A*.
Greenberg, J. H., machining steel, 115*A*.
Greene, T. W., relieving residual stresses in welded structures, 60*A*.
Greenspan, M., strain gauge, 143*A*.
Gregory, J. N., metal surfaces lubricated by fatty acids, 110*A*.
Greiner, E. S., constitution of iron–silicon alloys, 471*P*.
Grenell, L. H., metallurgy of German and Japanese munitions, 22*A*.
Griffis, L., biaxial fatigue strength of steels, 65*A*.
Griffith, H. M., basic brick in open-hearth construction, 29*A*.
Griffith, R. H., removal of hydrogen sulphide from fuel gases, 178*A*.
Griffiths, G. D., accelerated cooling of cast steels, 5*A*.
Grim, R. E., bonding action of clays, 159*A*.
Grimshaw, R. W., foundry bonding clays, 81*A*., 106*A*.
Grindle, A. J., malleable iron manufacture in America, 32*A*.
Grinter, L. E., fractures in thin plates, 121*A*.
Grover, H. J., electric resistance strain-gauge, 64*A*.

Grover, La Motte, effect of heat on residual stresses, 165*A*.
Grumell, E. S., cost of coal cleaning, 130*A*.
Gude, W. G.:
foundry, Belle City Malleable Iron Co., Wisconsin, 80*A*.
foundry research, 148*A*., 182*A*.
Guggenheim, K. M., magnetic study of iron–silicon alloys, 471*P*.
Guillet, L., X-ray laboratory at L'École Centrale des Arts et Manufactures, Paris, 148*A*.
Güldner, W. A., operation of blast-furnace stoves, 157*A*.
Gunn, D. C., permeable refractories for furnaces, 50*A*., 176*A*.
Gurley, G., spectrochemical analysis, 200*A*.
Guthmann, K., control of semi-gas-fired furnaces, 162*A*.

Haddock, G. T., refractory concrete for furnaces, 50*A*.
Haemers, H., electrolytic polishing, 172*A*.
Hafsten, R. J., heat-treatment for ball-bearing steel, 111*A*.
Hahn, R., pig-iron casting machine, 157*A*.
Haller, H., drop forging, 8*A*.
Hallett, M. M., impact testing of cast iron, 424*P*.
Halpenny, M. B., steel forging, 37*A*.
Hambley, W. A., machining and threading test bars, 90*A*.
Hamilton, F. A., elected Member, 4*P*.
Hammond, W. H., detection of molybdenum in steel, 151*A*.
Handova, C. W., conveyor line for welding, 89*A*.
Hanemann, H., hardness of martensite and austenite, 122*A*.
Hanlon, R. T., corrosion control in portable water tanks, 198*A*.
Harder, O. E.:
determination of liquidus-solidus temperatures of heat-resistant alloys, 197*A*.
shot for metal peening, 62*A*.
Harding, E. W., high-duty cast iron, 18*A*.
Harding, J. F., plastic flow, 120*A*.
Harker, D., age-hardening studied by electron microscope, 194*A*.
Harris, F. E.:
controlled atmospheres, 56*A*.
reactions between hot steel and furnace atmospheres, 10*A*.
Harrison, G. L., elected Associate, 5*P*.
Hartmann, F., sintering of iron ores, 127*A*.
Harvey, E. A. M., identification of ferromagnetic phases, 145*A*.
Harvey, T. G., effect of boron in carbon steel, 22*A*.
Harwood, P. B., motor control, 108*A*.
Hatch, G. B., threshold treatment of water systems, 198*A*., 199*A*.
Hathaway, C. M., electrical instruments for strain analysis, 64*A*.
Hauck, W. A.:
American steel industry, 134*A*.
sponge iron plant, 105*A*.
Hauser, C. H., radiography in foundries, 22*A*.
Hauttmann, H., effect of cold-deformation rate in rolling-ball hardness test, 169*A*.
Haven, W A., iron ore beneficiation and production of pig iron, 28*A*.
Hawes, C. C., determination of silica and phosphorus, 100*A*., 201*A*.
Hawkins, G. A., corrosion of alloy steels by steam, 98*A*.
Haynes, C. B., arc-welding steel rails, 114*A*.
Haynes, H., use of town or producer gas in foundries, 4*A*.
Hazelett, C. W., direct rolling of strip metal, 34*A*.
Hazeltine, H. M., specially shaped bricks for cupola refractories, 129*A*.
Headlam-Morley, K., sintering practice in Sweden, 316*P*.
Heath, C. O., jun., powder metallurgy, 132*A*.
Hedges, Ernest S., and **L. A. Jordan:**
Paper: "The Use of a Tin Undercoat to Improve the Corrosion Resistance of Painted Steel," 429*P*.
Correspondence, 437*P*. · *Authors' Reply,* 439*P*.
Hedvall, J. A., effect of combustion products on reactivity of oxides, 188*A*.
Heeley, E. J., acid-resistant enamels, 17*A*.
Hehemann, R. F., stress-corrosion of cast irons, 123*A*.
Heindl, R. A., fireclay brick tests, 28*A*.
Heindlhofer, K., heat flow in regenerator system, 176*A*.
Heitler, H., magnetic study of iron–silicon alloys, 471*P*.
Helm, H. B., gas distribution at Campbell Works, Youngstown Sheet & Tube Co., 178*A*.
Helmer, G., surface defects on ingots and billets, 136*A*.
Hempel, M., fatigue of steel at high temperatures, 192*A*.
Henderson, J., obituary notice, 535*P*.
Henline, P. A., coke from Illinois coals, 104*A*.
Henry, F. B., foundry conveyor equipment, 82*A*.
Henry, T. R., control of slag, 183*A*.
Hensel, F. R.:
silver-base powder-metallurgical products, 3*A*.
spot-welding heavy mild-steel plate, 13*A*.
Herres, S. A., weldability of steels, 59*A*.
Herschman, H. K., evaluations of surface finish, 41*A*.
Herzog, M., determination of phosphorus, 47*A*.
Hessle, B., sintering of Swedish ores, 175*A*.
Hetenyi, M., brittle lacquers for studying stress distribution, 92*A*.
Heumann, G. W., magnetic controls for electric furnaces, 139*A*.
Heumann, T., iron/iron-sulphide/iron-boride system, 68*A*.
Heuschkel, J.:
T-bend test for welds, 14*A*.
weldability tests, 142*A*.

Hewes, W. L., acceptance tests for stainless steels, 123*A*.
Heyer, R. H., hardness-number conversion relationships, 144*A*.
Higgs, D. G., spot tests to detect alloying elements in steel, 46*A*.
Hill, J. B., coke-oven and blast-furnace operation, 105*A*.
Hindley, W. N. :
Paper : "Sources of Error in Diamond Pyramid Hardness Measurements on Hardened Steel," 245*P*. *Discussion*, 254*P*. *Correspondence*, 256*P*. *Author's Reply*, 256*P*.
elected Member, 4*P*.
Hinman, C. W. :
die design for tube forming, 136*A*.
forming and drawing steel, 37*A*.
hydraulic press control gauge, 8*A*.
Hino, J., rate of spheroidization of malleable cast iron, 51*A*.
Hirst, G. W. C., effect of radial pressure on fatigue failures, 169*A*.
Hisley, D. G., dust in blast-furnace gas, 104*A*.
Hoak, R. D., limestone-lime treatment of spent pickling liquors, 116*A*.
Hoar, T. P. :
porosity of ores, 300*P*.
use of a tin undercoat on steel to be painted, 439*P*.
Hochschild, U. J., mounting metallographic specimens, 22*A*.
Hodge, W. W., limestone-lime treatment of spent pickling liquors, 116*A*.
Hodgson, C. C., high-tensile steel for castings, 159*A*.
Hoffert, J. R., water pollution by industries in America, 135*A*.
Hoffman, R. R., metal-powder parts, 3*A*.
Hofsten, G. von, effect of boron in steel and cast iron, 67*A*.
Holdsworth, H., methods of supporting cores, 107*A*.
Holladay, H. E. E., costing in foundries, 52*A*.
Hollomon, J. H. :
notched-bar impact test, 91*A*.
plastic flow in tensile tests, 191*A*.
Holmes, C. R., carbonizing properties of Columbus and Kentucky coals, 78*A*.
Holt, E. F., spot-welding heavy mild-steel plate, 13*A*.
Holthaus, C., determination of nitrogen, 201*A*.
Holtmann, W., determination of nitrogen, 201*A*.
Holzbaur, A. A., relieving residual stresses in welded structures, 60*A*.
Homer, C. E., electric motor protection, 187*A*.
Honeycombe, R. W. K., electrolytic polishing and etching of metals, 96*A*.
Hoover, D. B., effect of shaft currents on bearing failures, 186*A*.
Hope, D. F., elected Member, 4*P*.
Hopkins, A. D., elected Associate, 5*P*.
Hopkins, B. E., impact testing of cast iron, 425*P*.
Hopkins, H. L., standardized spheroidizing cycles, 57*A*.
Hopper, J. H., electronic control of winding reels for strip, 113*A*.
Hopton, G. U., removal of hydrogen sulphide from fuel gases, 178*A*.
Horger, O. J. :
advantages of shot peening, 61*A*.
effect of shot-peening on fatigue resistance, 94*A*., 121*A*.
prevention of cracks in railroad axles, 65*A*.
residual-stress and fatigue tests, 65*A*.
Horn, G., petrology of Spitsbergen coal, 155*A*.
Hoselitz, K., magnetic study of iron–silicon alloys, 471*P*.
Hotchkiss, A. R. :
heat-treatment equipment for steel washers, 113*A*.
pressure oil-quenching of machine parts, 88*A*.
Hothersall, A. W., repair of worn machine parts, 63*A*.
Houdremont, E., transformation of steels, 46*A*.
Howard, J. C., electric-arc furnaces, 161*A*.
Howard, J. J., melting point of manganese and iron ores, 180*A*.
Howden, J. M., reactive wire drawing, 136*A*.
Howe, E. E. :
short cycle malleabilization of white cast iron, 4*A*.
sub-critical annealing, 139*A*.
Howell, R. P., electrical resistivity of steel, 150*A*.
Howie, T. W., behaviour of chrome-magnesite bricks in reducing atmospheres, 103*A*.
Howry, A. D., mercury-arc rectifiers, 137*A*.
Hoyt, S. L., crack-sensitivity of welds, 121*A*.
Hoyt, S. L. :
graphitization of steam pipes, 94*A*.
underbead cracking in welds, 189*A*.
Hubbell, W. G., corrosion of aero-engine exhaust manifolds, 123*A*.
Hudson, J. C., metallic undercoats on steel to be painted, 438*P*.
Huffman, R. V., hot-blast stove repairs, 157*A*.
Hultgren, A., etching of steel, 148*A*.
Hummitzsch, W., effect of coating materials on welding electrodes, 40*A*.
Hunt, L. R., wire-rewinding equipment, 86*A*.
Hurst, J. E. :
determination of nitrogen in ferro-alloys, 337*P*.
micro-examination of high-silicon irons, 173*A*.
Hyler, J. E., localized annealing and hardening, 88*A*.

Ihsen, H. C., failure of spring clips by corrosion, 70*A*.

Ingram, G., metallurgical analysis by micro-combustion technique, 200*A*.
Irish, P. R., spectrochemical analysis, 200*A*.
Israelson, B., corrosion inhibition, 166*A*.

Jackel, W. J., chromium steels for vessel linings, 147*A*.
Jackman, H. W., coke from Illinois coals, 104*A*.
Jackson, C. E.:
effect of storage time on ductility of welded test specimens, 15*A*.
weldability of manganese-silicon steels, 89*A*.
Jackson, J. A., electric drive for cranes, 36*A*.
Jacquet, P. A., electrolytic polishing of metals, 172*A*.
Jaenichen, E., labour economy in wire-drawing shops, 163*A*.
Jameson, A. S.:
hardenability tests on alloy steels, 65*A*.
National Emergency steel for farm equipment, 146*A*.
steels for bolts, 162*A*.
testing tractor parts, 171*A*.
Janitzky, E. J., machinability of alloy steels, 115*A*.
Jay, A. H., and **K. W. Andrews**:
Paper: "Note on Oxide Systems Pertaining to Steel-Making Furnace Slags. FeO–MnO, FeO–MgO, CaO–MnO, MgO–MnO," 15*P*.
Jazwinski, S. T.:
Paper: "The Control of Tropenas-Converter Blowing by a Direct-Vision Spectroscope," 9*P*. *Correspondence*, 12*P*. *Author's Reply*, 13*P*.
gating and feeding of steel castings, 81*A*.
Jenkins, I., annealing malleable iron, 80*A*.
Jenkins, R. S., hardenability tests, 20*A*.
Jennett, W. J., quality control, 18*A*.
Jennings, C. H., welding methods, 114*A*.
Jeter, E. C., improvements in pressure ferrous castings, 5*A*.
Johannesen, J. K., welding cast iron, 61*A*.
Johnson, W. W. A., spectrographic detection of phosphorus, titanium and zirconium, 100*A*.
Johnston, E. H., cleaning forgings for Magnaflux inspection, 116*A*.
Johnstone, G., casting large crankshafts, 181*A*.
Jolivet, H., inspection methods, 169*A*.
Jöllenbeck, E., normalizing *versus* stress relieving, 60*A*.
Jolly, A. H., jun., control of slag, 183*A*.
Jones, B. W., effects of temperature and humidity on corrosion of metals, 98*A*.
Jones, E. G., construction of silica brick furnace roof, 161*A*.
Jones, J. H., determination of carbon and hydrogen in coal, 202*A*.
Jones, J. P. P., elected Member, 4*P*.
Jones, L., elected Member, 4*P*.
Jones, R. W., heat- and corrosion-resistant steels, 195*A*.
Jones, W., foundry planning, 182*A*.
Jordan, L. A.:
Paper: "The Use of a Tin Undercoat to Improve the Corrosion Resistance of Painted Steel," *see* Hedges, Ernest S.
Jordan, J. P., motor-generator and electronic units, 112*A*.
Joseph, T. L., effect of increasing top pressure in blast-furnaces, 130*A*.
Judelsohn, F., gas-welded tubing from steel strip, 13*A*.
Julihn, C. E., American mineral deposits, 76*A*.
Jungbluth, H., relation between pressure and volume of blast and cupola dimensions, 4*A*.
Juppenlatz, J. W., methods of testing steel castings, 144*A*.
Juretzek, G., rolling-mill products, 163*A*.

Kalk, A. C., photographs and charts for indicating position of defects in castings, 134*A*.
Kane, J. M., ventilation for electric furnaces, 53*A*.
Karim, A., elected Member, 4*P*.
Karius, A.:
changes in materials under fatigue stresses, 43*A*.
effect of recovery periods in fatigue testing, 44*A*.
Kasik, G. B., shell drawing, 85*A*.
Kauffeld, T. J., remote control in steel industry, 137*A*.
Kaufman, D., use of nitrogen dioxide in beneficiation of manganese ores, 76*A*.
Kaul, A., electrodes, 83*A*.
Kayser, J. A., refractory bricks, 103*A*.
Keel, C. F., notch-bar impact tests, 120*A*.
Keller, J. D., strip rolling mills, 110*A*.
Kenyon, A. F., automatic screwdown control, 138*A*.
Kenyon, R. H., elected Associate, 5*P*.
Kerlie, W. L., behaviour of dolomite linings in basic electric arc furnaces, 375*P*.
Kerr, H. J.:
graphitization caused by testing conditions, 93*A*.
graphitization of steels, 19*A*.
Kershaw, C. G., elected Associate, 5*P*.
Kessels, K., pipe-line pressures measured with U-tube indicators, 29*A*.
Kessler, L. H., corrosion control in portable water tanks, 198*A*.
Kessner, H. H., effect of nitrogen in chromium-nickel steel, 66*A*.
Kidd, T. R., elected Member, 4*P*.
Kielb, J. V., laminating steel and cupro-nickel, 17*A*.
Kiessler, H., torsional impact strength of tool steel, 143*A*.
Kingsley, P. S.:
all scrap-carbon charge in open-hearth furnace, 6*A*.
prevention of flakes in steel, 55*A*.
Kinney, W. F., notch-toughness tests for pipes, 91*A*.

Kinsella, J. C., effects of alloying elements in cast iron, 145*A*.
Kinzel, A. B., solid-phase welding, 12*A*.
Kirchberg, H., structure of German iron ores, 28*A*.
Kirstowsky, E. C., residual stresses, 119*A*.
Kishkin, S. T., effect of silicon in low-chromium steels, 21*A*.
Klärding J., production of clean steel, 35*A*.
Kleber, L. A., properties of moulding sands, 134*A*.
Klesper, R., failures of blast-furnace refractory linings, 175*A*.
Klier, E. P., Ar″ in chromium steels, 46*A*.
Klinke, H. O., impact strength of arc-welded joints in aircraft steel, 14*A*.
Kliske, A. E., hematite on Black Island, Lake Winnipeg, 103*A*.
Klotz, B., tensile-fatigue tests on butt-welded joints, 14*A*.
Klütsch, J., ore-crushing, screening and sintering plant, 128*A*.
Knanishu, J., determination of iron and zinc in phosphate coatings, 202*A*.
Knapton, A. G., elected Associate, 5*P*.
Knights, R. J., elected Associate, 5*P*.
Knoops, F., electric heating in foundries, 31*A*.
Knös, O., high-strength reinforcing-bar steel, 147*A*.
Koch, A. H.:
gas burner equipment, 78*A*.
gas furnaces for interrupted quenching, 113*A*.
Koch, W., transformation of steels, 46*A*.
Kohl, H., use of slag from soda-desulphurization process, 167*A*.
Kohlmeyer, E. J., volatilization of iron, 2*A*.
Kolin, A., fluid flow measurement, 177*A*.
Kopsa, L. F., gas distribution at Pittsburgh Works, Jones and Laughlin Steel Corporation, 178*A*.
Körber, F.:
deoxidation of steel, 35*A*.
metal-slag equilibria, 185*A*.
Kordon, F., determination of silicon, 47*A*., 201*A*.
Krainer, H.:
induction tempering in rolling mills, 11*A*.
nitrogen in alloy steels, 198*A*.
Kramer, A. C., rotary-hearth furnaces, 39*A*.
Kreisinger, H., heat-transfer to water-cooled furnace walls, 77*A*.
Kreitz, K., determination of creep strength of steels, 195*A*.
Kreutzberg, E. C., Pearl Harbour Foundry, 132*A*.
Kriesel, W., volumetric method for determination of iron, vanadium and chromium, 100*A*.
Krisch, A.:
properties of alloy steels, 196*A*.
relationship between fracture and notched-bar toughness of heat-treated steel, 191*A*.
Kroll, W. J.:
melting and evaporating metals in a vacuum, 55*A*.
powder metallurgy, 79*A*.
Kroner, A. M., control methods for open-hearth furnaces, 108*A*.
Krug, H., fatigue of steel at high temperatures, 192*A*.
Kumzick, J. F., effect of pressure on metal-powder compacts, 3*A*.
Kunkler, L. E., metallizing, 167*A*.
Kvalheim, A., determination of vanadium, 201*A*.

LaGrelius, E. L.:
radiography of steel castings, 173*A*.
X-ray equipment for examining steel castings, 134*A*.
Lahr, R. W., elected Member, 4*P*.
Lakin, J. R., elected Associate, 5*P*.
Lange, H., magnetic balance, 194*A*.
Lange, K., mechanization in iron foundries, 34*A*.
Langenbach, E., annealing of steel, 138*A*.
Langer, B. F.:
magnetic-coupled torque-meter, 120*A*.
magnetic strain gauge, 92*A*.
Langhammer, A. J., machine parts from metal powder, 3*A*.
Langton, L. R., elected Member, 4*P*.
LaQue, F. L., applications of cast iron in chemical industry, 146*A*., 198*A*.
Larrabee, C. P.:
corrosion of steels in marine atmospheres and sea water, 98*A*.
use of a tin undercoat on steel to be painted, 438*P*.
Larsen, B. M., heat flow in regenerator system, 176*A*.
Larsen, E. I.:
electrical contacts from metal powders, 3*A*.
silver-base powder-metallurgical products, 3*A*.
spot-welding heavy mild-steel plate, 13*A*.
Larson, R. M., automatic control of open-hearth reversal, 183*A*.
László, F.:
Paper: "Tessellated Stresses.—Part IV.," 207*P*. Note on Part I., 228*P*.
Lathe, F. E., citric-acid solubility of basic open-hearth slags, 453*P*.
LaTour, H., single-strip compression test for sheet steel, 191*A*.
Laxar, F. H., weldability of manganese-silicon steels, 89*A*.
Leadbeater, C. J., controlling distribution of electrodeposits, 62*A*.
Leake, R., elected Member, 4*P*.
Leckie, A. H., furnace design, 160*A*.
Leiss, P. E., gas distribution at Warren plant, Republic Steel Corporation, 178*A*.
Lenel, F. V., iron powder for pole pieces, 3*A*.
Lennings, W., effect of oxygen-enriched blast on rich and lean ores, 179*A*.
Lerch, R. L., hard-facing, 12*A*.
Leschen, J. G., elected Member, 4*P*.
Lewis, C. J., limestone-lime treatment of spent pickling liquors, 116*A*.
Lewis, H. E., heat-treating high-speed steels, 87*A*.

Lewis, L. L., operating furnaces on dry blast, 1*A*.
Lexier, H. L., metallurgy and design, 90*A*.
Lickteig, E., steels for cold-heading tools, 22*A*.
Liebendorfer, R. E., shaved aircraft gears, 56*A*.
Lifshitz, E., magnetic structure of iron, 144*A*.
Lindroth, G. T., phosphorus content of Central Swedish iron ores, 155*A*.
Lindsay, R. W., creep of binary solid solutions of ferrite, 194*A*.
Lipilin, I. P.:
effects of different heat-treatments for steels, 56*A*.
heat-treatment of ingots, 111*A*.
Lippert, T. W., continuous casting, 33*A*.
Lipson, C., residual stresses, 119*A*.
Lipson, H.:
Paper: "An X-Ray Study of Iron-Rich Iron–Silicon Alloys," *see* Farquhar, Margaret C. M.
Littmann, M., hardness and wear resistance, 95*A*.
Litzler, C. A.:
continuous furnace for tempering shells, 140*A*.
plant for cleaning aeroplane landing mats, 18*A*.
Ljunggren, S. H., steel-foundry sand, 159*A*.
Lloyd, A. B., control methods in steel casting, 133*A*.
Lloyd, F. N., hydraulic cleaning in steel foundry, 82*A*., 134*A*.
Lloyd, M. C., elected Member, 4*P*.
Lobley, A. G., heat-treatment, 87*A*.
Locke, C., carbon determination in steel bath, 84*A*.
Logozzo, A., chromium plating, 117*A*.
Long, L. W., power for electric furnaces, 83*A*.
Longtin, B., stress-corrosion cracking of boiler-plate steels, 97*A*., 123*A*.
Lord, W. M., control of blowing in Tropenas-converter, 12*P*.
Lorig, C. H., wear-resisting materials for lathes, 95*A*.
Loux, J. H., rotary-hearth furnaces, 108*A*., 162*A*.
Lovell, G. H. B., reversible thermal expansion of calcium ferrous silicates, 50*A*.
Lovitt, L. E., storage and handling of lubricants, 186*A*.
Löwgren, E., comparisons of hardness scales, 20*A*.
Lownie, H. W., jun., grey cast-iron inoculation, 132*A*.
Lubahn, J. D., drawing thin-walled tubing, 85*A*.
Luckman, J. F., early wire history, 109*A*.
Ludberg, J. E., "Lumnite" refractory concrete, 176*A*.
Lueg, W.:
cold-rolling of strip, 163*A*.
hot-rolling tests on coated steel, 185*A*.
power required in bright-drawing of steel, 9*A*., 136*A*.
Luhrs, J. F., oxygen recording instrument, 101*A*.
Lumsden, Q., elected Member, 4*P*.
Lundberg, H. A., combustion of gaseous fuels, 155*A*.
Lunt, R. W., reactive wire drawing, 136*A*.
Luther, G. G.:
effect of storage time on ductility of welded test specimens, 15*A*.
weldability of manganese-silicon steels, 89*A*.
Lutz, F. W., non-destructive sampling for spectrography, 200*A*.
Lutz, W. H., industrial paint coatings, 119*A*.
Lux, G. A., effect of polishing steel on electroplated coatings, 124*A*.
Luyken, W., structure of German iron ores, 28*A*.
Lyle, S. R., determination of case depth, 111*A*.
Lynam, T. R., behaviour of chrome-magnesite bricks in reducing atmospheres, 103*A*.
Lysaght, W. R., obituary notice, 537*P*.
Lytle, A. R., oxy-acetylene pressure welding, 13*A*.
Lytle, R. A., gas distribution at Clairton Works, Carnegie-Illinois Steel Corporation, 178*A*.

McAdam, D. J., jun., cohesive strength of steels, 142*A*.
McAfee, J., polishing and etching metals, 96*A*.
McBrian, R., cause and detection of cracking in fireboxes, 64*A*.
McBride, J. E., conveyor equipment, 10*A*.
McBroom, J., calculation of capacity of electric furnaces, 84*A*.
McCallum, N. M. R., elected Member, 4*P*.
McCarthy, F., drying and preheating foundry ladles, 52*A*.
McCaslin, H. J., wooden patterns for ships' propellers, 4*A*.
McConnel, M. C., vertical precision mill, 186*A*.
McCoy, D. B., Canadian steel industry, 53*A*.
MacDiarmid, Sir Allan C., obituary notice, 538*P*.
McDonald, H. J., stress-corrosion cracking of boiler-plate steels, 97*A*., 123*A*.
McElivee, R. G., grey iron, 18*A*.
MacGregor, C. W., static tensile tests on notched and plain bars, 91*A*.
MacIntosh, R. M., determination of residual aluminium in steel, 84*A*.
McIntyre, G. H., porcelain enamelling, 63*A*.
McKay, J., open-hearth plant of Lanarkshire Steel Co., Ltd., 160*A*.
McKean, F. K., corrosion testing laboratory, Ottawa, 70*A*.
McKinney, M. E.:
control of malleable iron castings' manufacture, 181*A*.
testing malleable iron castings, 68*A*.
McKlveen, J. H., flame-cutting machine, 114*A*.

Mackusick, M. H., trepanning welded joints, 166*A*.
McLeod, I., elected Associate, 5*P*.
McMaster, J. G., basic electric steel melting, 108*A*.
McMillan, Q. C., heat-treatment plant for alloy steel bars, 187*A*.
McMulkin, F. J., welding Canadian armour plate, 59*A*.
MacQueen, A. J. F., equipment maintenance, 83*A*.
Magor, J. K., effects of surface decarburization in flame-cutting steel, 41*A*.
Makepiece, G. R., determination of aluminium, 201*A*.
Malee, H. J., upset forging with flash welder, 8*A*.
Mancher, W. L., effects of temperature and humidity on corrosion of metals, 98*A*.
Manjoine, M. J., tensile tests on mild steel, 91*A*.
Mansion, H. D., effect of chemical surface treatment on gears, 147*A*.
Marenbach, H., ferro-chromium production in blast-furnace, 2*A*.
Marks, E., pickling of steel, 116*A*.
Marrs, R. E., electric cars for conveying ingots, 54*A*.
Marsh, J. S., slag-metal oxygen relationships in open-hearth and electric processes, 84*A*.
Martin, B., stress in electrodeposition of nickel, 117*A*.
Mason, B., basic open-hearth slags, 55*A*.
Mather, K. B., comparator for spectrographic analysis, 200*A*.
Matthews, J. A., elected Member, 4*P*.
Mathewson, C. H., strain-hardening and recrystallization, 168*A*.
Maurer, E., effect of non-metallic inclusions in alloy steels, 162*A*.
Mawhinney, M. H., quenching of steel, 113*A*.
Mazzucchelli, A. P., baking resin coatings on steel, 63*A*.
Mears, R. B.:
corrosion inhibitors for aluminium, 198*A*.
tests of metals under service conditions, 23*A*.
Mebs, R. W., cohesive strength of steels, 142*A*.
Meier-Cortes, C., carburetting of gas for open-hearth furnaces, 155*A*.
Meinhart, W. L., effect of copper in carbon-molybdenum steel, 67*A*.
Mellon, M. G., determination of phosphorus, 151*A*.
Merchant, H. J., steel for sheets, 108*A*.
Merchant, M. E., metal cutting with lathe tools, 115*A*.
Merkle, C. R. E., organic coatings, 63*A*.
Merryweather, H., reclaiming and hardening parts by electro-plating, 63*A*.
Mesle, F. C., silver plate on steel, 118*A*.
Meyer, H. W., properties of moulding sands, 134*A*.
Meyersberg, G., effect of graphite in cast iron, 119*A*.
Michailow-Michejew, P. B., brittleness of alloy steels, 122*A*.
Mika, J., determination of silicon, 47*A*.
Miller, F. M., blocks for blast-furnace bottoms, 175*A*.
Miller, J. L., metal joining processes, 165*A*.
Miller, R. F., local graphitization of steel, 94*A*.
Milligan, M. F., carbon determination, 84*A*.
Milner, O., colorimetric analysis of corrosion-resistant steels, 100*A*., 200*A*.
Mircea, I., crack-sensitivity of welds, 189*A*.
Mironoff, N., micro-mechanical testing of metals, 120*A*.
Mitchell, R. M., elected Member, 4*P*.
Mitcheson, J. C., coal preparation, 30*A*.
Mobley, W. M., coal beneficiation in Alabama, 129*A*.
Montandon, R., effect of direction of welds, 119*A*.
Monteil, C., utilization of blast-furnace gas, 155*A*.
Moon, L. B., American mineral deposits, 76*A*.
Moore, H. F.:
effect of specimen size on fatigue strength, 144*A*.
fatigue tests on bars, 94*A*.
Moore, L. R., South Wales coalfield, 103*A*.
Moreau, L.:
determination of nitrogen, 201*A*.
gases in alloy steels, 195*A*.
hydrogen in iron, 195*A*., 196*A*.
Morey, R. E., control of moulding sand, 181*A*.
Morgan, E. L., elected Associate, 5*P*.
Morgan, M. F., agglomerating finely ground low-grade ores, 175*A*.
Morgan, W. C., plastic core binders, 52*A*.
Morikawa, G. K., biaxial fatigue strength of steels, 65*A*.
Morkovin, D., effect of specimen size on fatigue strength, 144*A*.
Morral, F. A., surface treatment for metals, 62*A*.
Morris, A. T. R., elected Associate, 5*P*.
Morrison, J. G., sub-zero hardening of steel, 140*A*.
Morrogh, H.:
Paper: "The Development of a Single-Blow Impact Test for Cast Iron," *see* Everest, A. B.
Morton, G. R., elected Member, 4*P*.
Morton, H. T., ball- and roller-bearing steels, 171*A*.
Morton, L. W., electronic frequency changer, 9*A*.
Mörtsell, S., ore-concentration laboratory, Stockholm, 28*A*.
Mott, R. A., coking coal resources in England, 76*A*.
Mottley, C. M., quality control of high-tensile steel, 54*A*.
Mowat, J. M., electric-arc furnaces, 161*A*.
Moxley, S. D., centrifugal casting of steel, 82*A*.
Mueller, J.:
forging die design, 8*A*., 37*A*., 109*A*., 162*A*.
quality control of forgings, 55*A*.

Mueller, P. M., cold-reducing mill, 110*A*.
Muir, A. D., elected Associate, 5*P*.
Mulcahy, B. P., foundry coke, 3*A*.
Mulcahy, E. W., pickling of steels, 16*A*., 61*A*.
Murfitt, G., determination of nitrogen in ferro-alloys, 337*P*.
Murphy, M. J., age-hardening studied by electron microscope, 194*A*.
Myahkov, M. P., creep-resistant alloy steels, 145*A*.

Nadai, A., forging steel shells, 85*A*.
Nagy, J., open-hearth furnace gas control, 83*A*.
Neerfeld, H. :
determination of lattice constants from diffuse interference lines, 45*A*.
stress calculations from X-ray elongation measurements, 191*A*.
Neifert, H. R. :
effect of shot-peening on fatigue resistance, 94*A*., 121*A*.
residual-stress and fatigue tests, 65*A*.
Nelson, L. H., carbon control in basic practice, 84*A*.
Newell, W. C. :
Paper : "The Determination of Nitrogen in Ferro-Alloys and other Materials by Direct Nesslerisation without Distillation," 333*P*. *Discussion*, 337*P*. *Correspondence*, 337*P*. *Author's Reply*, 339*P*.
Newhall, A. P., Scottish wire-drawing practice, 56*A*.
Newkirk, D. L., effect of anthracite additions to coal for blast-furnace coke, 78*A*.
Neumann, G., gas producers, 156*A*.
Neustaetter, K., gas flow and coke consumption in blast-furnace, 158*A*.
Nickelson, A. S., micro-spectrographic analysis of steel segregates, 502*P*.
Nicolson, R. E., baking resin coatings on steel, 63*A*.
Niebch, G., crystal recovery and recrystallization in cold-worked metals, 197*A*.
Nisbet, J. G., feeding of castings, 33*A*.
Nöll, A., rolling-mill development, 163*A*.
Norman, D. P., spectrographic detection of phosphorus, titanium and zirconium, 100*A*.
North, J. M., elected Associate, 5*P*.
Norton, J. T., stress measurement by X-rays, 92*A*.
Nowak-Leoville, M., nitrogen in alloy steels, 198*A*.

O'Brien, T. F., heat-treatment of steel, 111*A*.
Ockleford, C. W. G., carbon and hydrogen in coal, 101*A*.
Ode, W. H. :
carbonization of Alaskan coals, 30*A*.
carbonizing properties of Kentucky coals, 78*A*.
Oelsen, W. :
deoxidation of steel, 35*A*.
immiscibility of slags, 179*A*.
metal-slag equilibria, 185*A*.
Offenberg, W., regulation of valves on open-hearth furnaces, 136*A*.
O'Haven, C. P., plastic flow, 120*A*.
O'Keefe, J. F., sintering of metal powders, 3*A*.
Oldfield, J. H. :
Paper : "A Micro-Spectrographic Method for the Quantitative Analysis of Steel Segregates," *see* Convey, J.
Oliver, F. J. :
magnetite workings in Adirondacks, 27*A*.
tipped high-speed steel tools, 41*A*.
O'Malley, G. B., electron microscope, 95*A*.
O'Neill, H., metallurgy of steel rails, 121*A*.
O'Neill, J. G., jun., properties of lubricating oils, 186*A*.
Orth, R. L., shot-peening plant, Cadillac Motor Co., Detroit, 15*A*.
Osborn, H. B., jun., induction heating, 139*A*.

Page, F., jun., effect of molten zinc on steel, 121*A*.
Painter, R. A., elected Member, 4*P*.
Palmer, S. W., tungsten in cast iron, 171*A*.
Parfrey, E. H., elected Associate, 5*P*.
Parker, C. M., low-temperature treatment of steel, 58*A*.
Parker, E. R., stress and strain in tensile tests, 64*A*., 91*A*.
Parkhurst, H. M., refractories, 83*A*.
Parnham, H. :
Paper : "Dolomite Linings for Basic Electric Arc Furnaces," *see* Brampton, E. C.
Paschke, M., use of slag from soda-desulphurization process, 167*A*.
Paschkis, V. :
heating rates in furnace charges, 177*A*.
time-temperature relationships in reheating furnaces, 162*A*.
Patterson, R. C., heat transfer to water-cooled furnace walls, 77*A*.
Payne, C. A., cupola melting practice, 80*A*.
Peace, A. E., thermal lag in annealing malleable cast iron, 51*A*.
Pearce, J. G., ironfounding, 106*A*.
Pearson, T. F. :
Paper : "The Improvement of the Citric-Acid Solubility of Basic Open-Hearth Slags Containing Fluorspar," 441*P*. *Correspondence*, 453*P*. *Author's Reply*, 455*P*.
flame radiation, 176*A*.
Pechal, E., gas-producer plant, 178*A*.
Peck, C. E., heat-treatment furnace atmospheres, 10*A*., 165*A*.
Pellowe, E. F. :
chemical control in galvanizing plant, 166*A*.
welding galvanized steel, 141*A*.

Pendergast, W. L., fireclay brick tests, 28*A*.
Pepin, A. J.:
aircraft forgings, 8*A*.
aircraft-engine forgings, 109*A*.
Pestrak, W., flash-welding machines for steel tubes, 12*A*., 40*A*., 89*A*.
Peters, F. P., powder metallurgy, 3*A*.
Petty, P. B., impact strength of metals at low temperatures, 143*A*.
Pevzner, L. M., tensile and impact strengths of steels, 43*A*.
Pfahl, H., improved quenching, 139*A*.
Pfahl, H. M., improved quenching, 113*A*., 188*A*.
Philbrook, W. O., slag control, 36*A*., 183*A*.
Phillippi, A. K., controlled atmosphere furnace-brazing, 41*A*.
Phillipson, G. A.:
cleaning coke-oven regenerators, 130*A*.
repair of coke-oven walls by cement-spraying, 30*A*.
Pierce, H. W., power distribution in arc-welding, 60*A*.
Poehlman, W. J., micro-spectrographic analysis of steel segregates, 503*P*.
Pollak, F. F.:
chemical control in galvanizing plant, 166*A*.
welding galvanized steel, 141*A*.
Pomp, A.:
cold-rolling of strip, 163*A*.
crystal recovery and recrystallization in cold-worked metals, 197*A*.
hot-rolling tests on coated steel, 185*A*.
power required in bright-drawing of steel, 9*A*., 136*A*.
properties of alloy steels, 196*A*.
Pomp, W., cold-rolling, 186*A*.
Porst, E. G., determination of iron content of pickling liquors, 48*A*.
Porter, G. A., equipment maintenance in generating stations, 176*A*.
Portevin, A.:
hydrogen in iron, 195*A*.
plastic deformations, 190*A*.
Post, C. B., hardenability of steel, 20*A*.
spectrochemical analysis, 200*A*.
Post, C. T.:
cold-treatment for gauge stabilization, 39*A*.
iron-ore mining and blending in Wyoming and Colorado, 27*A*.
iron and steel industry of Texas, 107*A*.
Powell, R. H., determination of nitrogen, 151*A*.
Powell, T.:
blast-furnace burden, 130*A*.
elected Member, 4*P*.
Prance, S. R., electropolishing steel for microscopic examination, 96*A*.
Pressell, G. W., mineral and compound quenching oils, 113*A*.
Price, G. H. S., powder metallurgy, 132*A*.
Price, W. H., jun., black-oxide treatment of steel, 118*A*.
Pritchard, C. E., additives in lubricating oils, 38*A*.
Proctor, K. L., colorimetric analysis of corrosion-resistant steels, 100*A*., 200*A*.
Pryor, E. K., direct-arc electric-furnace roofs, 83*A*.
Pugh, W., elected Member, 4*P*.
Pugsley, H. J., open-hearth furnaces, Carnegie-Illinois Steel Corporation, 6*A*.
Püngel, W., effect of heat-treatment and deformation on steel wire, 191*A*.
Purdy, J. R., valve setting in coke-oven regenerator flues, 177*A*.
Purnell, C. G., improved quenching, 113*A*., 139*A*., 188*A*.
Putchinski, J., graphite moulds, 160*A*.
Puzicha, W., relationship between fracture and notched-bar toughness of heat-treated steel, 191*A*.
Pyefinch, K. A.:
Paper: "Methods of Assessment of Anti-Fouling Compositions," 229*P*.
Pyles, R., porous chromium coatings, 117*A*.

Quinn, R. J., use of ammonia in treatment of metals, 189*A*.
Quinsey, W. E., protection of steel from atmospheric corrosion, 198*A*.

Rambush, N. E., charge materials in cupolas, 79*A*.
Rampacek, C., beneficiation of ores by flotation, 127*A*.
Randles, Sir John S., obituary notice, 539*P*.
Rankin, A. W., shrink-fit stresses and deformations, 93*A*.
Rapatz, F., effect of coating materials on welding electrodes, 40*A*.
Rasmussen, R. T. C., concentration of ores, 28*A*.
Raudebaugh, R. J., impact strength of welds, 142*A*.
Rawlins, R. E., fatigue tests at resonant speed, 19*A*.
Reber, J. W., effect of output on thermal efficiency of furnaces, 177*A*.
Reckziegel, M., time-study methods in plate mill, 138*A*.
Reed, F. H., coke from Illinois coals, 104*A*.
Reed, J. B., recovery of by-products in coking, 130*A*.
Reed, R., combustion control for fuels, 77*A*.
Rees, W. J.:
Paper: "Mould and Core Paints and Washes, and Parting Powders," 57*P*.
Paper: "British Bonding Clays," *see* Davies, W.
Paper: "British Resources of Steel Moulding Sands.—Parts 6 to 10," *see* Davies, W.
Paper: "The Hot-Strength Characteristics of Moulding Sands," *see* Davies, W.
synthetic moulding sands, 32*A*.

Reese, D. J., grey iron, 3*A*.
Reeve, L. :
Paper : "The Relation between the Hydrogen Content of Weld Metal and Its Oxygen Content," 385*P*. *Correspondence*, 397*P*. *Author's Reply*, 401*P*.
distribution of materials in blast-furnaces, 288*P*.
effect of sulphur and phosphorus on weldability of steel, 59*A*.
sinters and sintering, 315*P*.
Regen, R. R., residual-stress and fatigue tests, 65*A*.
Rehder, J. E. :
annealing malleable iron, 133*A*.
pearlitic rim in malleable iron, 180*A*.
Reif, O., deoxidation of steel, 35*A*., 183*A*.
Reilly, J. E., arc-furnace regulators, 36*A*.
Reiss, G. R., deep-drawing steel plate for munitions, 8*A*.
Reynolds, D. A., carbonizing properties of Columbus and Kentucky coals, 78*A*.
Rice, O., threshold treatment of water systems, 198*A*., 199*A*.
Rice, T., determination of iron and zinc in phosphate coatings, 202*A*.
Richards, J. H., hardenability of steel castings, 65*A*.
Richardson, H. M., effect of alkalies on refractory materials, 29*A*.
Richer, G. C., indentation hardness, 65*A*.
Ridderhof, J. A., foundry facing materials, 106*A*.
Riddihough, M. :
hard-surfacing by welding, 59*A*.
hard-faced dies, 89*A*.
Riddle, L. E., effect of moisture in blast-furnace blast, 179*A*.
Riedrich, G., effect of nitrogen in chromium-nickel steel, 66*A*.
Rigbey, J., double exposure radiography, 22*A*.
Rigby, G. R. :
behaviour of linings in basic electric arc furnaces, 377*P*.
reversible thermal expansion of calcium ferrous silicates, 50*A*.
Rikman, V. V., rebuilding Soviet iron and steel industry, 135*A*.
Riley, J. J., flash-butt welding, 12*A*.
Riley, R. V., micro-spectrographic analysis of steel segregates, 502*P*.
Rinehart, W. G., arc-welding electrodes, 114*A*.
Rinker, E. C., effect of various anions in metal cleaners, 116*A*.
Rinman, B., comparisons of hardness scales, 20*A*.
Ritchie, J. G. :
cast iron for machine-tool castings, 18*A*.
macro-etching and macrography, 96*A*.
Ritchie, S. B., welding in ordnance manufacture, 140*A*.
Rivett, F. A., electric furnaces, 133*A*.
Roberds, W. M., high-frequency induction heating, 139*A*.
Roberts, A. L. :
foundry bonding clays, 81*A*., 106*A*.
permeable refractories for furnaces, 50*A*., 176*A*.
Roberts, H. C., electric gauging methods, 120*A*.
Roberts, N. J., power for fast melting, 84*A*.
Robiette, A. G. :
annealing malleable iron, 81*A*., 133*A*.
electro-thermal manufacturing processes, 105*A*.
Robiette, A. G. E., dolomite linings for basic electric-arc furnaces, 374*P*.
Robinson, E. L., bursting tests on steam-turbine wheels, 93*A*.
Robinson, F. H., macro-etching and macrography, 96*A*.
Roehner, T. G., demulsifiers in circulating oil systems, 86*A*.
Rogers, R. R., prevention of metal corrosion, 23*A*.
Rohde, F. W., magnetic-particle testing of aero-engine parts, 122*A*.
Rohlich, G. A., corrosion control in portable water tanks, 198*A*.
Rohrig, I. A. :
corrosion rates of alloy steels in steam, 98*A*.
normalizing welds in steel pipe, 11*A*.
Rohrig, J. A., notch-toughness tests for pipes, 91*A*.
Roll, F., tests on cores, 32*A*.
Romanoff, M. :
effect of soils on zinc-iron couples, 150*A*.
identification of corrosive soils, 123*A*.
Rooney, T. E. :
Paper : "A Preliminary Investigation of the Constitution of Mild-Steel Arc-Weld Deposits," *see* Sloman, H. A.
relation between hydrogen and oxygen contents of weld metal, 397*P*.
Rosa, J. A., alloy steels for maintenance purposes, 197*A*.
Rose, K. :
applications of thermit welding, 14*A*.
measurement of surface finish, 190*A*.
Rosenthal, D. :
stress measurement by X-rays, 92*A*.
welding dissimilar metals, 12*A*.
Rössing, G. von, bend-fatigue strength of alloy steel forgings, 44*A*.
Rossman, J., powder metallurgy, 105*A*.
Rowland, E. S., determination of case depth, 111*A*.
Rowles, C. B., cost accounting in grey iron foundry, 107*A*.
Rozental, D., photometric determination of silicon in low-alloy and stainless steels, 99*A*.
Ruben, G., effect of liquids on strength of glass and steel, 44*A*.
Ruddle, R. W., elected Associate, 5*P*.
Rudorff, D. W. :
diffusion of chromium into iron and steel surfaces, 117*A*.
effect of tempering temperature on steel, 42*A*.
Ruff, W., fluidity tests on alloy steels, 135*A*.
Ruffle, T. W. :
effects of various heat-treatments on steel castings, 58*A*.

Ruffle, T. W.:
hardness and yield stress relationship in cast steels, 66*A*.
Rushmer, H. W., arc-welding tool steel with stainless electrodes, 189*A*.
Russell, G. A. V., steel manufacture, 83*A*.
Russell, G. A. V., and G. W. Fox:
Paper: "Some Design and Operating Features, of a New Blooming Mill," 319*P*. *Discussion*, 331*P*. *Authors' Reply*, 332*P*.
Russell, P. A., cast iron for machine tools, 119*A*.
Rustay, A. L., aircraft-engine forgings, 109*A*.
Rutherford, L., elected Member, 4*P*.
Rydberg, O., determination of phosphorus and sulphur, 47*A*.
Rynninger, R., spectrographic analysis of low-alloy steel, 49*A*.

Sachs, G.:
drawing thin-walled tubing, 85*A*.
shell drawing, 85*A*.
St. John, C. R., creep of binary solid solutions of ferrite, 194*A*.
Salkeld, A. B., production of shells, 55*A*., 109*A*.
Samarin, A. M., non-rusting steels, 147*A*.
Samuel, W., iron mines, Steep Rock, Toronto, 27*A*.
Sanders, M. B., elected Associate, 5*P*.
Sanders, R., chemistry of surface cleaning, 61*A*.
Sanderson, L.:
austenitic manganese steel, 145*A*.
heat and corrosion-resisting cast steels, 172*A*., 194*A*.
Sanderson, T., elected Member, 4*P*.
Sanford, R. L., permanent magnets, 66*A*.
Sapozhnikov, L. M.:
coke in blast-furnaces, 1*A*.
physico-mechanical properties of coke, 156*A*.
Sardom, J. W., foundry mechanization, 182*A*.
Sarjant, R. J.:
fuel for industrial furnaces, 29*A*.
insulation of heat-treatment furnaces, 129*A*.
Sarna, H. R., magnetization of iron, 95*A*.
Sartorius, R. G., chart of comparable tool-steels, 21*A*.
Satz, A., control of moulding sand, 181*A*.
Saunders, H. L., and H. J. Tress:
Paper: "A Rapid Method of Ore Testing. The 'S.K.' Porosity Test," 291*P*. *Correspondence*, 300*P*. *Authors' Reply*, 302*P*.
Paper: "Sinters and Sintering.—Part I.," 303*P*. *Discussion*, 315*P*. *Correspondence*, 316*P*. *Authors' Reply*, 318*P*.
Saunders, H. L., and R. Wild:
Paper: "The Distribution of Materials in the Blast-Furnace.—Part I.," 259*P*. *Appendix*, "A Note on Scale Effect for Falling Particles in Blast-Furnace Models," by O. A. Saunders, 284*P*. *Discussion*, 286*P*. *Authors' Reply*, 290*P*.
Saunders, O. A., flow of falling particles in blast-furnace models, 284*P*.
Sawyer, D. W., tests of metals under service conditions, 23*A*.
Schabtach, C., measuring the damping of materials, 94*A*.
Schäfer, R.:
annealing of steel, 138*A*.
heat-treatment of alloy steels, 138*A*.
Scharf, P. B., flash-welding alloy steel rings, 165*A*.
Scheer, W., dry-cooling of coke, 1*A*.
Scherer, R.:
effect of nitrogen in chromium-nickel steel, 66*A*.
torsional impact strength of tool steel, 143*A*.
Schleede, E. H., gypsum cement patterns, 52*A*.
Schmidt, H., slag and rock wools, 131*A*.
Schmidt, O., normalizing *versus* stress relieving, 60*A*.
Schmidt, U., powder metallurgy, 180*A*.
Schneider, A., annealing of steel, 164*A*.
Schneider, J. A., large nitriding plant for aero-engine parts, 189*A*.
Schneider, W. K., anti-fouling paints, 23*A*.
Schoffstall, D. G., spectrochemical analysis, 200*A*.
Schofield, T. H.:
Paper: "A Preliminary Investigation of the Constitution of Mild-Steel Arc-Weld Deposits," *see* Sloman, H. A.
Scholten, W., elected Member, 4*P*.
Schopf, J. M., properties of Wyoming coals, 76*A*.
Schulz, E. H.:
changes in materials under fatigue stresses, 43*A*.
effect of recovery periods in fatigue testing, 44*A*.
Schustek, R., effect of non-metallic inclusions in alloy steels, 162*A*.
Schwartz, H. A.:
hardenability of cast steels, 122*A*.
solidification of metals, 182*A*.
Seagren, G. W., effect of inert pigments in anti-fouling paints, 23*A*., 69*A*.
Searly, A., elected Member, 4*P*.
Seasholtz, A. P., heat-treatment practice, 187*A*.
Sederholm, P., effect of liquids on crack formation, 44*A*.
Sefing, F. G., moulding methods for sound castings, 52*A*., 82*A*.
Seger, R. B., effective quenching by forced circulation of cooling oil, 140*A*.
Sehlberg, G.:
effect of pretreatment on hardness of alloy steels, 193*A*.
increasing strength of reinforcing bars, 146*A*.
Seil, G. E., open-hearth furnace combustion, 83*A*.

Selvig, W. A., carbonization of Alaskan coals, 30*A*.
Setapen, A. N., silver-brazing of steel parts, 189*A*.
Seulen, G., medium-frequency induction hardening, 188*A*.
Shanahan, V. J., welding stainless steel, 189*A*.
Sharma, O. P., magnetization of iron, 95*A*.
Sharp, R., distribution of materials in blast-furnaces, 289*P*.
Shaw, H., high-carbon steels, 138*A*.
Shaw, J., elected Member, 4*P*.
Shenk, W. E., automatic control of open-hearth reversal, 183*A*.
Shepard, D. A., stress corrosion of cast irons, 123*A*.
Sherman, V. W., case-hardening by induction heating, 39*A*.
Shoemaker, J. H., surface preparation of castings, 16*A*.
Shute, D. H., preparation of cemented carbides for micro-examination, 45*A*.
Siddall, D. F., corrosion control, 199*A*.
Siddall, R. C., elected Associate, 5*P*.
Siebel, E.:
cold-rolling, 186*A*.
plastic deformation, 42*A*.
time-resistance in fatigue, 192*A*.
Silliman, W. A., salt-bath case-hardening plant for tractor parts, 188*A*.
Silman, H.:
black finishes for steel, 63*A*.
metal finishing, 117*A*.
radiant heating in drying processes, 18*A*.
wetting agents in electroplating, 62*A*.
Simmie, W. S., electrode tip wear in spot-welding mild steel, 13*A*.
Simmons, A. L., high-frequency heating, 58*A*
Simmons, W., creep resistance of steel, 145*A*.
Simon, W. K., welding in steel plants, 189*A*.
Simons, E., salvaging steel scrap, 42*A*.
Simons, E. N.:
large permanent magnet, 122*A*.
spheroidizing treatment, 139*A*.
Simpson, N. H., iridite finish for increasing corrosion resistance of zinc- and cadmium-plated steel, 167*A*.
Simpson, R. L., economics in pattern-making, 4*A*.
Sims, C. E.:
comparison of cast and forged steels, 90*A*.
crack-sensitivity of welds, 121*A*.
lime in acid slags, 84*A*.
underbead cracking in welds, 189*A*.
Singleton, W. F., rusting standards for steel, 150*A*.
Slack, C. M., high-speed X-rays, 173*A*.
Sliozberg, M. M., photo-induction defectoscope, 64*A*.
Sloman, H. A., relation between hydrogen and oxygen contents of weld metal, 397*P*.
Sloman, H. A., T. E. Rooney, and **T. H. Schofield**:
Paper: "A Preliminary Investigation of the Constitution of Mild-Steel Arc-Weld Deposits," 127*P*.
Smeeton, J. A., obituary notice, 539*P*.
Smith, A. J. Nicol, single-blow impact test for cast iron, 423*P*.
Smith, C. E., power distribution in arc-welding, 60*A*.
Smith, D. C., arc-welding electrodes, 114*A*.
Smith, E. C., present-day steelmaking processes, 5*A*.
Smith, G. S.:
spectro-chemical analysis, 199*A*.
strength of materials, 168*A*.
Smith, G. V.:
graphitization of welded and end-quenched steels, 61*A*.
local graphitization of steel, 94*A*.
Smith, H. W., jun., continuous heat-treatment, 39*A*.
Smith, M. C., effect of gas evolution in welding steels, 60*A*.
Smith, R. H., inoculants in grey iron, 31*A*.
Smith, S. J., elected Member, 4*P*.
Smith, S. L., elected Member, 4*P*.
Smith, V. A., lubrication department, 186*A*.
Smith, V. D., phosphate coatings applied to wire-drawing, 37*A*.
Snodgrass, M. L., silicon carbide roller hearths, 108*A*.
Sobers, W. B., determination of nickel and chromium, 201*A*.
Sokell, J., elected Associate, 5*P*.
Solberg, H. L., corrosion of alloy steels by steam, 98*A*.
Somerville, P., wire-rewinding equipment, 86*A*.
Somes, H. E., induction heating of internal surfaces of automobile parts, 39*A*.
Spandau, H., volatilization of iron, 2*A*.
Spear, P., elected Associate, 5*P*.
Speller, F. N., corrosion research, 149*A*.
Spencer, R. G., arc-welding steel rails, 114*A*.
Spencer-Timms, E. S., magnetic tester to determine thickness of coatings, 167*A*.
Spenser, C. C., carbon determination by fracture method, 84*A*.
Spowers, W. H., jun., galvanizing, 62*A*., 118*A*.
Spraragen, W., welding dissimilar metals, 12*A*.
Spring, S., lubrication in deep-drawing of metals, 37*A*.
Stacy, R. H., beneficiation of ores by flotation, 127*A*.
Stadtherr, J. J., cathodic protection of open condenser box, 149*A*.
Stähli, G., time-resistance in fatigue, 192*A*.
Stanley, J. K., recrystallization of silicon ferrite, 197*A*.
Stapleton, J. R. D., low-alloy steel castings, 133*A*.
Stargardter, A. R., salt-baths in wire works, 113*A*.
Staudinger, H.:
bend-fatigue strength of case-hardened steels, 192*A*.
hardness and tensile strength of steels, 169*A*.

Stedman, G. E.:
Californian steel mill, 110*A*.
coke-oven practice, Fontana Steelworks, California, 1*A*.
rod and wire mill of Columbia Steel Co., California, 186*A*.
Steffen, A. J., corrosion control in portable water tanks, 198*A*.
Steffes, M.:
blast-furnace gas economy, 156*A*.
electricity generation in steelworks, 155*A*.
power requirements in rolling mills, 137*A*.
Steinour, H. H., powder metallurgy, 158*A*.
Stengel, E., chemical analysis of open-hearth slags, 202*A*.
Stenger, E. P., equipment at Queen City Steel Treating Co., Cincinnati, 10*A*.
Stephens, C. W.:
radiography of steel castings, 173*A*.
X-ray equipment for examining steel castings, 134*A*.
Stephenson, F. C., jobbing in cast-iron foundry, 107*A*.
Stephenson, R. C., titaniferous magnetite deposits, New York State, 27*A*.
Stericker, W., protection of water systems from corrosion, 198*A*.
Stern, F. B., jun., residual stresses in welded steel plate, 92*A*.
Sternberger, W. V., use of copper plating in localized nitriding, 12*A*.
Stetkewicz, J. D., powder metallurgy, 132*A*.
Steven, W., errors in diamond hardness measurements, 254*P*.
Stevens, H., machining with high-speed steel, 115*A*.
Stewart, B., melting and casting grey cast iron, 180*A*.
Stewart, J., electrical maintenance, 187*A*.
Stewart, M. H., blueing of steel, 118*A*.
Stillman, J. W., bibliography of analytical methods, 152*A*.
Stillman, N., corrosion of steel by phenol, 98*A*.
Stirling, J. C., external corrosion on underground pipe lines, 150*A*.
Stitt, J. R., effect of stress-relief of welded structures, 60*A*., 114*A*., 190*A*.
Stokeld, F. E., heating steel for forging, 108*A*.
Stoltz, G. E., electrical equipment for steel production, 38*A*.
Stone, M. D.:
shell-forging, 85*A*.
unitemper mill, 10*A*.
Stotz, R., conveyors in foundries, 34*A*.
Strähuber, H. F., natural water supply for iron and steel works, 107*A*.
Strassburger, P. B., blackening stainless steels, 118*A*.
Streeter, H. W., casting and coining malleable iron, 56*A*.
Strickland, H. A., jun., induction heating for forging, 55*A*.
Strothman, E. P., low-alloy steel for aeroplane parts, 22*A*.
Such, I. H.:
continuous heat-treatment for steel tubes, 11*A*.
marine corrosion tests on alloy metals 150*A*.
Summers, H. H., obituary notice, 540*P*.
Sundblad, F., steel from scrap, 184*A*.
Sutcliffe, E. R., obituary notice, 540*P*.
Swalheim, D. A., solutions for continuous plating of strip, 17*A*.
Swallow, H. T. S., tests on firebricks, 175*A*.
Swan, A. W., inspection by sampling, 68*A*.
Sweetman, L. R., strain gauge, 143*A*.
Swift, C. E., low-temperature joining, 89*A*.
Swindin, N., pickling in vitreous enamelling industry, 16*A*.
Sykes, C., ferrous metallurgy, 183*A*.
Sykes, W., Chicago steel industry, 34*A*.
Syskov, K. I., physico-mechanical properties of coke, 156*A*.

Tabor, D., metal surfaces lubricated by fatty acids, 110*A*.
Tame, K. E., use of nitrogen dioxide in beneficiation of manganese ores, 76*A*.
Tau, B. E., welded construction of blast-furnaces, 59*A*.
Taylor, D.:
alloys for permanent magnets, 21*A*.
hard steel surfaces, 187*A*.
Taylor, G. B., charge materials in cupolas, 79*A*.
Taylor, H. F.:
control of moulding sand, 181*A*.
test coupons for cast steel, 67*A*.
Taylor, J. K., polarographic analysis, 100*A*.
Taylor, R., sectional radiography, 173*A*.
Teichmann, R. F. J., South African coal for metallurgical coke, 104*A*.
Tenenbaum, M., phosphorus control in basic open-hearth slag, 184*A*.
Texter, A. C., carbon control in basic practice, 84*A*.
Thanheiser, G., determination of sulphur in steel, 151*A*.
Thienpont, J., blast-furnace working, 131*A*.
Thierry, P., blast-furnace working, 131*A*.
Thilo, E. R., high-speed X-rays, 173*A*.
Thomas, A., determination of copper in iron and steel, 151*A*.
Thomas, C. E., lithium applied to heat-treating atmospheres, 38*A*.
Thomas, M. J. A., elected Associate, 5*P*.
Thomas, R. J., elected Member, 4*P*.
Thomas, W. S., foundry mechanization, 182*A*.
Thomassen, L., stress-corrosion of cast irons, 123*A*.
Thompson, F. C., damping capacity, 20*A*.
Thompson, J. M., jun., impact *versus* hardness tests of aircraft alloy steels, 43*A*.
Thompson, J. W., blast-furnace repair, 1*A*.
Thönnessen, F., turbines and gas engines for blast-furnace blowers, 157*A*.
Thornhill, R. S., salts as corrosion inhibitors, 198*A*.

Thorpe, S. H., photography for research, 148*A*.
Thring, M. W., effect of output on thermal efficiency of furnaces, 177*A*.
Thurlby, E. G., metallurgical microscope, 95*A*.
Tiffin, W. T., intergranular corrosion of stainless-steel welds, 23*A*.
Tigerschiöld, M., iron recovery in concentration of lean ores, 128*A*.
Tillmann, W., ore-crushing plants, 128*A*.
Tillson, E. D., uncommon applications of induction heating, 188*A*.
Tisdale, N. F., effect of boron in malleable iron, 81*A*.
Tobias, P., relation between composition and properties of cast iron, 191*A*.
Toenges, A. L., properties of Wyoming coals, 76*A*.
Toeplits, W. R., bearings from metal powders, 3*A*.
Towndrow, R. P.:
distribution of materials in blast-furnaces, 289*P*.
sinters and sintering, 316*P*.
Townsend, A. A., magnetic comparator for sorting ferrous alloys, 66*A*.
Townsend, L. W., stainless clad steel, 166*A*.
Tracy, D. P., drawing thin-walled tubing, 85*A*.
Trent, powder metallurgy, 31*A*.
Tress, H. J.:
Paper: "A Rapid Method of Ore Testing. The 'S.K.' Porosity Test," *see* Saunders, H. L.
Paper: "Sinters and Sintering.—Part I.," *see* Saunders, H. L.
Trinks, W., forging hollow cylinders, 85*A*.
Troiano, A. R., Ar″ in chromium steels, 46*A*.
Troy, E. C., carbon determination by carbanalyzer, 84*A*.
Tucker, R. C., immersion thermocouple, 34*A*.
Turnbull, J. G. M., elected Member, 4*P*.
Turnbull, L. A., properties of Wyoming coals, 76*A*.
Tuzcu, Z., elected Member, 4*P*.
Twyning, R., saponification in metal cleaning, 115*A*.
Tyte, L. C., temperature-indicating paints, 164*A*.

Uhlig, H. H., effect of carbon and nitrogen on corrosion of stainless steel, 70*A*.
Unckel, H.:
effect of pressure on metal powders, 31*A*.
porous sintered iron for bearings, 31*A*.
Underwood, C. M., flame-cutting machines for ordnance manufacture, 90*A*.
Underwood, L. R., rolling of metals, 110*A*.

Valyi, E. I.:
Soro casting and rolling process, 34*A*.
elected Member, 4*P*.
Vance, E. R.:
determination of molybdenum in steel, 151*A*.
determination of nickel in steel, 201*A*.
Van der Horst, H., porous chromium coatings, 117*A*.
Vanick, J. S., effect of heat-treating cast irons, 67*A*.
Vatchagandhy, J. S., carbon and medium-manganese steel rails, 45*A*.
Vatchagandhy, J. S., and **G. P. Contractor**:
Paper: "Analytical Survey of a Rimming-Steel Ingot," 509*P*. *Correspondence*, 516*P*. *Authors' Reply*, 517*P*.
Vedder, E. H., electronic control, 87*A*.
Vennerholm, G., improved static ferrous castings for highly stressed parts, 4*A*.
Vickery, R. C., constituents of welding electrode coatings, 14*A*., 60*A*.
Vivian, A. C., representation of mechanical properties by single stress-strain curve, 42*A*., 63*A*.
Vogel, R., iron/iron-sulphide/iron-boride system, 68*A*.
Vogt, T., geology of Spitsbergen coal, 155*A*.
Voigt, P. F., fabrication of stainless steel, 114*A*.
Vollmer, L. W., quenching oils, 113*A*.
Vollrath, J. P., reversal of gas flow in regenerative furnaces, 54*A*.
Voss, H.:
hardness testing of case-hardening steels, 193*A*.
medium-frequency induction hardening, 188*A*.

Waber, J. T., stress-corrosion cracking of boiler-plate steels, 97*A*., 123*A*.
Wachter, A.:
corrosion of steel by phenol, 98*A*.
sodium nitrite as corrosion inhibitor for water, 199*A*.
Wagner, E. E., ball- and roller-bearing steels, 171*A*.
Wainer, E., titanium steel for vitreous enamelling, 18*A*.
Waite, R. G., chromium recovery in open-hearth furnaces, 135*A*.
Wakker, C. H., elected Member, 4*P*.
Waldron, L. J., standardization of salt-spray corrosion test, 150*A*.
Walker, H. S., notch-toughness tests for pipes, 91*A*.
Walker, J. D.:
National Emergency steel for farm equipment, 146*A*.
testing tractor parts, 171*A*.
Walker, W. F., machining of stainless steels, 190*A*.
Walzel, R., annealing of steel, 164*A*.
Waple, N. H., elected Associate, 5*P*.
Ward, E. D., elected Member, 4*P*.
Waring, C. L., machining spectrographic samples, 100*A*.
Waring, H. O., high-tensile steel for castings, 159*A*.

Wasserman, R. D., low-temperature welding, 39*A*., 89*A*.
Waters, R. T. F., elected Associate, 5*P*.
Wayman, A. R., heat-treatment atmospheres, 139*A*.
Wayne, R. C., test coupons for cast steel, 67*A*.
Webb, H. W., electrodeposition of metals, 202*A*.
Webb, W. R., experimental open-hearth furnace of Jones & Laughlin Steel Corporation, 136*A*., 160*A*.
Webber, H. M., electric-furnace brazing, 114*A*.
Webster, H. G., surface preparation of castings, 16*A*.
Webster, R., sand reclamation, 160*A*.
Weill, Adrienne R. :
Paper : "An X-Ray Study of Iron-Rich Iron–Silicon Alloys," *see* Farquhar, Margaret C. M.
Weinberg, S., colorimetric analysis of corrosion-resistant steels, 100*A*., 200*A*.
Weisberg, H., pipe weld investigation, 94*A*.
Weitzenkorn, L. F., determination of basic furnace bath temperature, 84*A*.
Wells, E. D., gating and feeding of steel castings, 81*A*.
Wells, J. A. E., obituary notice, 540*P*.
Welter, G., yield of metals in tensile tests, 120*A*.
Wenderott, B., microhardness testing, 193*A*.
Wentrup, H., deoxidation of steel, 35*A*., 183*A*.
Werner, M., tensile-fatigue tests on butt-welded joints, 14*A*.
Werner, R., annealing of steel, 164*A*.
Wernick, S. :
electrolytic polishing, 15*A*., 16*A*., 61*A*.
electro-tin as undercoating, 23*A*., 198*A*.
Wescott, B. B., quenching oils, 113*A*.
West, E. G., fire risks with salt baths, 38*A*.
West, G. L., glass pickling and plating tanks, 16*A*.
West, J. L., determination of phosphorus, 47*A*.
West, S. B., elected Associate, 5*P*.
West, W., high-tensile steel for castings, 159*A*.
Westman, A. E. R., control methods in ordnance manufacture, 133*A*.
Wethley, F., ammonium sulphate from coke-oven gas, 178*A*.
Weyant, R. K., annealing department of Wilson Steel & Wire Co., Chicago, 57*A*.
Whalen, A. F., open-hearth furnace gas control, 83*A*.
Whitcomb, K., heat treating stainless steel in salt baths, 57*A*.
White, J. :
Paper : "Dolomite Linings for Basic Electric Arc Furnaces," *see* Brampton, E. C.
White, O. M., welding dissimilar metals, 59*A*.
Whiteley, J. H. :
dolomite linings for basic electric-arc furnaces, 372*P*.
micro-spectrographic analysis of steel segregates, 498*P*.
treating blooms for rails, 331*P*.
Whiting, M. A., electric drive for cranes, 36*A*.
Wicks, H. O., making foamed slag, 131*A*.
Widrig, S. L., non-destructive sampling for spectrography, 200*A*.
Wiemer, H., immiscibility of slags, 179*A*.
Wiesecke, H., hot-rolling of wire and strip, 186*A*.
Wiester, H.-J. :
transformation of austenite, 46*A*.
transformation of steels, 46*A*.
Wiggins, C. R., spheroidization of malleable iron, 81*A*.
Wijkander, R., high-strength reinforcing-bar steel, 147*A*.
Wilcox, R. S., blast-furnace blowing rates, 179*A*.
Wild, R. :
Paper : "The Distribution of Materials in the Blast-Furnace.—Part I.," *see* Saunders, H. L.
Wileman, G. N., foundry conveyor equipment, 82*A*.
Wilkins, C. A. E., case-hardening anomalies, 112*A*.
Wilkinson, H. P., palm-oil recovery system, 62*A*.
Willan, G. L., electric-arc furnaces, 161*A*.
Willey, R. A., aluminium determination in acid steel, 84*A*.
Williams, A. D., production of low-carbon pig iron, 158*A*.
Williams, A. Denison, effect of moisture in blast-furnace blast, 158*A*.
Williams, A. J., effect of boron in steel, 146*A*.
Williams, A. L., use of a tin undercoat on steel to be painted, 437*P*.
Williams, D., world's mineral resources, 76*A*.
Williams, D. C., properties of foundry sands, 51*A*.
Williams, E. R., continuous casting, 34*A*.
Williams, M. F., jun., beneficiation of ores by flotation, 127*A*.
Williams, P., obituary notice, 541*P*.
Williams, R. D., graphitization of steam pipes, 94*A*.
Williams, S. V., annealing malleable iron, 80*A*.
Willis, A. T., elected Member, 4*P*.
Wilshaw, C. T., elected Member, 4*P*.
Wilson, B. L., Tuckerman strain gauge, 143*A*.
Wilson, C. L., microchemical balance, 101*A*.
Wilson, J. E., carbonizing properties of Columbus and Kentucky coals, 78*A*.
Wilson, J. T., sulphur in cast iron, 47*A*.
Wilson, O. B., corrosion caused by aromatic benzole absorption oil, 69*A*.
Winkler, W., rolling wide strip, 163*A*.
Winte, H. C., "shrink-bob" risers, 181*A*.

Wolf, R. J., flame-cutting machine, 114*A*.
Wolf, W. A. L., elected Member, 4*P*.
Wolfe, R. A., spectrographic analysis, 200*A*.
Wolff, E., German tube mill, 163*A*.
Wolford, D. S., single-strip compression test for sheet steel, 191*A*.
Wolfson, S. E., creep-resistant alloy steels, 145*A*.
Wommack, K. L., magnetic-coupled torque-meter, 120*A*.
Wood, A. O., induction heat-treatment of steel bars, 11*A*.
Wood, E., manufacture of producer gas, 104*A*.
Wood, W. A., internal stress measurement by X-ray diffraction, 148*A*.
Woodcock, W., elected Member, 4*P*.
Woodward, E. R., use of ammonia in treatment of metals, 189*A*.
Woodward, F. R., resistance-welding machines, 114*A*.
Woodhead, J. H., failure of colliery haulage and winding gear, 43*A*.
Work, H. K., experimental open-hearth furnace of Jones & Laughlin Steel Corporation, 136*A*., 160*A*.
Woxén, R., microhardness tester, 144*A*.
Wragge, W. B., lead prints of ferrous and non-ferrous metals, 96*A*.
Wražej, W. J. :
Paper : "Local Heating in Plain Carbon Steels. Martensite Formed from Pearlite," 189*P*.
errors in diamond hardness measurements, 255*P*.
micro-spectrographic analysis of steel segregates, 499*P*.
Wright, E. C., killed Bessemer steel, 53*A*.
Wright, H. E., development of blast-furnaces in Great Britain, 78*A*.
Wyman, D. E., continuous heat-treatment of shells, 87*A*.

Yancey, H. F., coal-cleaning performance, 129*A*.
Yensen, T. D., "Hipersil," an iron-silicon alloy, 194*A*.
Yock, A. H., multiple and stack cutting machine, 15*A*.
Yocum, G., dephosphorized Bessemer steel, 54*A*.
Yorke, A. C., elected Member, 4*P*.
Young, G. H., effect of inert pigments in anti-fouling paints, 23*A*., 69*A*.
Young, V. G., repair of parts by metal-spraying, 63*A*.
Young, W. E., brittle lacquers for studying stress distribution, 92*A*.

Zang, V. E., use of scrap in electric furnaces, 36*A*.
Zapffe, C. A. :
boiler embrittlement, 97*A*.
defects in electroplate, 116*A*.
fractography, 148*A*.
Zapp, A. R., tungsten-carbide dies for nail mills, 8*A*.
Zavales, C. T., high-speed X-rays, 173*A*.
Ziebolz, H., multiple-fuel controls, 77*A*.
Ziegler, N. A., effect of copper in carbon-molybdenum steel, 67*A*.
Zimmermann, P., effect of deoxidisers, 6*A*.
Zmeskal, O., electrolytic polishing of stainless steel, 61*A*.
Zschokke, H., effect of direction of welds, 119*A*.